

Laboratório de Biologia Celular

2006

Indexado (fator de impacto > 0,65 a 2,0)

Souza EM, Menna-Barreto RFS, Araújo-Jorge TC, Kumar A, Hu Q, Boykin DW, Soeiro MNC 2006. Antiparasitic activity of aromatic diamidines is related to apoptosis-like death in *Trypanosoma cruzi*. Parasitology 133: 75-79.

Paulino N, Teixeira C, Martins R, Scremen A, Dirsch VM, Vollmar AM, Abreu SR, de Castro SL, Marcucci MC 2006. Evaluation of the analgesic and anti-inflammatory effects of a Brazilian green propolis.. Planta Med 72: 899-906.

Dantas AP, Salomão K, Barbosa HS, Castro SL 2006. The effect of Bulgarian propolis against *Trypanosoma cruzi* and during its interaction with host cells. Mem I Oswaldo Cruz (impresso) 101: 207-211.

Dantas AP, Olivieri BP, Gomes FH, de Castro SL 2006. Treatment of *Trypanosoma cruzi*-infected mice with propolis promotes changes in the immune response. J Ethnopharmacol 103: 187-193.

Olivieri BP, Souza AP, Cotta-de-Almeida V, de Castro SL, Araújo-Jorge TC 2006. *Trypanosoma cruzi*: alteration in the lymphoid compartments following interruption of infection by early acute benznidazole therapy in mice. Exp Parasitol 114: 228-234.

Santa-Rita RM, Barbosa HS, Castro SL 2006. Ultrastructural analysis of edelfosine-treated trypomastigotes and amastigotes of *Trypanosoma cruzi*. Parasitol Res 100: 187-190.

Indexado (fator de impacto >2,0 a 4,0)

Meis J, Mendes-da-Cruz DA, Farias-de-Oliveira DAF, Corrêa-de-Santana EC, Pinto-Mariz F, Cotta-de-Almeida V, Bonomo A, Savino W 2006. Atrophy of mesenteric lymph nodes in experimental Chagas' disease: differential role of Fas/Fas-L and TNFRI/TNF pathways. Microbes Infect 8: 221-231.

Silva RS, Costa EM, Trindade UL, Teixeira DV, Pinto MC, Santos GL, Malta VR, de Simone AC, Pinto AV, de Castro SL 2006. Synthesis of naphthofuranquinones with activity against *Trypanosoma cruzi*. Eur J Med Chem 41: 526-530.

Souza EM, Oliveira GM, Boykin DW, Kumar A, Hu Q, Soeiro MNC 2006. Trypanocidal activity of the phenyl-substituted analogue of furamidine DB569 against *Trypanosoma cruzi* infection in vivo. J Antimicrob Chemoth 58: 610-614.

Batista, DGJ, Silva CF, Mota RA, Costa LC, Meirelles MNL, Meuser-Batista M, Soeiro MNC 2006. *Trypanosoma cruzi* modulates the expression of Rabs and alters the endocytosis in mouse cardiomyocytes in vitro. J Histochem Cytochem 54: 605-614.

Indexado (fator de impacto >4,0)

Mendes-da-Cruz DA, Silva JS, Cotta-de-Almeida V, Savino W 2006. Altered thymocyte migration during experimental acute *Trypanosoma cruzi* infection: combined role of fibronectin and the chemokines CXCL12 and CCL4. Eur J Immunol 36: 1486-1493.

2007

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Aguiar AL, Martins CJ, M Meuser-Batista, Carvalho VF, Barreto EO, E Silva PM, Corte-Real S, Baetas da Cruz W 2007. A case of keratoacanthoma centrifugum marginatum with a curious mast cell accumulation at tumour sites. *J Eur Acad Dermatol Venereol* 21: 392-435.

Carvalho A, Menna-Barreto RFS, Romeiro N, Castro SL, Boechat N 2007. Design, synthesis and activity against *Trypanosoma cruzi* of azaheterocyclic analogues of megazol.. *Med Chem Res* 3: 460-465.

Cardona TS, Spiegel CN, Alves GG, Ducommun J, Henriques-Pons A, Araujo-Jorge TC 2007. Introducing DNA concepts to swiss high school students based on a Brazilian educational game. *Biochem Mol Biol Edu* 35: 416-421.

Indexado (fator de impacto > 0,65 a 2,0)

Machado GM, Leon LL, Castro SL 2007. Activity of Brazilian and Bulgarian propolis against different species of *Leishmania*. *Mem I Oswaldo Cruz (impresso)* 102: 73-77.

Soeiro MNC, Souza EM, Boykin DW 2007. Anti-parasitic activity of aromatic diamidines and their patented literature. *Expert Opin Ther Pat* 12: 235-240.

Santoro GF, das Graças Cardoso M, Guimarães LG, Salgado AP, Menna-Barreto RF, Soares MJ 2007. Effect of oregano (*Origanum vulgare L.*) and thyme (*Thymus vulgaris L.*) essential oils on *Trypanosoma cruzi* (Protozoa: Kinetoplastida) growth and ultrastructure. *Parasitol Res* 100: 783-790.

Souza EM, Oliveira GM, Soeiro MN 2007. Electrocardiographic Findings in Acutely and Chronically *T. cruzi*-infected Mice Treated by a Phenyl-Substituted Analogue of Furamidine DB569.. *J Drug Target* 2: 61-69.

Menna-Barreto RFS, Correa JR, Pinto AV, Soares MJ, Castro SL 2007. Mitochondrial disruption and DNA fragmentation in *Trypanosoma cruzi* induced by naphthoimidazoles synthesized from beta-lapachone. *Parasitol Res* 101: 895-905.

Santoro GF, Cardoso M, Mendonça L, Soares MJ 2007. *Trypanosoma cruzi*: activity of essential oils from *Achillea millefolium L.*, *Syzygium aromaticum L.* and *Ocimum basilicum L.* on epimastigotes and trypomastigotes. *Exp Parasitol* 116: 283-290.

Adade CM, Castro SL, Soares MJ 2007. Ultrastructural localization of *Trypanosoma cruzi* lysosomes by aryl sulphatase cytochemistry. *Micron* 38: 252-256.

Indexado (fator de impacto >2,0 a 4,0)

Silva CF, Batista MM, Mota RA, Souza EM, Stephens CE, Som P, Boykin DW, Soeiro MNC 2007. Activity of "reversed" diamidines against *Trypanosoma cruzi* "in vitro". *Biochem Pharmacol* 73: 1939-1946.

Correa JR, Atella G, Menna-Barreto RFS, Soares MJ 2007. Clathrin in *Trypanosoma cruzi*: in silico gene identification, isolation, and localization of protein expression sites. *J Eukaryot*

Microbiol 54: 297-302.

Adade CM, Figueiredo RC, Castro SL, Soares MJ 2007. Effect of L-leucine methyl ester on growth and ultrastructure of *Trypanosoma cruzi*. Acta Trop 101: 67-79.

Indexado (fator de impacto >4,0)

Silva CF, Marcos Meuser Batista, Souza EM, Meirelles MNL, Stephens CE, Som P, Boykin DW, Soeiro MNC 2007. Cellular effects of reversed amidines on *Trypanosoma cruzi*. Antimicrob Agents Ch 51: 3803-3809.

Oliveira GM, Diniz RL, Batista WS, Batista MM, Bani CB, Araújo-Jorge TC, Henriques-Pons A 2007. Fas Ligand-Dependent Inflammatory Regulation in Acute Myocarditis Induced by *Trypanosoma cruzi* Infection.. Am J Pathol 171: 79-86.

Nguyen DD, Maillard MH, Cotta-de-Almeida V, Mizoguchi E, Klein C, Fuss I, Nagler C, Mizoguchi A, Bhan AK, Snapper SB 2007. Lymphocyte-Dependent and Th2 Cytokine-Associated Colitis in Mice Deficient in Wiskott-Aldrich Syndrome Protein. Gastroenterology 133: 1188-1197.

Waghabi MC, Keramidas M, Calvet CM, Meuser M, Soeiro MNC, Mendonça-Lima L, Araujo-Jorge TC, Feige JJ, Bailly S 2007. SB-431542, a transforming growth factor beta inhibitor, impairs *Trypanosoma cruzi* infection in cardiomyocytes and parasite. Antimicrob Agents Ch 51: 2905-2910.

Maillard MH, Cotta-de-Almeida V, Takeshima F, Nguyen DD, Michetti P, Nagler C, Bhan AK, Snapper SB 2007. The Wiskott-aldrich syndrome protein is required for the function of CD4(+)CD25(+)Foxp3(+) regulatory T cells. J Exp Med 204: 381-391.

2008

Indexado (> 0,65 a 2,0)

doi: Menna-Barreto, RFS, Laranja, GAT, Silva, MCC, Coelho, MGP, Paes, MC, Oliveira, MM, Castro, SL 2008. Anti-*Trypanosoma cruzi* activity of *Pterodon pubescens* seed oil: geranylgeraniol as the major bioactive component. Parasitol Res 103: 111-117.

doi: Oliveira GM, Medeiros MM, Batista WS, Santana, R, Araujo-Jorge TC, De Souza AP 2008. Applicability of charcoal use for the evaluation of intestinal motility in a murine model of *Trypanosoma cruzi* infection. Parasitol Res 102: 747-750.

doi: Cardoso, J, Soares, MJ, Menna-Barreto, RFS, Bloas, RL, Sotomaior, V, Goldenberg, S, Krieger, MA 2008. Inhibition of proteasome activity blocks *Trypanosoma cruzi* growth and metacyclogenesis. Parasitol Res 103: 941-951.

doi: Meuser-Batista M, Correa JR, Soares MJ, Henriques-Pons A 2008. Isolation of cardiac mast cells in experimental *Trypanosoma cruzi* infection. Tissue Cell 40: 309-316.

doi: Cascabulho, CM, Menna-Barreto, RFS, Coutinho-Silva, R, Persechini, PM, Henriques-Pons A 2008. P2X7 modulatory web in *Trypanosoma cruzi* infection. Parasitol Res 103: 829-838.

doi: Correa JR, Atella GC, Batista MM, Soares MJ 2008. Transferrin uptake in *Trypanosoma*

cruzi is impaired by interference on cytostome-associated cytoskeleton elements and stability of membrane cholesterol, but not by obstruction of clathrin-dependent endocytosis. *Exp Parasitol* 119: 58-66.

doi: Souza EM, Marcos Meuser Batista, Batista, DGJ, Duarte BB, Araujo-Jorge TC, Soeiro MN 2008. Trypanosoma cruzi: alpha-2-macroglobulin regulates host cell apoptosis induced by the parasite infection in vitro. *Exp Parasitol* 118: 331-337.

doi: Medrano-Mercado N, Ugarte-Fernandez R, Butrón V, Uber-Busek S, Guerra HL, de Araujo-Jorge TC, Correa-Oliviera R 2008. Urban transmission of Chagas disease in Cochabamba, Bolivia. *Mem I Oswaldo Cruz (impresso)* 103: 423-430.

Indexado (>4,0)

doi: Silva CF, Marcos Meuser Batista, Batista, DGJ, Souza EM, Silva PB, Oliveira GM, Meuser AS, Shareef AR , Boykin D W, Soeiro MNC 2008. In vitro and in vivo studies of the trypanocidal activity of a diarylthiophene diamidine against Trypanosoma cruzi. *Antimicrob Agents Ch* 52: 3307-3314.

doi: Araujo-Jorge TC, Waghabi MC, Soeiro MNC, Keramidas M, Bailly S, Feige JJ 2008. Pivotal role for TGF-beta in infectious heart disease: The case of Trypanosoma cruzi infection and consequent Chagasic myocardopathy. *Cytokine Growth F R* 19: 405-413.

Indexado (<0,65 e não impactadas no ISI)

Spiegel CN, Alves GG, Cardona TS, Melim LM, Luz MR, Araujo-Jorge TC, Henriques-Pons A 2008. Discovering the cell: an educational game about cell and molecular biology. *J Biol Educ* 43: 27-35.

doi: Ballester-Gil LM, Stotz EN, Hasslocher-Moreno AM, Alves-de-Azevedo B, de Araujo-Jorge TC 2008. O saber do paciente chagásico sobre a sua doença: construção compartilhada de um instrumento para a pesquisa e teste de sua aplicabilidade. *Cienc Saude Coletiva* 13: 2199-2214.

doi: Grossman E, de Araujo-Jorge TC, de Araujo IS 2008. Reflexões sobre os objetos e os ambientes físicos de ensino e pesquisa em saúde. *Cienc Saude Coletiva* 13: 2269-2277.

doi: Waizbort R, de la Rocque LR 2008. Um replicador em movimento: aproximações entre a poética narrativa de Borges e o programa de pesquisa dos memes. *Hist cienc saude-Manguinhos* 15: 183-195.

Indexado (>2,0 a 4,0)

doi: Korenblum E, Sebástian, GV, Paiva MM, Coutinho CMLM, Magalhães FCM, Peyton, BM, Seldin L 2008. Action of antimicrobial substances produced by different oil reservoir *Bacillus* strains against biofilm formation. *Appl Microbiol Biot* 79: 97-103.

doi: Salomão K, Pereira PRS, Campos LC, Borba CM, Cabello PH, Marcucci MC, Castro SL 2008. Brazilian propolis: correlation between chemical composition and antimicrobial activity. *Evid-Based Compl Alt* 5: 317-324.

doi: da Silva EN, Jr, Menna-Barreto, RFS, Pinto, MDCF, Silva RS, Teixeira, DV, Souza MCBV, de Simone, CA, Castro SL, Ferreira, VF, Pinto, AV 2008. Naphthoquinoidal [1,2,3]-triazole, a new structural moiety active against *Trypanosoma cruzi*. Eur J Med Chem 43: 1774-1780.

doi: Bani CB, Lagrota-Candido, J, Pinheiro, DF, Leite, PE, Salimena, MC, Henriques-Pons, A, Quirico-Santos, T 2008. Pattern of metalloprotease activity and myofiber regeneration in skeletal muscles of mdx mice. Muscle Nerve 37: 583-592.

doi: Carvalho SA, Lopes FAS, Salomão K, Romeiro NC, Wardell SM, Castro SL, Silva EF, Fraga CA 2008. Studies toward the structural optimization of new brazilizone-related trypanocidal 1,3,4-thiadiazole-2-arylhydrazone derivatives. Bioorgan Med Chem 16: 413-421.

doi: Silva Junior EN, Souza MCBV, Fernandes MC, Menna-Barreto RFS, Pinto MCFR, Lopes FA, Simone CA, Andrade CK, Pinto AV, Ferreira VF, Castro SL 2008. Synthesis and anti-*Trypanosoma cruzi* activity of derivatives from nor-lapachones and lapachones. Bioorgan Med Chem 16: 5030-5038.

2009

Indexado (fator de impacto > 0,65 e < 2)

doi: Oliveira GM, Masuda MO, Rocha NN, Schor N, Hooper CS, Araujo-Jorge TC, Henriques-Pons A 2009. Absence of Fas-L aggravates renal injury in acute *Trypanosoma cruzi* infection. Mem I Oswaldo Cruz (impresso) 104: 1063-1071.

doi: Oliveira GM, da Silva TM, Batista WS, Franco M, Schor N 2009. Acute *Trypanosoma cruzi* experimental infection induced renal ischemic/reperfusion lesion in mice. Parasitol Res 106: 111-120.

doi: Lannes-Vieira J, Soeiro MN, Corrêa-Oliveira R, Araújo-Jorge TC 2009. Chagas disease centennial anniversary celebration: historical overview and prospective proposals aiming to maintain vector control and improve patient prognosis - a permanent challenge. Mem I Oswaldo Cruz (impresso) 104 Suppl 1: 5-7.

doi: Menna-Barreto RF, Salomão K, Dantas AP, Santa-Rita RM, Soares MJ, Barbosa HS, de Castro SL 2009. Different cell death pathways induced by drugs in *Trypanosoma cruzi*: An ultrastructural study. Micron 40: 157-168.

doi: Soeiro MN, Dantas AP, Daliry A, da Silva CF, Batista DG, de Souza EM, Oliveira GM, Salomão K, Batista MM, Pacheco MG, da Silva PB, Santa-Rita RM, Barreto RF, Boykin DW, de Castro SL 2009. Experimental chemotherapy for Chagas disease: 15 years of research contributions from in vivo and in vitro studies. Mem I Oswaldo Cruz (impresso) 104 Suppl 1: 301-310.

doi: Coutinho L, Alves Ferreira M, Cosson A, Meuser Batista M, Batista DG, Minoprio P, Degrave WM, Berneman A, Soeiro MN 2009. Inhibition of *Trypanosoma cruzi* proline racemase affects host-parasite interactions and the outcome of in vitro infection. Mem I Oswaldo Cruz (impresso) 104: 1055-1062.

doi: Pinto AV, de Castro SL 2009. The trypanocidal activity of naphthoquinones: A review.

Molecules 14: 4570-4590.

doi: Pacheco MG, da Silva CF, de Souza EM, Batista MM, da Silva PB, Kumar A, Stephens CE, Boykin DW, Soeiro MN 2009. Trypanosoma cruzi: Activity of heterocyclic cationic molecules in vitro. Exp Parasitol 123: 73-80.

Indexado (fator de impacto > 2 e < 4)

doi: Corrêa G, Vilela R, Menna-Barreto RF, Midlej V, Benchimol M 2009. Cell death induction in Giardia lamblia: effect of beta-lapachone and starvation. Parasitol Int 58: 424-437.

doi: Henriques-Pons A, de Oliveira GM 2009. Is the Fas/Fas-L pathway a promising target for treating inflammatory heart disease?. J Cardiovasc Pharm T 53: 94-99.

doi: Menna-Barreto RF, Corrêa JR, Cascabulho CM, Fernandes MC, Pinto AV, Soares MJ, de Castro SL 2009. Naphthoimidazoles promote different death phenotypes in Trypanosoma cruzi. Parasitology 136: 499-510.

doi: Soeiro MN, de Castro SL 2009. Trypanosoma cruzi targets for new chemotherapeutic approaches. Expert Opin Ther Tar 13: 105-121.

Indexado (fator de impacto > 4)

doi: Vannier-Santos MA, Castro SL 2009. Electron microscopy in antiparasitic chemotherapy: A (close) view to a kill. Curr Drug Targets 10: 246-260.

doi: Daliry A, da Silva PB, da Silva CF, Batista MM, de Castro SL, Tidwell RR, Soeiro MN 2009. In vitro analyses of the effect of aromatic diamidines upon Trypanosoma cruzi. J Antimicrob Chemoth 64: 747-750.

doi: de Alencar BC, Persechini PM, Haolla FA, de Oliveira G, Silverio JC, Lannes-Vieira J, Machado AV, Gazzinelli RT, Bruna-Romero O, Rodrigues MM 2009. Perforin and gamma interferon expression are required for CD4+ and CD8+ T-cell-dependent protective immunity against a human parasite, Trypanosoma cruzi, elicited by heterologous plasmid DNA prime-recombinant adenovirus 5 boost vaccination. Infect Immun 77: 4383-4395.

doi: Waghabi MC, de Souza EM, de Oliveira GM, Keramidas M, Feige JJ, Araujo-Jorge TC, Baily S 2009. Pharmacological inhibition of transforming growth factor beta signaling decreases infection and prevents heart damage in acute Chagas' disease. Antimicrob Agents Ch 53: 4694-4701.

doi: Menna-Barreto RF, Gonçalves RL, Costa EM, Silva RS, Pinto AV, Oliveira MF, de Castro SL 2009. The effects on Trypanosoma cruzi of novel synthetic naphthoquinones are mediated by mitochondrial dysfunction. Free Radical Bio Med 47: 644-653.

2010

Indexado (fator de impacto < 0,65 ou sem FI)

doi: Pereira ME, Jurberg C, Soeiro MN, Borba CM 2010. A estruturação do programa de

capacitação profissional de biossegurança no contexto do projeto de modernização da gestão científica do Instituto Oswaldo Cruz. Saude Soc-Sao Paulo 20: 209-217.

Indexado (fator de impacto > 0,65 e < 2)

doi: Campos MC, Salomão K, Castro-Pinto DB, Leon LL, Barbosa HS, Maciel MA, de Castro SL 2010. Croton cajucara crude extract and isolated terpenes: activity on Trypanosoma cruzi. Parasitol Res 107: 1093-1204.

doi: Paiva MM, Soeiro MN, Barbosa HS, Meirelles MN, Delain E, Araujo-Jorge TC 2010. Glycosylation patterns of human alpha2-macroglobulin: analysis of lectin binding by electron microscopy. Micron 41: 666-673.

doi: Batista DG, da Silva PB, Lachter DR, Silva RS, Aucelio RQ, Louro SR, Beraldo H, Soeiro MN, Teixeira LR 2010. Manganese(II) complexes with N4-methyl-4-nitrobenzaldehyde, N4-methyl-4-nitroacetofenone, and N4-methyl-4-nitrobenzophenone thiosemicarbazone: Investigation of in vitro activity against Trypanosoma cruzi. Polyhedron 29: 2232-2238.

doi: Vilela R, Menna-Barreto RF, Benchimol M 2010. Methyl jasmonate induces cell death and loss of hydrogenosomal membrane potential in Trichomonas vaginalis. Parasitol Int 59: 387-393.

doi: Silverio JC, de Oliveira Pinto LM, da Silva AA, de Oliveira GM, Lannes-Vieira J 2010. Perforin-expressing cytotoxic cells contribute to chronic cardiomyopathy in Trypanosoma cruzi infection. Int J Exp Pathol 91: 72-86.

doi: Kikuchi SA, Sodré CL, Kalume DE, Elias CG, Santos AL, de Nazaré Soeiro M, Meuser M, Chapeaurouge A, Perales J, Fernandes O 2010. Proteomic analysis of two Trypanosoma cruzi Zymodeme 3 strains. Exp Parasitol 126: 540-551.

Indexado (fator de impacto > 2 e < 4)

doi: Olivieri BP, Molina JT, Castro SL, Pereira MC, Urbina JA, Araujo-Jorge TC 2010. A comparative study of posaconazole and benznidazole in the prevention of heart damage and promotion of trypanocidal immune response in a murine model of Chagas disease. Int J Antimicrob Ag 36: 79-83.

doi: Menna-Barreto RF, Beghini DG, Ferreira AT, Pinto AV, de Castro SL, Perales J 2010. A proteomic analysis of the mechanism of action of naphthoimidazoles in Trypanosoma cruzi epimastigotes in vitro. J Proteomics 73: 2306-2315.

doi: Batista DG, Pacheco MG, Kumar A, Branowska D, Ismail MA, Hu L, Boykin DW, Soeiro MN 2010. Biological, ultrastructural effect and subcellular localization of aromatic diamidines in Trypanosoma cruzi. Parasitology 137: 251-259.

doi: Salomão K, de Souza EM, Henriques-Pons A, Barbosa HS, de Castro SL 2010. Brazilian green propolis: Effects in vitro and in vivo on Trypanosoma cruzi. Evid-Based Compl Alt - - -: - - -

doi: de Souza EM, Nefertiti AS, Bailly C, Lansiaux A, Soeiro MN 2010. Differential apoptosis-like cell death in amastigote and trypomastigote forms from *Trypanosoma cruzi*-infected heart cells in vitro. *Cell Tissue Res* 341: 173-180.

doi: Romanha AJ, de Castro SL, Soeiro MN, Lannes-Vieira J, Ribeiro I, Talvani A, Bourdin B, Blum B, Olivieri B, Zani C, Spadafora C, Chiari E, Chatelain E, Chaves G, Calzada JE, Bustamante JM, Freitas-Junior LH, Romero LI, Bahia MT, Lotrowska M, Soares M, Andrade SG, Armstrong T, Degrave W, Andrade ZA 2010. In vitro and in vivo experimental models for drug screening and development for Chagas disease. *Mem I Oswaldo Cruz (impresso)* 105: 233-238.

doi: De Souza AP, Jelicks LA, Tanowitz HB, Olivieri BP, Medeiros MM, Oliveira GM, Pires AR, dos Santos AM, Araújo-Jorge TC 2010. The benefits of using selenium in the treatment of Chagas disease: prevention of right ventricle chamber dilatation and reversion of *Trypanosoma cruzi*-induced acute and chronic cardiomyopathy in mice. *Mem I Oswaldo Cruz (impresso)* 105: 746-751.

doi: da Silva CF, da Silva PB, Batista MM, Daliry A, Tidwell RR, Soeiro MN 2010. The biological in vitro effect and selectivity of aromatic dicationic compounds on *Trypanosoma cruzi*. *Mem I Oswaldo Cruz (impresso)* 105: 239-245.

doi: da Silva EN Jr, Guimarães TT, Menna-Barreto RF, Pinto MC, de Simone CA, Pessoa C, Cavalcanti BC, Sabino JR, Andrade CK, Goulart MO, de Castro SL, Pinto AV 2010. The evaluation of quinonoid compounds against *Trypanosoma cruzi*: synthesis of imidazolic anthraquinones, nor-beta-lapachone derivatives and beta-lapachone-based 1,2,3-triazoles. *Bioorgan Med Chem* 18: 3224-3230.

Indexado (fator de impacto > 4)

doi: Batista DG, Batista MM, de Oliveira GM, Lannes-Vieira J, Britto CC, Junqueira A, Lima MM, Romanha AJ, Sales Jr PA, Stephens CE, Boykin DW, Soeiro MN 2010. Arylimidamide DB766, a potential chemotherapeutic candidate for Chagas disease treatment. *Antimicrob Agents Ch* 54: 2940-2952.

doi: Ennes-Vidal V, Menna-Barreto RF, Santos AL, Branquinha MH, d'Avila-Levy CM 2010. Effects of the calpain inhibitor MDL28170 on the clinically relevant forms of *Trypanosoma cruzi* in vitro. *J Antimicrob Chemoth* 65: 1395-1398.

doi: Salomão K, de Souza EM, Carvalho SA, da Silva EF, Fraga CA, Barbosa HS, de Castro SL 2010. In vitro and in vivo activities of 1,3,4-thiadiazole-2-arylhydrazone derivatives of megazol against *Trypanosoma cruzi*. *Antimicrob Agents Ch* 54: 2023-2031.

doi: Lannes-Vieira JL, de Araujo-Jorge TC, Soeiro MN, Gadelha P, Corrêa-Oliveira R 2010. The centennial of the discovery of Chagas disease: Facing the current challenges. *Plos Neglect Trop D* 4: - .

2011

Indexado (fator de impacto < 0,65 ou sem FI)

doi: Castro SL, Batista, DGJ, Marcos Meuser Batista, Batista WS, Daliry A, Souza EM, Menna-

Barreto RFS, Oliveira GM, Salomão K, Silva CF, Silva PB, Soeiro MNC 2011. Experimental chemotherapy for Chagas disease: a morphological, biochemical and proteomic overview of potential Trypanosoma cruzi targets of amidines derivatives and naphthoquinones. Mol Biol Int xxx: - .

doi: Soeiro MN, de Castro SL 2011. Screening of potential anti-Trypanosoma cruzi candidates: In vitro and in vivo studies. Open Med Chem J 5: 21-30.

Indexado (fator de impacto > 2 e 4)

doi: Batista DG, da Silva PB, Stivanin L, Lachter DR, Silva RS, Felcman J, Louro SR, Teixeira LR, Soeiro MN 2011. Co(II), Mn(II) and Cu(II) complexes of fluoroquinolones: Synthesis, spectroscopic studies and biological evaluation against Trypanosoma cruzi. Polyhedron 10: 1718-1725.

doi: Vieira CS, Almeida DB , de Thomaz AA , Menna-Barreto RF, Santos-Mallet JR, Cesar CL , Gomes SA, Feder D 2011. Studying nanotoxic effects of CdTe quantum dots in Trypanosoma cruzi. Mem I Oswaldo Cruz (impresso) 106: 158-165.

doi: Hausen MA, Menna-Barreto RF, Lira DC , de Carvalho L, Barbosa HS 2011. Synergic effect of metronidazole and pyrantel pamoate on Giardia lamblia. Parasitol Int 60: 54-58.

doi: Ferreira SB, Salomão K, de Carvalho da Silva F, Pinto AV, Kaiser CR, Pinto AC, Ferreira VF, de Castro SL 2011. Synthesis and anti-Trypanosoma cruzi activity of beta-lapachone analogues. Eur J Med Chem 46: 3071-3077.

doi: da Silva CF, Daliry A, da Silva PB, Akay S, Banerjee M,, Farahat AA, Fisher MK, Hu L, Kumar A,, Liu Z, Stephens CE, Boykin DW, Correia Soeiro MD 2011. The efficacy of novel arylimidamides against Trypanosoma cruzi in vitro. Parasitology 138: 1863-1869.

Indexado (fator de impacto > 4)

doi: Gonçalves RL , Barreto RF, Polycarpo CR, Gadelha FR, Castro SL, Oliveira MF 2011. A comparative assessment of mitochondrial function in epimastigotes and bloodstream trypomastigotes of Trypanosoma cruzi. J Bioenerg Biomembr 43: 651-661.

doi: Duszenko M, Ginger ML, Brennand A, Gualdrón-Lopez M, Colombo MI, Coombs GH, Coppens I, Jayabalasingham B, Langsley G, de Castro SL, Menna-Barreto R, Mottram JC, Navarro M, Rigden DJ, Romano PS, Stoka V, Turk B, Michels PA 2011. Autophagy in protists. Autophagy 7: 127-158.

doi: Oliveira JH, Goncalves RL, Lara FA, Dias FA , Gandara AC, Menna-Barreto RF, Edwards MC , Laurindo FR, Silva-Neto MA, Sorgine MH, Oliveira PL 2011. Blood meal-derived heme decreases ROS levels in the midgut of Aedes aegypti and allows proliferation of intestinal microbiota. Plos Pathog 7: - .

doi: Batista DG, Batista MM, de Oliveira GM, Britto CC, Rodrigues AC, Stephens CE, Boykin DW, Soeiro MN 2011. Combined treatment of heterocyclic analogues and benznidazole upon Trypanosoma cruzi in vivo. Plos One 6: - .

doi: da Silva CF, Junqueira A, Lima MM, Romanha AJ, Sales Junior PA, Stephens CE, Som P, Boykin DW, Soeiro MN 2011. In vitro trypanocidal activity of DB745B and other novel arylimidamides against *Trypanosoma cruzi*. *J Antimicrob Chemoth* 66: 1295-1297.

doi: Meuser-Batista M, Corrêa JR, Carvalho VF, Britto CF, Moreira OC, Batista MM, Soares MJ, Farias Filho FA, e Silva PM, Lannes-Vieira J, Silva RC, Henriques-Pons A 2011. Mast cell function and death in *Trypanosoma cruzi* infection. *Am J Pathol* 179: 1894-1904.

doi: Ennes-Vidal V, Menna-Barreto RF, Santos AL, Branquinha MH, d Avila-Levy CM 2011. MDL28170, a calpain inhibitor, affects *Trypanosoma cruzi* metacyclogenesis, ultrastructure and attachment to *Rhodnius prolixus* midgut. *Plos One* 6: - .

doi: Daliry A, Pires MQ, Silva CF, Pacheco RS, Munde M, Stephens CE, Kumar A, Ismail MA, Liu Z, Farahat AA, Akay S, Som P, Hu Q , Boykin DW, Wilson WD, de Castro SL, Soeiro MN 2011. The trypanocidal activity of amidine compounds does not correlate with their binding affinity to *Trypanosoma cruzi* kinetoplast DNA. *Antimicrob Agents Ch* 55: 4765-4773.

Indexado (fator de impacto 0,65 e 2)

doi: de Oliveira GM, Yoshida N, Higa EM, Shenkman S, Alves M, Staquicini D, Cascabulho C, Schor N 2011. Induction of proinflammatory cytokines and nitric oxide by *Trypanosoma cruzi* in renal cells. *Parasitol Res* 96: 434-442.

doi: de Souza EM, da Silva PB, Nefertiti AS, Ismail MA, Arafa RK, Tao B, Nixon-Smith CK, Boykin DW, Soeiro MN 2011. Trypanocidal activity and selectivity in vitro of aromatic amidine compounds upon bloodstream and intracellular forms of *Trypanosoma cruzi*. *Exp Parasitol* 127: 429-435.

2012

Indexado (fator de impacto < 1 ou sem FI)

doi: EL-Hani CN, Borges VM , Wanderley JL, Barcinski MA 2012. Apoptosis and apoptotic mimicry in *Leishmania*: an evolutionary perspective. *Front Cell Infect Microbiol* 2: - .

doi: Mendes Wanderley JL, Costa JF, Borges VM, Barcinski M 2012. Subversion of immunity by *Leishmania amazonensis* parasites: possible role of phosphatidylserine as a main regulator. *J Parasitol Res* 2012: - .

Indexado (fator de impacto >=1 e < 2,71)

doi: da Silva DR, de Castro SL, Alves MC, Batista WS, de Oliveira GM 2012. Acute experimental *Trypanosoma cruzi* infection: Establishing a murine model that utilises non-invasive measurements of disease parameters. *Mem I Oswaldo Cruz (impresso)* 107: 211-216.

doi: Inácio JD, Canto-Cavalheiro MM, Menna-Barreto RF, Almeida-Amaral EE 2012. Mitochondrial damage contribute to epigallocatechin-3-gallate induced death in *Leishmania amazonensis*. *Exp Parasitol* 132: 151-155.

doi: Arriaza B, Orellana NC, Barbosa HS, Menna-Barreto RF, Araújo A, Standen V 2012. Severe head lice infestation in an Andean mummy of Arica, Chile. J Parasitol 98: 433-436.

doi: Albuquerque DD, Brener B, Menna-Barreto RF, Bruno SF 2012. The first identification of *Nymphicilichus perezae* Mironov and Galloway, 2002 in cockatiels in Brazil and the first record of *Psittophagus* sp. Gaud and Atyeo, 1996 and cf. *Dubininia* sp. Vassilev, 1958 in cockatiels (*Nymphicus hollandicus* Kerr, 1792). Parasitol Int 61: 572-578.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Fernandes MC, da Silva EN, Pinto AV, de Castro SL, Menna-Barreto RF 2012. A novel triazolic naphthofuranquinone induces autophagy in reservosomes and impairment of mitosis in *Trypanosoma cruzi*. Parasitology 139: 26-36.

doi: Martins DA, Gouvea LR, da Gama Jean Batista D, da Silva PB, Louro SR, de Nazare C Soeiro M, Teixeira LR 2012. Copper(II)-fluoroquinolone complexes with anti-*Trypanosoma cruzi* activity and DNA binding ability. Biometals 25: 951-960.

doi: Carvalho SA, Feitosa LO, Soares M, Costa TE, Henriques MG, Salomão K, de Castro SL, Kaiser M, Brun R, Wardell JL, Wardell SM, Trossini GH, Andricopulo AD, da Silva EF, Fraga CA 2012. Design and synthesis of new (E)-cinnamic N-acylhydrazones as potent antitrypanosomal agents. Eur J Med Chem 54: 512-521.

doi: França-Costa J , Wanderley JL, Deolindo P, Zarattini JB, Costa J, Soong L, Barcinski MA, Barral A, Borges VM 2012. Exposure of phosphatidylserine on *Leishmania amazonensis* isolates is associated with diffuse cutaneous leishmaniasis and parasite infectivity. Plos One 7: - .

doi: da Silva CF, Batista DG, Oliveira GM, de Souza EM, Hamer ER, da Silva PB, Daliry A, Araújo JS, Britto C, Rodrigues AC, Liu Z, Farahat AA, Kumar A, Boykin DW, Soeiro MN 2012. In vitro and in vivo investigation of the efficacy of arylimidamide DB1831 and its mesylated salt form - DB1965 - against *Trypanosoma cruzi* infection. Plos One 7: - .

doi: da Silva EN Jr, de Melo IM, Diogo EB, Costa VA, Verenice A, de Souza Filho JD, Valença WO, Camara CA, de Oliveira RN, de Araujo AS, Emery FS, dos Santos MR, de Simone CA, Menna-Barreto RF, de Castro SL 2012. On the search for potential anti-*Trypanosoma cruzi* drugs: Synthesis and biological evaluation of 2-hydroxy-3-methylamino and 1,2,3-triazolic naphthoquinoidal compounds obtained by click chemistry reactions. Eur J Med Chem 52: 304-312.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Zhu X, Liu Q, Yang S, Parman T, Green CE, Mirsalis JC, de Nazaré Correia Soeiro M, Mello de Souza E, da Silva CF, da Gama Jaen Batista D, Stephens CE, Banerjee M, Farahat AA, Munde M, Wilson WD, Boykin DW, Wang MZ, Werbovetz KA 2012. Evaluation of arylimidamides DB1955 and DB1960 as candidates against visceral leishmaniasis and Chagas' disease - In vivo efficacy, acute toxicity, pharmacokinetics, and toxicology studies. Antimicrob Agents Ch 56: 3690-3699.

doi: Klionsky DJ, Menna-Barreto RF, and 1023 others 2012. Guidelines for the use and

interpretation of assays for monitoring autophagy. *Autophagy* 8: 445-544.

doi: de Oliveira FL, Araujo-Jorge TC, de Souza EM, de Oliveira GM, Degrave WM, Feige JJ, Bailly S, Waghabi MC 2012. Oral administration of GW788388, an inhibitor of transforming growth factor beta signaling, prevents heart fibrosis in Chagas disease. *Plos Neglect Trop D* 6: -

doi: Schmidt TJ, Khalid SA, Romanha AJ, Alves TM, Biavatti MW, Brun R, Da Costa FB, de Castro SL, Ferreira VF, de Lacerda MV, Lago JH, Leon LL, Lopes NP, das Neves Amorim RC, Niehues M, Ogungbe IV, Pohlit AM, Scotti MT, Setzer WN, Soeiro MN, Steindel M, Tempone AG 2012. The potential of secondary metabolites from plants as drugs or leads against protozoan neglected diseases - Part I. *Curr Top Med Chem* 19: 2128-2175.

doi: Schmidt TJ, Khalid SA, Romanha AJ, Alves TM, Biavatti MW, Brun R, Da Costa FB, de Castro SL, Ferreira VF, de Lacerda MV, Lago JH, Leon LL, Lopes NP, das Neves Amorim RC, Niehues M, Ogungbe IV, Pohlit AM, Scotti MT, Setzer WN, Soeiro MN, Steindel M, Tempone AG 2012. The potential of secondary metabolites from plants as drugs or leads against protozoan neglected diseases - Part II. *Curr Top Med Chem* 19: 2176-2228.

2013

Indexado (fator de impacto >=1 e < 2,71)

doi: Borges da Silva R, Loback VB, Salomão K, de Castro SL, Wardell JL, Wardell SM, Costa TE, Penido C, Henriques MG, Carvalho SA, da ilva EF, Fraga CA 2013. Article synthesis and trypanocidal activity of novel 2,4,5-triaryl-N-hydroxylimidazole derivatives. *Molecules* 18: 3445-3457.

Demarque KC, Cascabulho CM, Batista WS, Oliveira FS, Oliveira GM 2013. Increased TNF serum levels are related to highly aggressive behavior in male Swiss Webster mice. *Lab Anim-UK* 100: 100-101.

doi: Rochael NC, Lima LG, Oliveira SM, Barcinski MA, Saraiva E, Monteiro RQ, Pinto-da-Silva LH 2013. *Leishmania amazonensis* exhibits phosphatidylserine-dependent procoagulant activity, a process that is counteracted by sandfly saliva. *Mem I Oswaldo Cruz (impresso)* 108: 679-685.

doi: Soeiro MNC, Werbovetz K, Boykin DW, Wilson WD, Wang MZ, Hemphill A 2013. Novel amidines and analogues as promising agents against intracellular parasites: a systematic review.. *Parasitology* 140: 929-951.

doi: Wanderley JL, Thorpe PE, Barcinski MA, Soong L 2013. Phosphatidylserine exposure on the surface of *Leishmania amazonensis* amastigotes modulates *in vivo* infection and dendritic cell function. *Parasite Immunol* 35: 109-119.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Nogueira NPA , MORGADO-DÍAZ JA , Menna-Barreto RFS, Paes MC, Silva-López RE 2013. Effects of a marine serine protease inhibitor on viability and morphology of *Trypanosoma cruzi*, the agent of Chagas disease. *Acta Trop* 128: 27-35.

doi: Rebello KM, Menna-Barreto RFS, Moutinho V, Mota EM, Perales J, Ferreira AGCN, Oliveira-Menezes, A, Lenzi H 2013. Morphological aspects of *Angiostrongylus costaricensis* by light and scanning electron microscopy. *Acta Trop* 127: 191-198.

doi: Gouvea LR, Martins DA, Batista, DGJ, Soeiro MNC, Louro SR, Barbeira PJ, Teixeira LR 2013. Norfloxacin Zn(II)-based complexes: acid base ionization constant determination, DNA and albumin binding properties and the biological effect against *Trypanosoma cruzi*.. *Biometals* 26: 813-825.

doi: Diogo EBT, Dias GG, Rodrigues BL, Guimarães TT, Valençá WO, Camara CA, Oliveira RN, Silva MG, Ferreira VF, Paiva YG, Goulart MOF, Menna-Barreto RFS, Castro SL, Silva Junior EN 2013. Synthesis and anti-*Trypanosoma cruzi* activity of naphthoquinone-containing triazoles: Electrochemical studies on the effects of the quinoidal moiety. *Bioorgan Med Chem* 21: 6337-6348.

doi: Castro SL, Emery FS, Silva Junior EN 2013. Synthesis of Quinoidal Molecules: Strategies towards Bioactive Compounds with an Emphasis on Lapachones. *Eur J Med Chem* 69: 678-700.

doi: Salomão K, Santana NA, Molina MT, Castro SL, Menna-Barreto RFS 2013. *Trypanosoma cruzi* mitochondrial swelling and membrane potential collapse as primary evidence of the mode of action of naphthoquinone analogues. *BMC Microbiol* 13: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Silva CF, Batista, DGJ, Siciliano-de-Araújo J, Marcos Meuser Batista, Jessica Lionel, Souza EM, Erica Ripoll Hammer, Silva PB, De Mieri M, Adams M, Zimmermann S, Hamburger M B, Brun R, Schühly W, Soeiro MNC 2013. Activities of psilotachycin A and cynaropicrin against *Trypanosoma cruzi* in vitro and in vivo. *Antimicrob Agents Ch* 57: 5307-5314.

doi: Soeiro MNC, Souza EM, Silva CF, Batista, DGJ, Marcos Meuser Batista, Pavão BP, Siciliano-de-Araújo J, Aiub C, Silva PB, Lionel JR, Britto CFPC, Kim K, Sulikowski G, Hargrove TY, Waterman MR, Lepesheva GL 2013. In vitro and in vivo studies of the antiparasitic activity of sterol 14α-demethylase (CYP51) inhibitor VNI against drug-resistant strains of *Trypanosoma cruzi*.. *Antimicrob Agents Ch* 57: 4151-4163.

2014

Indexado (fator de impacto < 1 ou sem FI)

W A Marques , Gomes SAO, D B Almeida , J P F Pacheco, Menna-Barreto RFS, Santos-Mallet JR, C L Cesar, D Feder 2014. Evidence of autophagy in trypanosoma cruzi cells by quantum dots. *Acta Microsc* 23: 1-10.

Indexado (fator de impacto >=1 e < 2,71)

doi: Silva Júnior EN, Jardim GAM, Menna-Barreto RFS, Castro SL 2014. Anti-*Trypanosoma cruzi* compounds: Our contribution for the evaluation and insights on the mode of action of naphthoquinones and derivatives. *J Brazil Chem Soc* 0: 1-19.

doi: Araújo AF, Oliveira GM, Vasconcelos JF, Ersching J, Vasconcelos JR, Machado AV, Soares MB, Soares MB 2014. Genetic vaccination against experimental infection with myotropic

parasite strains of *Trypanosoma cruzi*. *Mediat Inflamm* 2014: - .

doi: Timm, B, Marcos Meuser Batista, Jessica, Hammer, ER, Brun, R, Soeiro MNC 2014. In vitro and in vivo activity of the chloroaryl-substituted imidazole viniconazole against *Trypanosoma cruzi*. *Parasitology* 141: 367-373.

doi: Timm, B, Silva PB, Marcos Meuser Batista, Farahat AA, Kumar A, Boykin DW, Soeiro MNC 2014. In vitro investigation of the efficacy of novel diamidines against *Trypanosoma cruzi*. *Parasitology* 135: 1272-1276.

doi: Carvalho AS, Salomão K, Castro SL, Conde TR, Zamith HPS, Caffarena ER, Hall BS, Wilkinson SR, Boechat N 2014. Megazol and its bioisostere 4H-1,2,4-triazole: Comparing the trypanocidal, cytotoxic and genotoxic activities and their in vitro and in silico interactions with the *T. brucei* nitroreductase enzyme (tbNTR). *Mem I Oswaldo Cruz (impresso)* 109: 315-323.

doi: Peixoto MC, Souza CF, Menna-Barreto RFS, Nogueira NPA, Laranja GAT, Sabino KC, Coelho MGP, Oliveira MM, Paes MC 2014. Trypanosomatid essential metabolic pathway: New approaches about heme fate in *Trypanosoma cruzi*. *Biochem Bioph Res Co* 449: 216-221.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Sangenito LS, Menna-Barreto RFS, d Avila-Levy CM, Santos ALS, Branquinha MH 2014. Decoding the anti-*Trypanosoma cruzi* action of HIV peptidase inhibitors using epimastigotes as a model. *Plos One* 2: - .

doi: Gomes NLS, Vidal VE, Marcos Meuser Batista, Soeiro MNC, Menna-Barreto RFS, da Cruz Moreira O 2014. Nucleoside triphosphate diphosphohydrolase1 (TcNTPDase-1) gene expression is increased due to heat shock and in infective forms of *Trypanosoma cruzi*. *Parasite Vector* 7(1): - .

doi: Brunro G, Caminha MA, Ferreira AT, Leprevost F, Carvalho PC, Perales J, Valente RH, Menna-Barreto RFS 2014. Reevaluating the *Trypanosoma cruzi* proteomic map: The shotgun description of bloodstream trypomastigotes. *J Proteomics* 115C: 58-65.

doi: Menna-Barreto RFS, Castro SL 2014. The double-edged sword in pathogenic trypanosomatids: the pivotal role of mitochondria in oxidative stress and bioenergetics. *BioMed Res Int ID* 614014: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Nair DK, Menna-Barreto RFS, Silva Júnior EN, Mobin SM, Namboothiri IN 2014. Chiral squaramide-catalyzed asymmetric synthesis of pyranones and pyranonaphthoquinones via cascade reactions of 1,3-dicarbonyls with Morita-Baylis-Hillman acetates of nitroalkenes. *Chem Commun* 50: 6973-6976.

doi: Siciliano-de-Araújo J, Silva PB, Marcos Meuser Batista, Silva CF, Patrick DA, Kilgore Jones S, Bakunov SA, Bakunova SM, Soeiro MNC 2014. In vitro and In vivo Biological Effect of Novel Arylimidamide Derivatives Against *Trypanosoma cruzi*. *Antimicrob Agents Ch* 58(7): 3720-3726.

doi: Guimarães DA, Silva MRS, Lana M 2014. Sesquiterpene lactone in nanostructured parenteral dosage form is efficacious in experimental Chagas disease. *Antimicrob Agents Ch* 58: 2067-2075.

doi: , Silva CF, Batista, DGJ, Silva PB, Meuser MB, Claudia Aiub, da Silva, MF, Araújo-Lima, CF, Banerjee M, , Farahat AA, Stephens CE, Kumar A,, Boykin, D, Soeiro MNC 2014. The biological activity of novel arylimidamides against *Trypanosoma cruzi*: in vitro and in vivo studies.. *Antimicrob Agents Ch* 58(7): 4191-4195.

Qualis B1

doi: Rocha DR, Souza AMT, Souza ACG, Castro HC, Rodrigues C, Menna-Barreto RFS, Castro SL, Ferreira V 2014. Effect of 9-hydroxy- α - and 7-hydroxy- β -pyran naphthoquinones on *Trypanosoma cruzi* and structure-activity relationship studies. *Med Chem* 10(6): 564-570.

2015

Indexado (fator de impacto >=1 e < 2,71)

doi: Fonseca-Bersal C, Silva PB, Silva CF, Caetano MTV, Marcos Meuser Batista, Escario JA, Aran VJ, Gomez-Barrio A, Soeiro MNC 2015. Exploring the potential activity spectrum of two 5-nitroindazolinone prototypes on different *Trypanosoma cruzi* strains. *Parasitology* 1: - .

doi: Ferreira LC, Menna-Barreto RFS, Martins-Jr AJ, Valle D, Rezende GL 2015. Physical features and chitin content of eggs from the mosquito vectors *Aedes aegypti*, *Anopheles aquasalis* and *Culex quinquefasciatus*: connection with distinct levels of resistance to desiccation. *J Insect Physiol* 83: 43-52.

doi: Boechat N, Carvalho AS, Salomão K, Castro SL, Araujo-Lima CF, Mello FVC, Felzenszwalb I, Aiub CAF, Conde TR, Zamith HPS, Skupin R, Haufe G 2015. Studies of genotoxicity and mutagenicity of nitroimidazoles: demystifying this critical relationship with the nitro group. *Mem I Oswaldo Cruz (impresso)* 110: 492-499.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Pereira-Neves, A, Gonzaga, L, Menna-Barreto RFS, Benchimol M 2015. Characterisation of 20S Proteasome in *Tritrichomonas foetus* and Its Role during the Cell Cycle and Transformation into Endoflagellar Form. *Plos One* 9: - .

doi: Martins-Duarte ES, Dubar F, Lawton P, Silva CF, Soeiro MNC, de Souza W, Biot C, Vommaro RC 2015. Ciprofloxacin Derivatives Affect Parasite Cell Division and Increase the Survival of Mice Infected with *Toxoplasma gondii*. *Plos One* 10: - .

doi: Silva FFE, Cavalheiro MMC, Menna-Barreto RFS, Amaral EEA 2015. Effect of Apigenin on *Leishmania amazonensis* Is Associated with Reactive Oxygen Species Production Followed by Mitochondrial Dysfunction. *J Nat Prod* 78: 880-884.

doi: Gopi E, Kumar T, Menna-Barreto RFS, Valençá WO , Silva Jr EN, Namboothiri IN 2015. Imidazoles from nitroallylic acetates and bromonitroalkenes with amidines: synthesis and trypanocidal activity studies. *Org Biomol Chem* 13: 9862-9871.

doi: Lopes MAS, Melo TM, Meireles F, Brito-Moreira J, Oliveira GM, Ferreira ST, Castro NG, Tovar-Moll F, Houzel JC, Rehen SK 2015. Mitomycin-treated undifferentiated embryonic stem cells as a safe and effective therapeutic strategy in a mouse model of Parkinson disease. *Front Cell Neurosci* 9: 97-100.

doi: Jardim GAM, Reis WJ, Ribeiro MF, Ottoni FM, Alves RJ, Silva TL, Goulart MOF, Braga AL, Menna-Barreto RFS, Salomão K, Castro SL, Silva Jr ENS 2015. On the investigation of hybrid quinones: Synthesis, electrochemical studies and evaluation of trypanocidal activity. *RSC Adv* 5: 78047-78060.

doi: Brunro G, Caminha MA, Teixeira-Ferreira A, Leprevost FV, Carvalho PC, Perales J, Valente RH, Menna-Barreto RFS 2015. Reevaluating the *Trypanosoma cruzi* proteomic map: The shotgun description of bloodstream trypomastigotes. *J Proteomics* 115: 58-65.

doi: Cardoso MFC, Salomão K, Bombaça ACS, Rocha DR, Silva FC, Cavaleiro JAS, Castro SL, Ferreira VF 2015. Synthesis and anti-*Trypanosoma cruzi* Activity of New 3-Phenylthio-nor- β -lapachone Derivatives. *Bioorgan Med Chem* 12: 4763-4768.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Hoekstra WJ, Hargrove TY, Wawrzak Z, Batista, DGJ, Silva CF, Gama AN, Rachakonda G, Schotzinger RJ, Villalta F, Soeiro MNC, Lepesheva GI 2015. Antiparasitic effect in vitro, activity in a murine model of Chagas disease, and structural characterization in complex with the target enzyme CYP51 from *Trypanosoma cruzi* of the potent clinical candidate VT-1161. *Antimicrob Agents Ch* dec 7: 1-6.

doi: Silva FHG, Batista, DGJ, Silva CF, Marcos Meuser Batista, Silva MRS, Siciliano-de-Araújo J, Ferreira CG, Britto CFPC, Moreira OC, Lepesheva GI, Soeiro MNC 2015. Different Therapeutic Outcomes of Benznidazole and VNI Treatments in Different Genders in Mouse Experimental Models of *Trypanosoma cruzi* Infection. *Antimicrob Agents Ch* 59: 7564-7570.

2016

Indexado (fator de impacto >= 7,51)

doi: Klionsly DJ, Menna-Barreto RFS, mais 80 autores 2016. Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). *Autophagy* 12: 1-222.

Indexado (fator de impacto >=1 e < 2,71)

doi: Martins DA, Bomfim Filho LF, Silva CM, Fátima A, Louro SRW, Batista, DGJ, Soeiro MNC, Carvalho JE, Teixeira LR 2016. Copper(II) Nitroaromatic Schiff Base Complexes: Synthesis, Biological Activity and Their Interaction with DNA and Albumins. *J Brazil Chem Soc* 28: 87-97.

doi: Bahia BBB, Reis WJ, Jardim GAM, Souto FT, Simone CA, Gatto CC, Menna-Barreto RFS, Castro SL, Cavalcanti BC, Pessoa C, Araujo MH, Silva Júnior EN 2016. Molecular hybridization as a powerful tool towards multitarget quinoidal systems: Synthesis, trypanocidal and antitumor activities of naphthoquinone-based 5-iodo-1,4-disubstituted-, 1,4- and 1,5-disubstituted-1,2,3-triazoles. *MedChemComm* 7: 1555-1563.

doi: Martins DA, Gouvea LR, Muniz GS, Louro SR, Batista, DGJ, Soeiro MNC, Teixeira LR 2016. Norfloxacin and N-Donor Mixed-Ligand Copper(II) Complexes: Synthesis, Albumin Interaction, and Anti-Trypanosoma cruzi Activity. *Bioinorg Chem Appl* 2016: - .

doi: Pereira-Neves A, Menna-Barreto RFS, Benchimol M 2016. The fungal metabolite gliotoxin inhibits proteasome proteolytic activity and induces an irreversible pseudocystic transformation and cell death in *Tritrichomonas foetus*. *Parasitol Res* 115: 3057-3069.

doi: Macedo XS, Barbosa HS, Menna-Barreto RFS 2016. The morphological analysis of autophagy in primary skeletal muscle cells infected with *Toxoplasma gondii*. *Parasitol Res* 115: 2853-2861.

doi: Campos JDS, Hoope LY, Duque TLA, Castro SL, Oliveira GM 2016. Use of non-invasive parameters to evaluate Swiss Webster mice during *Trypanosoma cruzi* experimental acute infection. *J Parasitol* 102: 280-285.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Fonseca-Berzal C, Ibáñez-Escribano A, Reviriego F, Cumella J, Morales P, Jagerovic N, Nogal-Ruiz JJ, Escario JA, Silva PB, Soeiro MNC, Gómez-Barrio A, Arán VJ 2016. Antichagasic and trichomonacidal activity of 1-substituted 2-benzyl-5-nitroindazolin-3-ones and 3-alkoxy-2-benzyl-5-nitro-2H-indazoles. *Eur J Med Chem* 115: 295-310.

doi: Fonseca-Berzal C, Silva CF, Menna-Barreto RFS, Batista MM, Escario JA, Arán VJ, Gómez-Barrio A, Soeiro MNC 2016. Biological approaches to characterize the mode of action of two 5-nitroindazolinone prototypes on *Trypanosoma cruzi* bloodstream trypomastigotes. *Parasitology* 143: 1469-1478.

doi: Brunro G, Faça VM, Caminha MA, Teixeira-Ferreira A, Trugilho MRO, Moura KG, Perales J, Valente RH, Menna-Barreto RFS 2016. Differential Gel Electrophoresis (DIGE) Evaluation of Naphthoimidazoles Mode of Action: A Study in *Trypanosoma cruzi* Bloodstream Trypomastigotes. *Plos Neglect Trop D* 10: - .

doi: Castro CLF, Menna-Barreto RFS, Fernandes NS, Matilde, Lopes GD, Cuervo P, De Jesus JB 2016. Iron-modulated pseudocyst formation in *Tritrichomonas foetus*. *Parasitology* 143: 1034-1042.

doi: Silva FFE, Inácio Filho JD, Cavalheiro MMC, Menna-Barreto RFS, Amaral EEA 2016. Oral Efficacy of Apigenin against Cutaneous Leishmaniasis: Involvement of Reactive Oxygen Species and Autophagy as a Mechanism of Action. *Plos Neglect Trop D* 10(2): - .

doi: Nunes RD, Ventura-Martins G, Moretti DM, Medeiros-Castro P, Rocha-Santos C, Daumas-Filho CR, Martins-Cardoso K, Cudishevitch CO, Menna-Barreto RFS, Oliveira JH, Gusmão DS, Alves Lemos FJ, Alviano DS, Oliveira PL, Lowenberger C, Majerowicz D, Mesquita RD, Atella GC, Silva-Neto MA 2016. Polyphenol-Rich Diets Exacerbate AMPK-Mediated Autophagy, Decreasing Proliferation of Mosquito Midgut Microbiota, and Extending Vector Lifespan. *Plos Neglect Trop D* 10: - .

doi: Salomão K, Menna-Barreto RFS, Castro SL 2016. Stairway to heaven or hell? Perspectives

and limitations of Chagas disease chemotherapy. Curr Top Med Chem 16: 2266-2289.

doi: Fragoso VMS, Hoope LY, Araujo-Jorge TC, Marcos Jose de Azevedo, Campos JD, Cortez CM , Oliveira GM 2016. Use of haloperidol and risperidone in highly aggressive Swiss Webster mice by applying the model of spontaneous aggression (MSA). Behav Brain Res 301: 110-118.

doi: Vidal VE, Menna-Barreto RFS, Branquinha MH, Dos Santos AL, d Avila-Levy CM 2016. Why calpain inhibitors are interesting leading compounds to search for new therapeutic options to treat leishmaniasis?. Parasitology 21: 1-7.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Sandlin RD, Fong KY, Stiebler R, Gulka CP, Nesbitt JE, Oliveira MP, Oliveira MF, Wright DW 2016. Detergent-Mediated Formation of β -Hematin: Heme Crystallization Promoted by Detergents Implicates Nanostructure Formation for Use as a Biological Mimic. Cryst Growth Des 16: 2542-2551.

doi: Silva FHG, Batista, DGJ, Marcos Meuser Batista, Fulto TO, , Silva PB, Silva CF, Patrick DA, Bakunova SM, Bakunov AS, Tidwell RR, Oliveira GM, Britto CFPC, Moreira OC, Soeiro MNC 2016. In vitro and In vivo Trypanosomicidal Action of Novel Arylimidamides Against Trypanosoma cruzi. Antimicrob Agents Ch 60: 2425-2434.

doi: Silva MRS, Gama AN, Araujo JS, Marcos Meuser Batista, Silva PB, Bahia MT, Menna-Barreto RFS, Pavão BP, Green J, Farahat AA, Kumar A, Boykin DW, Soeiro MNC 2016. Phenotypic Screening In Vitro of Novel Aromatic Amidines Against Trypanosoma cruzi. Antimicrob Agents Ch 60(8): 4701-4707.

2017

Indexado (fator de impacto < 1 ou sem FI)

doi: Carvalho S, Osorio LF, Salomão K, Castro SL, Wardell S, Wardell J, Silva EF, Fraga CAM 2017. Design, synthesis and trypanocidal activity of novel 5 nitroimidazolyl-O-benzylloxime ethers. J Heterocyclic Chem 54: 3626-3631.

Indexado (fator de impacto >=1 e < 2,71)

doi: Peixoto MC, Saraiva FMS, Ippolito P, Fernandes AS, Menna-Barreto RFS, Costa D, Paula JIO, Costa P, Nogueira NPA, Felzenszwalb I, Dias AG, Paes MC 2017. Mutagenic and Cytotoxicity LQB 123 Profile: Safety and Tripanocidal Effect of a Phenyl-t-Butylnitrone Derivative. BioMed Res Int 2017: - .

doi: Oliveira SC, Gonçalves DS, Garcia-Gomes AS, Gonçalves IC, Seabra SH, Menna-Barreto RFS, Lopes AH, d Avila-Levy CM, Dos Santos ALS, De Sá MHB 2017. Susceptibility of *Phytomonas serpens* to calpain inhibitors in vitro: interference on the proliferation, ultrastructure, cysteine peptidase expression and interaction with the invertebrate host. Mem I Oswaldo Cruz (impresso) 112(1): 31-43.

doi: Silva AM, Araújo-Silva L, Bombaça ACS, Menna-Barreto RFS, Rodrigues-Santos CE, Buarque Ferreira AB, Castro SL 2017. Synthesis and biological evaluation of N-alkyl naphthoimidazoles derived from β -lapachone against Trypanosoma cruzi bloodstream

trypomastigotes. *MedChemComm* 8: 952-959.

doi: Lopes CMT, Menna-Barreto RFS, Pavan MG, Pereira MCS, Roque AL 2017. Trypanosoma janseni n. sp. (*Trypanosomatida: Trypanosomatidae*) isolated from *Didelphis aurita* (Mammalia: Didelphidae) in the Atlantic Rainforest of Rio de Janeiro, Brazil: integrative taxonomy and phylogeography within the *Trypanosoma cruzi* clade. *Mem I Oswaldo Cruz* (impresso) 113: 45-55.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Menna-Barreto RFS, Castro SL 2017. Clear shot at primary aim: Susceptibility of *Trypanosoma cruzi* organelles, structures and molecular targets to drug treatment. *Curr Top Med Chem* 17(10): 1212-1234.

doi: Souza CM, Silva RC, Fernandes PO, Souza-Filho JD, Duarte HA, Araujo MH, de Simone CA, Castro SL, Menna-Barreto RFS, Demichelis CP, Silva Júnior EM 2017. Cyclometalated ruthenium complexes from naturally occurring quinones: Studies on their photophysical features, computational details and trypanocidal activity. *New J Chem* 41: 3723-3731.

doi: Silva CF, Batista, DGJ, Araujo JS, Cunha-Junior E, Stephens CE, Banerjee M, Farahat AA, Akay S, Fisher MK, Boykin D, Soeiro MNC 2017. Phenotypic evaluation and in silico ADMET properties of novel arylimidamides in acute mouse models of *Trypanosoma cruzi* infection. *Drug Des Dev Ther* 11: 1095-1105.

doi: Jardim GAM, Silva TL, Goulart MO, de Simone CA, Chaves JM, Salomão K, Castro SL, Bower JF, Silva Júnior EM 2017. Rhodium-catalyzed C-H bond activation for the synthesis of quinonoid compounds: Significant anti-*Trypanosoma cruzi* activities and electrochemical studies of A-ring functionalized quinones. *Eur J Med Chem* 136: 406-419.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Silva FHG, Batista, DGJ, Silva CF, Araujo JS, Pavão BP, Silva MRS, Batista MM, Demarque KC, Moreira OC, Britto CFPC, Lepesheva GI, Soeiro MNC 2017. Anti-trypanosomal activity of sterol 14α-demethylase (CYP51) inhibitors VNI and VFV in the Swiss mouse models of Chagas disease induced by the Y strain *Trypanosoma cruzi*. *Antimicrob Agents Ch* 61: e02098-e02106.

doi: Silva MRS, Araujo JS, Oliveira GM, Demarque KC, Peres RB, Batista DGJ, Silva CF, Santos CC, Silva PB, Batista MM, Bahia MT, Soeiro MNC 2017. Drug repurposing strategy against *Trypanosoma cruzi* infection: In vitro and in vivo assessment of the activity of metronidazole in mono- and combined therapy. *Biochem Pharmacol* 145: 46-53.

doi: Nogueira NPA, Saraiva FMS, Oliveira MP, Mendonça APM, Inácio Filho JD, Amaral EEA, Menna-Barreto RFS, Laranja GAT, Torres EL, Oliveira MF, Paes MC 2017. Heme modulates *Trypanosoma cruzi* bioenergetics inducing mitochondrial ROS production. *Free Radical Bio Med* 108: 183-191.

doi: Bombaça ACS, Dias FA, Vidal VE, Gomes ASG, Sorgine MHF, d'Avila-Levy CM, Menna-Barreto RFS 2017. Hydrogen peroxide resistance in *Strigomonas culicis*: effects on mitochondrial functionality and *Aedes aegypti* interaction. *Free Radical Bio Med* 113: 255-266.

doi: Nascimento CR, Andrade D, Carvalho-Pinto CE, Serra RR, Vellasco L, Brasil G, Ramos-Junior E, Mota J, Almeida L, Andrade M, Soeiro MNC, Juliano L, Alvarenga PH, Oliveira AC, Sicuro FL, Carvalho A, Svensjö E, Scharfstein J 2017. Mast Cell Coupling to the Kallikrein-Kinin System Fuels Intracardiac Parasitism and Worsens Heart Pathology in Experimental Chagas Disease. *Front Immunol* 8: - .

2018

Indexado (fator de impacto < 1 ou sem FI)

doi: Castilho VVS, Gonçalves KCS, Rebello KM, Baptista LPR, Sangenito LS, Santos HC, Branquinha MH, Santos ALS, Menna-Barreto RFS, Guimaraes ACR, d Avila-Levy CM 2018. Docking simulation between HIV peptidase inhibitors and Trypanosoma cruzi aspartyl peptidase. *BMC Res Notes* 11: - .

Indexado (fator de impacto >=1 e < 2,71)

doi: Silva CF, Pacheco AO, Alves RN, Tavares JF, Da Silva MS, Arranz JCE 2018. Anti-Trypanosoma cruzi Activity in vitro of Phases and Isolated Compounds from Excoecaria lucida Leaves. *Med Chem* 14: 556-562.

doi: Pavão BP, Demarque KC, Batista MM, Oliveira GM, Silva CF, Silva FHG, Caputo LFG, Cascabulho CM, Barcinski MA, Soeiro MNC 2018. Impact of autologous whole blood administration upon experimental mouse models of acute Trypanosoma cruzi infection. *J Venom Anim Toxins* 24: - .

doi: Oliveira SSC, Gonçalves IC, Vidal VE, Lopes AHCS, Menna-Barreto RFS, d Avila-Levy CM, Santos ALS, Branquinha MH 2018. In vitro selection of *Phytomonas serpens* cells resistant to the calpain inhibitor MDL28170: alterations in fitness and expression of the major peptidases and efflux pumps. *Parasitology* 145: 355-370.

doi: Leite DI, Fontes FV, Bastos MM, Hoels LVB, Bianco MCAD, De Oliveira AP, Silva PB, Silva CF, Batista DGJ, Peres RB, Gama AN, Villar J, Soeiro MNC, Boechat N 2018. New 1,2,3-triazole-based analogues of benznidazole for use against Trypanosoma cruzi infection: In vitro and in vivo evaluations. *Chem Biol Drug Des* 92(3): 1670-1682.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Fonseca-Berzal C, Ibanez-Escribano A, Vela N, Cumella J, Nogal-Ruiz JJ, Escario JA, Silva PB, Batista MM, Soeiro MNC, Sifontes-Rodríguez S, Meneses-Marcel A, Gomes-Barrio A, Aran VJ 2018. Antichagasic, Leishmanicidal, and Trichomonacidal Activity of 2-Benzyl-5-nitroindazole-Derived Amines. *ChemMedChem* 13: 1246-1259.

doi: Jardim GAM, Oliveira W, Freitas R, Menna-Barreto RFS, Silva T, Goulart MOF, Silva Jr EN 2018. Direct sequential C-H iodination/organoyl-thiolation for benzenoid A-ring modification of quinonoid deactivated systems: A new protocol for potent trypanocidal quinones. *Org Biomol Chem* 16: 1686-1691.

doi: Gama AN, Batista MM, Silva PB, Batista DGJ, Silva CF, Peres RB, Santos ECT, Cunha Jr EF, Holt E, Boykin D, Bru R, Wenzler T, Soeiro MNC 2018. In Vitro and In Vivo Studies of the Trypanocidal Effect of Novel Quinolines. *Antimicrob Agents Ch* (on line) 62: - .

doi: Santos CC, Lionel J, Peres RB, Batista MM, Silva PB, Souza SMO, Andrade CH, Neves BJ, Braga RC, Patrick DA, Bakunova SN, Tidwell RR, Soeiro MNC 2018. In Vitro, In Silico, and In Vivo Analyses of Novel Aromatic Amidines against *Trypanosoma cruzi*. *Antimicrob Agents Ch* (on line) 62: - .

doi: Sangenito LS, Menna-Barreto RFS, Oliveira ACS, d Avila-Levy CM, Branquinha MH, Santos ALS 2018. Primary evidences of the mechanisms of action of HIV aspartyl peptidase inhibitors on *Trypanosoma cruzi* trypomastigote forms. *Int J Antimicrob Ag* 52(2): 185-194.

doi: Lima-de-Oliveira CFA, Peres RB, Silva PB, Batista MM, Aiub C, Felzenszwalb I, Soeiro MNC 2018. Repurposing Strategy of Atorvastatin against *Trypanosoma cruzi*: In Vitro Monotherapy and Combined Therapy with Benznidazole Exhibit Synergistic Trypanocidal Activity. *Antimicrob Agents Ch* 62: 979-1018.

doi: Bandeira E, Oliveira H, Silva JD, Menna-Barreto RFS, Takyia CM, Suk JS, Witwer KW, Paulaitis ME, Hanes J, Rocco PRM, Morales MM 2018. Therapeutic effects of adipose-tissue-derived mesenchymal stromal cells and their extracellular vesicles in experimental silicosis. *Resp Res* 19: - .

doi: Bombaça ACS, Dossow DV, Chaves JM, Cristian Paz, Burgos V, Menna-Barreto RFS 2018. TrypanocidalActivity of Natural Sesquiterpenoids Involves Mitochondrial Dysfunction, ROS Production and Autophagic Phenotype in *Trypanosoma cruzi*. *Molecules* 23: - .

doi: Moreira CL, Menna-Barreto RFS, Pavan MG, Pereira MCS, Roque AL 2018. *Trypanosoma janseni* n. sp. (Trypanosomatida: Trypanosomatidae) isolated from *Didelphis aurita* (Mammalia: Didelphidae) in the Atlantic Rainforest of Rio de Janeiro, Brazil: integrative taxonomy and phylogeography within the *Trypanosoma cruzi* clade. *Mem I Oswaldo Cruz* (on line) 113: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: de Carvalho RL, Jardim GAM, Santos ACC, Araujo MH, Oliveira WXC, Bombaça ACS, Menna-Barreto RFS, Gopi E, Gravel E, Doris E, da Silva Júnior EN 2018. Combination of Aryl Diselenides/Hydrogen Peroxide and Carbon-Nanotube/Rhodium Nanohybrids for Naphthol Oxidation: An Efficient Route towards Trypanocidal Quinones. *Chem-Eur J* 24: 15227-15235.

doi: Ferreira CM, Stiebler R, Saraiva FM, Lechuga G, Walter-Nuno AB, Bourguignon SC, Gonzales M, Azambuja P, Gandara AC, Menna-Barreto RFS, Paiva-Silva GO, Paes MC, Oliveira MF 2018. Heme crystallization in a Chagas disease vector acts as a redox-protective mechanism to allow insect reproduction and parasite infection. *Plos Neglect Trop D* 12: - .

doi: Fiúza FA, Peres RB, Silva MRS, Silva PB, Batista, DGJ, Silva CF, Gama AN, Krishna Reddy

TR, Soeiro MNC 2018. Identification of Pyrazolo[3,4-e][1,4]thiazepin based CYP51 inhibitors as potential Chagas disease therapeutic alternative: In vitro and in vivo evaluation, binding mode prediction and SAR exploration. Eur J Med Chem 149: 257-268.

doi: Dias GG, Rogge T, Kuniyil R, Jacob C, Menna-Barreto RFS, Silva Junior EN, Ackermann L 2018. Ruthenium-catalyzed C–H oxygenation of quinones by weak O-coordination for potent trypanocidal agents. Chem Commun 54: 12840-12843.