

Laboratório de Biologia de Tripanossomatídeos

2006

Indexado (fator de impacto > 0,65 a 2,0)

Monteiro RV, Baldez J, Dietz J, Baker A, Lisboa CV, Jansen AM 2006. Clinical, biochemical, and electrocardiographic aspects of *Trypanosoma cruzi* infection in free-ranging golden lion tamarins (*Leontopithecus rosalia*). *J Med Primatol* 35: 48-55.

Lisboa CV, Mangia RH, Luz SL, Cortez MGR, Jr. Kluczkovski A, Ferreira LF, Ribeiro CT, Fernandes O, Franken AM 2006. Stable infection of primates with *Trypanosoma cruzi* I and II. *Parasitology* 133: 603-611.

Cortez MGR, Pinho AP, Cuervo P, Alfaro F, Solano M, Xavier SCC, D'Andrea PS, Fernandes O, Torrico F, Noireau F, Jansen AM 2006. *Trypanosoma cruzi* (Kinetoplastida Trypanosomatidae): Ecology of the transmission cycle in the wild environment of the Andean valley of Cochabamba, Bolivia. *Exp Parasitol* 114: 305-313.

Indexado (fator de impacto >2,0 a 4,0)

Araújo CA, Waniek PJ, Stock P, Mayer C, Franken AM, Schaub GA 2006. Sequence characterization and expression patterns of defensin and lysozyme encoding genes from the gut of the reduviid bug *Triatoma brasiliensis*. *Insect Biochem Molec* 36: 547-560.

2007

Indexado (fator de impacto > 0,65 a 2,0)

Herrera L, Martinez C, Carrasco H, Jansen AM, Urdaneta-Morales S 2007. Cornea as a tissue reservoir of *Trypanosoma cruzi*. *Parasitol Res* 100: 1395-1399.

Vaz VC, D'Andrea PS, Jansen AM 2007. Effects of habitat fragmentation on wild mammal infection by *Trypanosoma cruzi*. *Parasitology* 134: 1785-1793.

Xavier SC, Vaz VC, D'Andrea PS, Herrera L, Alves JR, Fernandes O, Ferreira LF, Jansen AM 2007. Mapping of the distribution of *Trypanosoma cruzi* infection among small wild mammals in a conservation unit and its surroundings (Northeast-Brazil). *Parasitol Int* 56: 119-128.

Monteiro RV, Dietz J, Dietz JM, Raboy B, Beck B, De Vleeschouwer K, Baker A, Martins A, Jansen A 2007. Parasite community interactions: *Trypanosoma cruzi* and intestinal helminths infecting wild golden lion tamarins *Leontopithecus rosalia* and golden-headed lion tamarins *L. chrysomelas* (Callitrichidae, L., 1766). *Parasitol Res* 101: 1689-1698.

Monteiro RV, Dietz JM, Beck BB, Baker AJ, Martins A, Jansen AM 2007. Prevalence and intensity of intestinal helminths found in free-ranging golden lion tamarins (*Leontopithecus rosalia*, Primates, Callitrichidae) from Brazilian Atlantic forest. *Vet Parasitol* 145: 77-85.

Lisboa CV, Pinho AP, Monteiro RV, Jansen AM 2007. *Trypanosoma cruzi* (kinetoplastida Trypanosomatidae): biological heterogeneity in the isolates derived from wild hosts. *Exp Parasitol* 116: 150-155.

Indexado (fator de impacto >2,0 a 4,0)

Araujo CA, Cabello PH, Jansen AM 2007. Growth behaviour of two *Trypanosoma cruzi* strains in single and mixed infections: In vitro and in the intestinal tract of the blood-sucking bug, *Triatoma brasiliensis*. *Acta Trop* 101: 225-231.

Cortez MGR, Emperaire L, Piccinali RV, Gurtler RE, Torrico F, Jansen AM, Noireau F 2007. Sylvatic *Triatoma infestans* (Reduviidae, Triatominae) in the Andean valleys of Bolivia.. *Acta Trop* 102: 47-54.

Herrera HM, Rademaker V, Abreu UG, D'Andrea PS, Jansen AM 2007. Variables that modulate the spatial distribution of *Trypanosoma cruzi* and *Trypanosoma evansi* in the Brazilian Pantanal. *Acta Trop* 102: 55-62.

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Catarina Andréa Chaves de Araújo, Wenek PJ, Jansen AM 2008. Development of a *Trypanosoma cruzi* (TcI) isolate in the digestive tract of an unfamiliar vector, *Triatoma brasiliensis* (Hemiptera, Reduviidae). *Acta Trop* 107: 195-199.

[doi>](#) Fernandes A, Iñiguez AM, Lima VS, Mendonça-de-Souza SMF, Ferreira LF, Vicente ACP, Jansen AM 2008. Pre-Columbian Chagas disease in Brazil: *Trypanosoma cruzi* I in the archaeological remains of a human in Peruaçu Valley, Minas Gerais, Brazil. *Mem I Oswaldo Cruz* (impresso) 103: 514-516.

[doi>](#) Herrera HM, Lisboa CV, Pinho APSP, Olifiers N, Bianchi RC, Bianchi RC, Rocha FL, Jansen AM 2008. The coati (*Nasua nasua*, Carnivora, Procyonidae) as a reservoir host for the main lineages of *Trypanosoma cruzi* in the Pantanal region, Brazil. *T Roy Soc Trop Med H* 102: 1133-1139.

[doi>](#) Herrera HM, Abreu UGP, Pinto-de-Abreu UG, Keuroglan A, Jansen AM 2008. The role played by sympatric collared peccary (*Tayassu tajacu*), white-lipped peccary (*Tayassu pecari*) and feral pig (*Sus scrofa*) as maintenance hosts for *Trypanosoma evansi* and *Trypanosoma cruzi* in a sylvatic area of Brazil. *Parasitol Res* 103: 619-624.

[doi>](#) de Oliveira Lima AN, Herrera HM, da Silva Santos S, Gama C, Cupolillo E, Jansen AM, Fernandes O 2008. *Trypanosoma evansi*: Molecular homogeneity as inferred by phenetical analysis of ribosomal internal transcribed spacers DNA of an eclectic parasite. *Exp Parasitol* 118: 402-407.

Indexado (>4,0)

[doi>](#) Lima VS, Iñiguez AM, Otsuki K, Ferreira LF, Araújo A, Vicente ACP, Jansen AM 2008. Chagas disease in ancient hunter-gatherer population, Brazil. *Emerg Infect Dis* 14: 1001-1002.

Indexado (<0,65 e não impactadas no ISI)

[doi>](#) de Almeida LR, Campos COM, Herrera HM, Bonamin LV, Fonseca AH 2008. Effects of homeopathy in mice experimentally infected with *Trypanosoma cruzi*. *Homeopathy* 97: 65-69.

Indexado (>2,0 a 4,0)

[doi>](#) Fampa P, Lisboa CV, Jansen AM, Santos ALS, Ramirez MI 2008. Protease expression analysis in recently field-isolated strains of *Trypanosoma cruzi*: a heterogeneous profile of cysteine protease activities between TC I and TC II major phylogenetic groups. *Parasitology* 135: 1093-1100.

[doi>](#) Lisboa CV, Pinho AP, Herrera HM, Gerhardt M, Cupolillo E, Jansen AM 2008. *Trypanosoma cruzi* (kinetoplastida, Trypanosomatidae) genotypes in neotropical bats in Brazil. *Vet Parasitol* 156: 314-318.

Roque ALR, Xavier SCC, Rocha MG, Duarte ACM, D'Andrea PS, Jansen AM 2008. *Trypanosoma cruzi* transmission cycle among wild and domestic mammals in three areas of orally transmitted Chagas disease outbreaks. *Am J Trop Med Hyg* 79: 742-749.

2009

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Araújo A, Jansen AM, Reinhard K, Ferreira LF 2009. Paleoparasitology of Chagas disease - A Review. *Mem I Oswaldo Cruz* (impresso) 104 (Suppl I): 9-16.

[doi>](#) Waniek PJ, Mendonça-Lima L, Menezes GB, Jansen AM, Araújo CA 2009. Recombinant expression and characterization of a lysozyme from the midgut of *Triatoma brasiliensis* (Hemiptera, Reduviidae) in comparison with intestinal muramidase activity. *Physiol Entomol* 34: 309-317.

[doi>](#) Waniek PJ 2009. The digestive system of human lice: Current advances and potential applications. *Physiol Entomol* 34: 203-210.

[doi>](#) Rademaker V, Herrera HM, Raffel TR, D'Andrea PS, Freitas TP, Abreu UG, Jansen AM 2009. What is the role of small rodents in the transmission cycle of *Trypanosoma cruzi* and *Trypanosoma evansi* (Kinetoplastida Trypanosomatidae)? A study case in the Brazilian Pantanal. *Acta Trop* 111: 102-107.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Araújo CA, Waniek PJ, Jansen AM 2009. An overview of Chagas disease and the role of triatomines on its distribution in Brazil. *Vector-Borne Zoonot* 9: 227-234.

[doi>](#) Lisboa CV, Xavier SC, Herrera HM, Jansen AM 2009. The ecology of the *Trypanosoma cruzi* transmission cycle: Dispersion of zymodeme 3 (Z3) in wild hosts from Brazilian biomes. *Vet Parasitol* 165: 19-24.

[doi>](#) Noireau F, Diosque P, Jansen AM 2009. *Trypanosoma cruzi*: adaptation to its vectors and its hosts. *Vet Res* 40: 26-26.

[doi>](#) Waniek PJ, Castro HC, Sathler PC, Miceli L, Jansen AM, Araújo CA 2009. Two novel defensin-encoding genes of the Chagas disease vector *Triatoma brasiliensis* (Reduviidae, Triatominae): Gene expression and peptide-structure modeling. *J Insect Physiol* 55: 840-848.

2010

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Desbiez AL, Rocha FL, Keuroghlian A 2010. Interspecific association between an ungulate and a carnivore or a primate. *Acta Ethol* 13: 137-139.

[doi>](#) Monteiro RV, Dietz JM, Jansen AM 2010. The impact of concomitant infections by *Trypanosoma cruzi* and intestinal helminths on the health of wild golden and golden-headed lion tamarins. *Res Vet Sci* 89: 27-35.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Fampa P, Lisboa CV, Zahner V, Jansen AM, Ramirez MI 2010. Wide proteolytic activity survey reinforces heterogeneity among *Trypanosoma cruzi* TCI and TCII wild populations. *Vector-Borne Zoonot* 10: 839-845.

Indexado (fator de impacto > 4)

[doi>](#) Roque AL, Cupolillo E, Marchevsky RS, Jansen AM 2010. *Thrichomys laurentius* (Rodentia; Echimyidae) as a putative reservoir of *Leishmania infantum* and *L. braziliensis*: patterns of experimental infection. *Plos Neglect Trop D* 4: - .

2011

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Andreazzi CS, Rademaker V, Gentile R, Herrera HM, Jansen AM, D'Andrea PS 2011. Population ecology of small rodents and marsupials in a semi-deciduous tropical forest of the southeast Pantanal, Brazil. *Zoologia-Curitiba* 28: 762-770.

Indexado (fator de impacto > 2 e 4)

[doi>](#) Herrera HM, Rocha FL, Lisboa CV, Rademaker V, Mourão GM, Jansen AM 2011. Food web connections and the transmission cycles of *Trypanosoma cruzi* and *Trypanosoma evansi* (Kinetoplastida, Trypanosomatidae) in the Pantanal region, Brazil. *T Roy Soc Trop Med H* 105: 380-387.

[doi>](#) Alves FM, Olifiers N, Bianchi RC, Duarte AC, Cotias PM, D'Andrea PS, Gompper ME, Mourão GM, Herrera HM, Jansen AM 2011. Modulating variables of *Trypanosoma cruzi* and *Trypanosoma evansi* transmission in free-ranging Coati (*Nasua nasua*) from the Brazilian Pantanal region. *Vector-Borne Zoonot* 11: 835-841.

[doi>](#) Wenek PJ, Jansen AM, Araújo CA 2011. *Trypanosoma cruzi* infection modulates the expression of *Triatoma brasiliensis* def1 in the midgut. *Vector-Borne Zoonot* 11: 845-847.

Indexado (fator de impacto 0,65 e 2)

[doi>](#) Ferreira LF, Jansen AM, Araújo A 2011. Chagas disease in prehistory. *An Acad Bras Cienc* 83: 1041-1044.

[doi>](#) Araújo CA, Waniek PJ, Xavier SC, Jansen AM 2011. Genotype variation of *Trypanosoma cruzi* isolates from different Brazilian biomes. *Exp Parasitol* 127: 308-312.

2012

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Waniek PJ, Pacheco Costa JE, Jansen AM, Costa J, Araújo CA 2012. Cathepsin L of *Triatoma brasiliensis* (Reduviidae, Triatominae): sequence characterization, expression pattern and zymography. *J Insect Physiol* 58: 178-187.

[doi>](#) Lima MM, Sarquis O, de Oliveira TG, Gomes TF, Coutinho C, Daflon-Teixeira NF, Toma HK, Britto C, Teixeira BR, D'Andrea PS, Jansen AM, Bóia MN, Carvalho-Costa FA 2012. Investigation of Chagas disease in four periurban areas in northeastern Brazil: epidemiologic survey in man, vectors, non-human hosts and reservoirs. *T Roy Soc Trop Med H* 106: 143-149.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Borges-Veloso A, Saboia-Vahia L, Cuervo P, Pires RC, Britto C, Fernandes N, d'Avila-Levy CM, de Jesus JB 2012. Proteolytic profiling and comparative analyses of active trypsin-like serine peptidases in preimaginal stages of *Culex quinquefasciatus*. *Parasite Vector* 5: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Xavier SC, Roque AL, Lima VS, Monteiro KJ, Otaviano JC, Ferreira da Silva LF, Jansen AM 2012. Lower richness of small wild mammal species and Chagas disease risk. *Plos Neglect Trop D* 6: - .

2013

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Souto Vieira, A., , Rosinha GMS, Vasconcellos SA, De Moaris ZM, Viana RC, De Oliveira CE, Soares C O, De Araújo FR, Mourão, GM, Bianchi, DC, Olifiers O, Mertins VR , Rocha FL, Pellegrin AO 2013. IDENTIFICAÇÃO DE MAMÍFEROS SILVESTRES DO PANTANAL SUL-MATO-GROSSENSE PORTADORES DE *Leptospira* spp.. *Ciência Animal Brasileira* 14: 373-380.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Andrade JG, Iñiguez AM, Souza AN, Marques VC, de Souza Filho GA , Santos CP, DaMatta RA 2013. Genetic characterization of the blood-sucking nematodes *Libyostrongylus dentatus* and *Libyostrongylus douglassii* supports their different evolutionary history. *Vet Parasitol* 193: 193-199.

[doi>](#) de Araújo VA, Boité MC, Cupolillo E, Jansen AM, Roque AL 2013. Mixed infection in the anteater *Tamandua tetradactyla* (Mammalia: Pilosa) from Pará State, Brazil: *Trypanosoma cruzi*, *T. rangeli* and *Leishmania infantum*. *Parasitology* 140: 455-460.

[doi>](#) Roque AL, Xavier SC, Gerhardt M, Silva MF, Lima VS, D'Andrea PS, Jansen AM 2013. *Trypanosoma cruzi* among wild and domestic mammals in different areas of the Abaetetuba municipality (Pará State, Brazil), an endemic Chagas disease transmission area. *Vet Parasitol* 193: 71-77.

[doi>](#) Rocha FL, Roque AL, Arrais RC, Santos JP, Lima VS, Xavier SCC, Cordeiro-Estrela P, D'Andrea PS, Jansen AM 2013. Trypanosoma cruzi TcI and TcII transmission among wild carnivores, small mammals and dogs in a conservation unit and surrounding areas, Brazil. Parasitology 140: 160-170.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Jaeger LH, Taglioretti V, Fugassa MH, Dias O, Neto J, Iñiguez AM 2013. Paleoparasitological results from XVIII century human remains from Rio de Janeiro, Brazil. Acta Trop 125: 282-286.

[doi>](#) Rocha FL, Roque AL, Lima J. S, Cheida CC, Lemos FG, Azevedo FC, Arrais R C, Silva DB, Herrera HM, Mourão G, Jansen AM 2013. Trypanosoma cruzi Infection in Neotropical Wild Carnivores (Mammalia: Carnivora): At the Top of the T. cruzi Transmission Chain.. Plos One 8: -

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Jaeger LH, de Souza SM, Dias OF, Iñiguez AM 2013. Mycobacterium tuberculosis complex in remains of 18th–19th century slaves, Brazil. Emerg Infect Dis 19: 837-839.

2014

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Roque AL, Jansen AM 2014. Wild and synanthropic reservoirs of Leishmania species in the America. Int J Parasitol Parasites Wildl 3: 251-262.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Bezerra CM, Cavalcanti LP, Souza RD, Silvia Ermelinda Barbosa, Xavier SCC, Jansen AM, Ramalho RD, Diotaiuti L 2014. Domestic, peridomestic and wild hosts in the transmission of Trypanosoma cruzi in the Caatinga area colonised by Triatoma brasiliensis.. Mem I Oswaldo Cruz (impresso) 109: 887-898.

[doi>](#) Azevedo MIND, Carvalho VL, Iñiguez AM 2014. First record of the anisakid nematode Anisakis nascettii in the Gervais beaked whale Mesoplodon europaeus from Brazil.. J Helminthol 28: 1-6.

[doi>](#) Wenek PJ, Catarina Andréa Chaves de Araújo, Momoli MM, Azambuja P, Jansen AM, Genta FA 2014. Serine carboxypeptidases of Triatoma brasiliensis (Hemiptera, Reduviidae): Sequence characterization, expression pattern and activity localization.. J Insect Physiol 63: 9-20.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Lima VS, Xavier SCC, Maldonado FR, Roque AL, Vicente AC, Jansen AM 2014. Expanding the Knowledge of the Geographic Distribution of Trypanosoma cruzi TcII and TcV/TcVI Genotypes in the Brazilian Amazon. Plos One 9(12): -

[doi>](#) Jaeger LH, Iñiguez AM 2014. Molecular paleoparasitological hybridization approach as effective tool for diagnosing human intestinal parasites from scarce archaeological remains.. Plos One 9: - .

[doi>](#) Catarina Andréa Chaves de Araújo, Wenek PJ, Jansen AM 2014. TcI/TcII co-infection can enhance *Trypanosoma cruzi* growth in *Rhodnius prolixus*.. Parasite Vector 7: - .

[doi>](#) Lima VS, Jansen AM, Messenger LA, Miles MA, Llewellyn MS 2014. Wild *Trypanosoma cruzi* I genetic diversity in Brazil suggests admixture and disturbance in parasite populations from the Atlantic Forest region. Parasite Vector 7:263: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Xavier SCC, Roque AL, Silva DB, Louzada-de-Araújo VA, Costa-Neto SF, Lorosa ES, da Silva, FCF, Jansen AM 2014. Distantiae Transmission of *Trypanosoma cruzi*: A New Epidemiological Feature of Acute Chagas Disease in Brazil. Plos Neglect Trop D 8(5): - .

[doi>](#) Pires RC, Boité MC, D'Andrea PS, Herrera H M, Cupolillo E, Jansen AM, Roque AL 2014. Distinct *Leishmania* species infecting wild caviomorph rodents (rodentia: hystricognathi) from Brazil. Plos Neglect Trop D 8: - .

2015

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Cabral AC, Iñiguez AM, Moreno T, Boia MN, Costa, FAC 2015. Clinical conditions associated with intestinal strongyloidiasis in Rio de Janeiro, Brazil. Rev Soc Bras Med Tro 48: 321-325.

[doi>](#) Oliveira TSF, Barros JHS, Perez TD, Figueiredo FB, Mendes Júnior AAV, Madeira MF 2015. Report of new cases of *Trypanosoma caninum* in Brazil. Rev Soc Bras Med Tro 48: 347-349.

[doi>](#) Santos FM, Jansen AM, Mourão Gde M, Juberg J, Nunes AP, Herrera HM 2015. Triatominae (Hemiptera, Reduviidae) in the Pantanal region: association with *Trypanosoma cruzi*, different habitats and vertebrate hosts.. Rev Soc Bras Med Tro 48: 532-538.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Luiz Henrique Conde Sangenis, Roberto Magalhães Saraiva, Ingebourg Georg, Liane de Castro, Lima VS, Roque AL, Xavier SCC, Santos LC, Fernandes FA, Sarquis O, Lima MM, Costa, FAC, Boia MN 2015. Autochthonous transmission of Chagas disease in Rio de Janeiro State, Brazil: a clinical and eco-epidemiological study. BMC Infect Dis 15: - .

[doi>](#) Gonçalves LR, Roque AL, Matos CA, Fernandes SJ, Olmos IDF, Machado RZ, Marcos Rogério André 2015. Diversity and molecular characterization of novel hemoplasmas infecting wild rodents from different Brazilian biomes. Comp Immunol Microb 43: 4350-4356.

[doi>](#) Catarina Andréa Chaves de Araújo, Lima AC, Jansen AM, Ferreira CG, Juberg J, Costa J, Azambuja P, Waniek PJ. 2015. Genes encoding defensins of important Chagas disease vectors used for phylogenetic studies. Parasitol Res 114: 4503-4511.

[doi>](#) Lisboa CV, Monteiro RV, Martins AF, Xavier SCC, Lima VS, Jansen AM 2015. Infection with *Trypanosoma cruzi* TcII and TcI in free-ranging population of lion tamarins (*Leontopithecus* spp): an 11-year follow-up. *Mem I Oswaldo Cruz* (impresso) 110: 394-402.

[doi>](#) ROCHA GFL, Alves FM, de Lima JS, Lorosa ES, Jansen AM, de Miranda Mourão G5 2015. Infestation of arboreal nests of coatis by triatomine species, vectors of *Trypanosoma cruzi*, in a large Neotropical wetland. *J Vector Ecol* 40: 379-385.

[doi>](#) Azevedo MIND, Knoff M, Carvalho VL, Mello WN, Lopes Torres EJ, Gomes DC, Iñiguez AM 2015. Morphological and genetic identification of *Anisakis paggiae* (Nematoda: Anisakidae) in dwarf sperm whale *Kogia sima* from Brazilian waters. *Dis Aquat Organ* 113: 103-111.

[doi>](#) Bhattacharyya T, Mills EA, Jansen AM, Miles MA 2015. Prospects for *T. cruzi* lineage-specific serological surveillance of wild mammals. *Acta Trop* 151: 182-186.

[doi>](#) Jansen AM, Xavier SCC, Roque AL 2015. The multiple and complex and changeable scenarios of the *Trypanosoma cruzi* transmission cycle in the sylvatic environment. *Acta Trop* 151: 1-15.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Olifiers N, Jansen AM, Herrera HM, Bianchi RC, D'Andrea PS, Mourão GM, Gompper ME 2015. Co-Infection and Wild Animal Health: Effects of Trypanosomatids and Gastrointestinal Parasites on Coatis of the Brazilian Pantanal. *Plos One* 14;10(12): - .

[doi>](#) Cantillo-Barraza O, Garcés E, Gómez-Palacio A, Cortés LA, Pereira A, Marcet PL, Jansen AM, Chávez O 2015. Eco-epidemiological study of an endemic Chagas disease region in northern Colombia reveals the importance of *Triatoma maculata* (Hemiptera: Reduviidae), dogs and *Didelphis marsupialis* in *Trypanosoma cruzi* maintenance.. *Parasite Vector* 8: - .

2016

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Dias JCP, Ramos Jr AN, Gontijo ED, Luquetti A, Shikanai-Yasuda MA, Coura JR, Torres RM, Melo JRC, Almeida EA, Oliveira Jr W, Jansen AM, e outros autores 2016. 2nd Brazilian Consensus on Chagas Disease, 2015. *Rev Soc Bras Med Tro* 49: 3-60.

[doi>](#) Dias JCP, Ramos Jr AN, Gontijo ED, Luquetti A, Shikanai-Yasuda MA, Coura JR, Torres RM, Melo JRC, Almeida EA, Oliveira Jr W, Jansen AM, e outros autores 2016. Brazilian Consensus on Chagas Disease, 2015. *Epidemiologia e Serviços de Saúde* 25: 7-86.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Araújo CAC, Mayer C, Waniek PJ, Azambuja P, Jansen AM 2016. Differentiation of *Trypanosoma cruzi* I (TcI) and *T. cruzi* II (TcII) genotypes using genes encoding serine carboxypeptidases. *Parasitol Res* 115(11): 4211-4219.

[doi>](#) Jaeger LH, Gijón-Botella H, Arco-Aguilar MC, Martín-Oval M, Rodríguez-Maffiotte, Arco-

Aguilar M, Araújo A, Iñiguez AM 2016. Evidence of Helminth Infection in Guancho Mummies: Integrating Paleoparasitological and Paleogenetic Investigations.. J Parasitol 102: 222-228.

[doi>](#) Parreira DR, Jansen AM, Abreu UG, Macedo GC, Silva AR, Mazur C, Andrade GB, Herrera HM 2016. Health and epidemiological approaches of Trypanosoma evansi and equine infectious anemia virus in naturally infected horses at southern Pantanal.. Acta Trop 163: 98-102.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Gonçalves LR, Favacho ARM, Roque AL, Mendes NS, Fidelis Junior OL, Benevenuto JL, Herrera HM, D'Andrea PS, Lemos ERS, Machado RZ, André MR 2016. Association of Bartonella Species with Wild and Synanthropic Rodents in Different Brazilian Biomes. Appl Environ Microb 82: 7154-7164.

[doi>](#) Alves FM, Lima JS, Rocha FL, Herrera HM, Mourão GM, Jansen AM 2016. Complexity and multi-factoriality of Trypanosoma cruzi sylvatic cycle in coatis, Nasua nasua (Procyonidae), and triatomine bugs in the Brazilian Pantanal. Parasite Vector 9: - .

[doi>](#) Dario MA, Rodrigues MS, Barros JHS, Xavier SCC, D'Andrea PS, Roque AL, Jansen AM 2016. Ecological scenario and Trypanosoma cruzi DTU characterization of a fatal acute Chagas disease case transmitted orally (Espírito Santo state, Brazil). Parasite Vector 9: - .

[doi>](#) Kerr CL, Bhattacharyya T, Xavier SCC, Barros JHS, Lima VS, Jansen AM, Miles MA 2016. Lineage-specific serology confirms Brazilian Atlantic forest lion tamarins, Leontopithecus chrysomelas and Leontopithecus rosalia, as reservoir hosts of Trypanosoma cruzi II (TcII). Parasite Vector 9: - .

[doi>](#) Nunes BC, Pavan MG, Jaeger LH, Monteiro KJL, Xavier SCC, Monteiro FA, Boia MN, Carvalho- Costa FA 2016. Spatial and Molecular Epidemiology of Giardia intestinalis Deep in the Amazon, Brazil. Plos One 11 (7): - .

2017

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Benevenuto JL, Dumler JS, Ogrzewalska MH, Roque AL, Mello VVC, de Sousa KCM, Gonçalves LR, D'Andrea PS, Lemos ERS, Machado RZ, André MR 2017. Assessment of a quantitative 5 nuclease real-time polymerase chain reaction using groEL gene for Ehrlichia and Anaplasma species in rodents in Brazil. Ticks Tick-Borne Dis 8: 646-656.

[doi>](#) Simoes RO, Simões SBE, Luque JL, Iñiguez AM, Maldonado Jr. A 2017. First Record of Raillietina celebensis (Cestoda: Cyclophyllidea) in South America: Redescription and Phylogeny. J Parasitol 103: 359-365.

[doi>](#) Barros JHS, Xavier SCC, Silva DB, Lima VS, Dario MA, Jansen AM 2017. Identification of novel mammalian hosts and Brazilian biome geographic distribution of Trypanosoma cruzi TcIII and TcIV. Acta Trop 172: 173-179.

[doi>](#) Di Azevedo MIN, Carvalho VL, Iñiguez AM 2017. Integrative taxonomy of anisakid

nematodes in stranded cetaceans from Brazilian waters: an update on parasite's hosts and geographical records. *Parasitol Res* 116: 3105-3116.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Parente CC, Bezerra FSM, Parente PI, Dias-Neto RV, Xavier SCC, Ramos, Jr AN, Carvalho-Costa FA, Lima MM 2017. Community-Based Entomological Surveillance Reveals Urban Foci of Chagas Disease Vectors in Sobral, State of Ceara, Northeastern Brazil. *Plos One* 12(1): - .

[doi>](#) Rodrigues MS, Morelli KA, Jansen AM 2017. Cytochrome c oxidase subunit 1 gene as a DNA barcode for discriminating *Trypanosoma cruzi* DTUs and closely related species. *Parasite Vector* 10: - .

[doi>](#) Dario MA, Lisboa CV, Costa LM, Moratelli R, Nascimento MP, Costa LP, Leite YLR, Llewellyn MS, Xavier SCC, Roque AL, Jansen AM 2017. High *Trypanosoma* spp. diversity is maintained by bats and triatomines in Espírito Santo State, Brazil . *Plos One* 12: - .

[doi>](#) Pires RC, Melo MFAD, Barbosa RD, Roque AL 2017. Multiplex PCR as a tool for the diagnosis of *Leishmania* spp. kDNA and the gapdh housekeeping gene of mammal hosts. *Plos One* 12(3): - .

[doi>](#) Dario MA, Moratelli R, Schwabl P, Jansen AM, Llewellyn MS 2017. Small subunit ribosomal metabarcoding reveals extraordinary trypanosomatid diversity in Brazilian bats. *Plos Neglect Trop D* 11: - .

2018

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Porfírio GEO, Santosa FM, De Macedo GC, Barreto WGT, Campos JBV, Meyers AC, André MR, Perles L, De Oliveira CE, Xavier SCC, De Andrade GB, Jansen AM, Herrera HM 2018. Maintenance of *Trypanosoma cruzi*, *T. evansi* and *Leishmania* spp. by domestic dogs and wild mammals in a rural settlement in Brazil-Bolivian border. *Int J Parasitol Parasites Wildl* 7: 398-404.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Fonseca-Oliveira TS, Barros JHS, Madeira JB, Pacheco RS, Alves CR, Cortes LMC, Marzochia MCA, Madeira MF 2018. Biological study of *Trypanosoma caninum* under co-culture with different feeder layer cells. *Acta Trop* 187: 44-50.

[doi>](#) Monteiro KJL, Reis ERC, Nunes BC, Jaeger LH, Calegar DA, Santos JP, Maia AO, Xavier SCC, Boia MN, Costa FAC 2018. Focal persistence of soil-transmitted helminthiases in impoverished areas in the State of Piauí, Northeastern Brazil. *Rev Inst Med Trop SP* 60: - .

[doi>](#) Souza MV, Silva LGR, Silva-Pinto V, Mendez-Quiros P, Chaves SAM, Iñiguez AM 2018. New paleoparasitological investigations from the pre-inca to hispanic contact period in northern Chile. *Acta Trop* 178: 290-296.

[doi>](#) Santos FCB, Lisboa CV, Xavier SCC, Dario MA, Verde RS, Calouro AM, Roque AL, Jansen AM 2018. Trypanosoma sp. diversity in Amazonian bats (Chiroptera; Mammalia) from Acre State, Brazil. Parasitology 145: 828-837.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) De Andrade JG, Kumsa B, Ayana D, Vieira RAM, Santos CP, Iñiguez AM, DaMatta A 2018. First record of the nematode *Libyostrongylus dentatus* Hoberg, Lloyd & Omar, 1995 (Trichostrongylidae) in ostriches (*Struthio camelus* Linnaeus, 1758)(Struthionidae) outside the Americas. Parasite Vector 11: - .

[doi>](#) Maldonado FR, Iñiguez AM, Yeo M, Jansen AM 2018. Multilocus sequence typing: genetic diversity in *Trypanosoma cruzi* I (Tcl) isolates from Brazilian didelphids. Parasite Vector 11: - .

[doi>](#) Di Azevedo MIN, Iñiguez AM 2018. Nematode parasites of commercially important fish from the southeast coast of Brazil: Morphological and genetic insight. Int J Food Microbiol 267: 29-41.

[doi>](#) Santos FM, De Macedo GC, Barreto WTG, Oliveira-Santos LGR, Garcia CG, Mourão GM, Porfírio GEO, Marino ED, Andre MR, Livia Perles, Oliveira CE, Andrade GB, Jansen AM, Herrera HM 2018. Outcomes of *Trypanosoma cruzi* and *Trypanosoma evansi* infections on health of Southern coati (*Nasua nasua*), crab-eating fox (*Cerdocyon thous*), and ocelot (*Leopardus pardalis*) in the Brazilian Pantanal. Plos One 13: - .

[doi>](#) Camacho M, Iñiguez AM, Reinhard KJ 2018. Taphonomic considerations on pinworm prevalence in three Ancestral Puebloan latrines. J Archaeol Sci 20: 791-792.

[doi>](#) Jansen AM, Xavier SCC, Roque AL 2018. *Trypanosoma cruzi* transmission in the wild and its most important reservoir hosts in Brazil. Parasite Vector 11: - .

[doi>](#) Lopes CMT, Menna-Barreto RFS, Pavan MG, Pereira MCS, Roque AL 2018. *Trypanosoma janseni* n. sp. (Trypanosomatida: Trypanosomatidae) isolated from *Didelphis aurita* (Mammalia: Didelphidae) in the Atlantic Rainforest of Rio de Janeiro, Brazil: integrative taxonomy and phylogeography within the *Trypanosoma cruzi* clade. Mem I Oswaldo Cruz (online) 113: - .

[doi>](#) Guedes L, Jaeger LH, Liryo A, Rodrigues-Carvalho C, Mendonça de Souza S, Iñiguez AM 2018. Tuberculosis in post-contact Native Americans of Brazil: Paleopathological and paleogenetic evidence from the Tenetehara-Guajajara. Plos One 13(9): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Roman F, Xavier SCC, Messenger LA, Pavan MG, Miles MA, Jansen AM, Yeo M 2018. Dissecting the phyloepidemiology of *Trypanosoma cruzi* I (Tcl) in Brazil by the use of high resolution genetic markers. Plos Neglect Trop D (12)5: - .