

Laboratório de Biologia Molecular Aplicada em Micobactérias

2006

Indexado (fator de impacto > 0,65 a 2,0)

Basta PC, Oelemann MA, Oelemann WM, Fonseca L de S, Coimbra CE Jr 2006. Detection of Mycobacterium tuberculosis in sputum from Surui Indian subjects, Brazilian Amazon.. Mem I Oswaldo Cruz (impresso) 101: 581-584.

Indexado (fator de impacto >2,0 a 4,0)

Suffys PN, Rocha AS, Brandão AA, Vanderborght B, Mijs W, Jannes G, Mello FC, Pedro HS, Fonseca L de S, de Oliveira RS, Leão SC, Saad MH 2006. Detection of mixed infections with Mycobacterium lentiflavum and Mycobacterium avium by molecular genotyping methods.. J Med Microbiol 55: 127-131.

Senna SG, Gomes HM, Ribeiro MO, Kristki AL, Rossetti MLR, Suffys PN 2006. In house reverse line hybridization assay for rapid detection of susceptibility to rifampicin in isolates of Mycobacterium tuberculosis.. J Microbiol Meth 67: 385-389.

Brudey K, Driscoll JR, Rigouts L, Prodinger WM, Gori A, Al-hajj SA, Allix C, Aristimuño L, Arora J, Baumanis V, Binder L, Cafrune P, Cataldi A, Cheong S, Diel R, Ellermeier C, Evans JT, Fauville-Dufaux M, Ferdinand S, Garcia-de-Viedma D, Garzelli C, Gazzola L, Gomes HM, Gutierrez MC, Hawkey PM, Helden PDV, Kadival GV, Kreiswirth BN, Kremer K, Kubin M, Kulkarni SP, Liens B, Lillebaek T, Ly HM, Martin C, Martin C, Mokrousov I, Narvskaia O, Ngeow YF, Naumann L, Niemann S, Parwati I, Rahim Z, Rasolofo-Rzanamparany V, Rasolonalona T, Rossetti ML, Rüsck-Gerdes S, Sajduda A, Samper S, Shemyakin IG, Singh UB, Somoskovi A, Skuce RA, Soolingen DV, Streicher EM, Suffys PN, Tortoli E, Tracevska T, Vincent V, Victor TC, Warren RM, Yap SF, Zaman K, Portaels F, Sola C 2006. Mycobacterium tuberculosis complex genetic diversity: mining the fourth international spoligotyping database (SpolDB4) for classification, population genetics and epidemiology.. BMC Microbiol 6: 23-23.

Indexado (fator de impacto >4,0)

Karboul A, Gey van Pittius NC, Namouchi A, Vincent V, Sola C, Rastogi N, Suffys P, Fabre M, Cataldi A, Huard RC, Kurepina N, Kreiswirth B, Ho JL, Gutierrez MC, Mardassi H 2006. Insights into the evolutionary history of tubercle bacilli as disclosed by genetic rearrangements within a PE_PGRS duplicated gene pair.. BMC Evol Biol 6: 107-107.

2007

Indexado (fator de impacto > 0,65 a 2,0)

Oelemann MAC, Fontes ANB, Pereira MAS, Bravin Y, Silva G, Degraive WM, Carvalho ACC, Brito RC, Kritski AL, Suffys PN 2007. Typing of Mycobacterium tuberculosis strains isolated in Community Health Centers of Rio de Janeiro City, Brazil. Mem I Oswaldo Cruz (impresso) 102: 455-462.

Indexado (fator de impacto >2,0 a 4,0)

Lazzarini LCO, Oelemann MAC, Suffys PN, Silva JRLE, Ho JL 2007. Discovery of a novel Mycobacterium tuberculosis lineage that is a major cause of TB in Rio de Janeiro, Brazil. J Clin Microbiol 45: 3891-3902.

Indexado (fator de impacto >4,0)

Miranda AB, Pacheco AG, Lopes MQP, Suffys PN, Santos AR 2007. Genetic profile of the arylamine N-acetyltransferase 2 coding gene among individuals from two different regions of Brazil. *Mutat Res* 624: 31-40.

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Ritacco V, López B, Cafrune PI, Ferrazoli L, Suffys PN, Candia N, Vásquez L, Realpe T, Fernández J, Lima KV, Zurita J, Robledo J, Rossetti ML, Kritski AL, Telles M, Palomino J, Heersma H, van Soolingen D, Kremer K, Barrera L 2008. Mycobacterium tuberculosis strains of the Beijing genotype are rarely observed in tuberculosis patients in South America. *Mem I Oswaldo Cruz* (impresso) 103: 489-492.

Indexado (<0,65 e não impactadas no ISI)

M.baliza, A.h.bach, I.c.melo, M.m.carneiro, Albuquerque M, Suffys PN, L.rodrigues, R.ximenes, N.lucena-silva 2008. High frequency of resistance to the drugs isoniazid and rifampicin among tuberculosis cases in the city of Cabo de Santo Agostinho, an urban area in northeastern Brazil. *Rev Soc Bras Med Tro* 41: 11-16.

Indexado (>2,0 a 4,0)

[doi>](#) A.I.gibson, R.c.huard, Pittius NCGV, Lazzarini LCO, Driscoll J, Kurepina N, Zozio T, Sola C, Spindola SM, Kritski AL, Fitzgerald D, Kremer K, Mardassi H, Chitale P, Brinkworth J, Garcia-de-Viedma D, Gicquel B, Pape JW, Soolingen DV, Kreiswirth BN, Warren RM, Helden PDV, Rastogi N, Suffys PN, Silva JE, J.I.ho 2008. Application of sensitive and specific molecular methods to uncover the global dissemination of the major RDRio sublineage of the Latin American-Mediterranean Mycobacterium tuberculosis spoligotype family. *J Clin Microbiol* 46: 1259-1267.

[doi>](#) Possuelo LG, Castelan J, T.c.-de-Brito , A.w.ribeiro, P.i.cafrune, P.d.picon, Santos AR, Teixeira RLF, T.s.gregianini, M.h.hutz, M.l.r.rossetti, A.zaha 2008. Association of slow N-acetyltransferase 2 profile and anti-TB drug-induced hepatotoxicity in patients from Southern Brazil. *Eur J Clin Pharmacol* 64: 673-681.

[doi>](#) Clemente WT, Soares Lima SS, Palaci M, Silva MS, Sumnienski Rodrigues VF, Dalla Costa ER, Possuelo L, Cafrune PI, Ribeiro FK, Gomes HM, Serufo JC 2008. Phenotypic and genotypic characterization of drug-resistant Mycobacterium tuberculosis strains. *Diagn Micr Infec Dis* 62: 199-204.

[doi>](#) Senna SG, Battilana J, Costa JC, Silva MG, Duarte RS, Fonseca LS, Suffys PN, Bogo MR 2008. Sequencing of hsp65 gene for identification of Mycobacterium species isolated from environmental and clinical sources in Rio de Janeiro, Brazil. *J Clin Microbiol* 46: 3822-3825.

2009

Indexado (fator de impacto > 0,65 e < 2)

Fontes AN, Sakamuri RM, Baptista IM, Ura S, Moraes MO, Martinez AN , Sarno EN, Brennan PJ,

Vissa VD, Suffys PN 2009. Genetic diversity of Mycobacterium leprae isolates from Brazilian leprosy patients. *Leprosy Rev* 80: 302-315.

[doi>](#) Verza M, Maschmann RA, Silva MS, Costa ER, Ribeiro MO, Rosso F, Suffys PN, Tortoli E, Marcelli F, Zaha A, Rossetti ML 2009. In house colorimetric reverse hybridisation assay for detection of the mutation most frequently associated with resistance to isoniazid in Mycobacterium tuberculosis. *Mem I Oswaldo Cruz (impresso)* 104: 710-714.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Dalla Costa ER, Ribeiro MO, Silva MS, Arnold LS, Rostirolla DC, Cafrune PI, Espinoza RC, Telles MA, Ritacco V, Suffys PN, Lopes ML, Campelo CL, Miranda SS, Kremer K, da Silva PE, Fonseca LS, Ho JL, Kritski AL, Rossetti ML 2009. Correlations of mutations in katG, oxyR-ahpC and inhA genes and in vitro susceptibility in Mycobacterium tuberculosis clinical strains segregated by spoligotype families from tuberculosis prevalent countries in South America. *BMC Microbiol* 9: - .

[doi>](#) da Costa AR, Lopes ML, Leão SC, Schneider MP, de Sousa MS, Suffys PN, Corvelo TCO, Lima KV 2009. Molecular identification of rapidly growing mycobacteria isolates from pulmonary specimens of patients in the State of Pará, Amazon region, Brazil. *Diagn Micr Infec Dis* 65: 358-364.

Indexado (fator de impacto > 4)

[doi>](#) Almeida AS, Lago PM, Boechat N, Huard RC, Lazzarini LC, Santos AR, Nociari M, Zhu H, Perez-Sweeney BM, Bang H, Ni Q, Huang J, Gibson AL, Flores VC, Pecanha LR, Kritski AL, Lapa e Silva JR, Ho JL 2009. Tuberculosis is associated with a down-modulatory lung immune response that impairs Th1-type immunity. *J Immunol* 183: 718-731.

2010

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Vasconcellos SE, Huard RC, Niemann S, Kremer K, Santos AR, Suffys PN, Ho JL 2010. Distinct genotypic profiles of the two major clades of Mycobacterium africanum. *BMC Infect Dis* 10: - .

[doi>](#) Lasunskaja E, Ribeiro SC, Manicheva O, Gomes LL, Suffys PN, Mokrousov I, Ferrazoli L, Andrade MR, Kritski A, Otten T, Kipnis TL, da Silva WD, Vishnevsky B, Oliveira MM, Gomes HM, Baptista IF, Narvskaya O 2010. Emerging multidrug resistant Mycobacterium tuberculosis strains of the Beijing genotype circulating in Russia express a pattern of biological properties associated with enhanced virulence. *Microbes Infect* 12: 467-475.

[doi>](#) Teixeira RL, Silva Jr FP, Silveira AR, Cabello PH, Mendonça-Lima L, Rabahi MF, Kritski AF, Mello FC, Suffys PN, Miranda AB, Santos AR 2010. Sequence analysis of NAT2 gene in Brazilians: Identification of undescribed single nucleotide polymorphisms and molecular modeling of the N-acetyltransferase 2 protein structure. *Mutat Res* 683: 43-49.

2011

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Senna SG, Marsico AG, Vieira GB, Sobral LF, Suffys PN, Fonseca LS 2011. Identificação de micobactérias não tuberculosas isoladas de sítios estéreis em pacientes em um hospital universitário na cidade do Rio de Janeiro. *J Bras Pneumol* 37: 521-526.

[doi>](#) Coelho MB, Costa ER, Vasconcellos SE, Linck N, Ramos RM, Amorim HL, Suffys PN, Santos AR, Silva PE, Ramos DF, Silva MS, Rossetti ML 2011. Sequence and structural characterization of *tbnat* gene in isoniazid-resistant *Mycobacterium tuberculosis*: identification of new mutations.. *Mutat Res* 712: 33-39.

Indexado (fator de impacto > 2 e 4)

[doi>](#) Maschmann RA, Verza M, Silva MS, Sperhacke RD, Ribeiro MO, Suffys PN, Gomes HM, Tortoli E, Marcelli F, Zaha A, Rossetti MI 2011. Detection of rifampin-resistant genotypes in *Mycobacterium tuberculosis* by reverse hybridization assay. *Mem I Oswaldo Cruz* (impresso) 106: 139-145.

[doi>](#) Teixeira RL, Morato RG, Cabello PH, Muniz LM, Moreira AS, Kritski AL, Mello FC, Suffys PN, de Miranda AB, Santos AR 2011. Genetic polymorphisms of NAT2, CYP2E1 and GST enzymes and the occurrence of antituberculosis drug-induced hepatitis in Brazilian TB patients. *Mem I Oswaldo Cruz* (impresso) 106: 716-724.

[doi>](#) Rocha A, Elias AR, Sobral LF, Soares DF, Santos AC, Marsico AG, Hacker MA, Caldas PC, Parente LC, Silva MR, Fonseca L, Suffys PN, Boéchat N, 2011. Genotyping did not evidence any contribution of *Mycobacterium bovis* to human tuberculosis in Brazil. *Tuberculosis* 91: 14-21.

[doi>](#) da Silva Rocha A, Cunha Dos Santos AA, Pignataro P, Nery JA, de Miranda AB, Soares DF, Brum Fontes AN, Miranda A, Ferreira H, Boéchat N, Novick Gallo ME, Sarno EN, de Oliveira ML, Suffys PN 2011. Genotyping of *Mycobacterium leprae* from Brazilian leprosy patients suggests the occurrence of reinfection or of bacterial population shift during disease relapse. *J Med Microbiol* 60: 1441-1446.

[doi>](#) Silva MR, Guimarães MD, Oliveira VM, Moreira Ados S, Costa RR, Abi-Zaid KC, Rocha AS, Suffys PN 2011. Identification of *Mycobacterium tuberculosis* complex based on amplification and sequencing of the *oxyR* pseudogene from stored Ziehl-Neelsen-stained sputum smears in Brazil. *Mem I Oswaldo Cruz* (impresso) 106: 9-15.

[doi>](#) Abadia E, Zhang J, Ritacco V, Kremer K, Ruimy R, Rigouts L, Gomes HM, Elias AR, Fauville-Dufaux M, Stoffels K, Rasolofo-Razanamparany V, de Viedma DG, Herranz M, Al-Hajj S, Rastolgi N, Garzelli C, Tortoli E, Suffys PN, van Soolingen D, Refrégier G, Sola C 2011. The use of microbead-based spoligotyping for *Mycobacterium tuberculosis* complex to evaluate the quality of the conventional method: Providing guidelines for Quality Assurance when working on membranes. *BMC Infect Dis* 11: - .

Indexado (fator de impacto > 4)

[doi>](#) Cardoso Oelemann M, Gomes HM, Willery E, Possuelo L, Batista Lima KV, Allix-Beguec C, Loch C, Goguet de la Salmonière YO, Gutierrez MC, Suffys PN, Supply P 2011. The forest behind the tree: phylogenetic exploration of a dominant *Mycobacterium tuberculosis* strain lineage from a high tuberculosis burden country. *Plos One* 6: - .

[doi>](#) Cardoso CC, Pereira AC, Brito-de-Souza VN, Duraes SM, Ribeiro-Alves M, Nery JA, Francio AS, Vanderborcht PR, Parelli FP, Alter A, Salgado JL, Sampaio EP, Santos AR, Oliveira ML, Sarno EN, Schurr E, Mira MT, Pacheco AG, Moraes MO 2011. TNF -308G>A single nucleotide polymorphism is associated with leprosy among Brazilians: a genetic epidemiology assessment, meta-Analysis, and functional study. *J Infect Dis* 204: 1256-1263.

2012

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Fontes AN, Gomes HM, de Araujo MI, Albuquerque EC, Baptista IM, Moura MM, Rezende DS, Pessolani MC, Lara FA, Pontes MA, Gonçalves HS, Lucena-Silva N, Sarno EN, Vissa VD, Brennan PJ, Suffys PN 2012. Genotyping of *Mycobacterium leprae* present on Ziehl-Neelsen-stained microscopic slides and in skin biopsy samples from leprosy patients in different geographic regions of Brazil. *Mem I Oswaldo Cruz (impresso)* 107 Suppl 1: 143-149.

[doi>](#) Frota CC, Lima LN, da Silva Rocha A, Suffys PN, Rolim BN, Rodrigues LC, Barreto ML, Kendall C, Kerr LR 2012. *Mycobacterium leprae* in six-banded (*Euphractus sexcinctus*) and nine-banded armadillos (*Dasypus novemcinctus*) in Northeast Brazil. *Mem I Oswaldo Cruz (impresso)* 107 Suppl 1: 209-213.

[doi>](#) Parreiras PM, Andrade GI, do Nascimento TF, Oelemann MC, Gomes HM, de Alencar AP, Assis RA, Mota PM, Pereira MA, Lobato FC, Lage AP, Suffys PN 2012. Spoligotyping and variable number tandem repeat analysis of *Mycobacterium bovis* isolates from cattle in Brazil. *Mem I Oswaldo Cruz (impresso)* 107: 64-73.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Perizzolo PF, Dalla Costa ER, Ribeiro AW, Spies FS, Ribeiro MO, Dias CF, Unis G, Almeida da Silva P, Gomes HM, Suffys PN, Rossetti ML 2012. Characteristics of multidrug-resistant *Mycobacterium tuberculosis* in southern Brazil. *Tuberculosis* 92: 56-59.

[doi>](#) da Silva Rocha A, Cunha M, Diniz LM, Salgado C, Aires MA, Nery JA, Gallo EN, Miranda A, Magnanini MM, Matsuoka M, Sarno EN, Suffys PN, de Oliveira ML 2012. Drug and multidrug resistance among *Mycobacterium leprae* isolates from Brazilian relapsed leprosy patients. *J Clin Microbiol* 50: 1912-1917.

[doi>](#) de Beer JL, Kremer K, Ködmön C, Supply P, van Soolingen D, Global Network Molecular Surveillance Tuberc 2009 2012. First worldwide proficiency study on variable-number tandem-repeat typing of *Mycobacterium tuberculosis* complex strains. *J Clin Microbiol* 50: 662-669.

[doi>](#) Mokrousov I, Narvskaya O, Vyazovaya A, Otten T, Jiao WW, Gomes LL, Suffys PN, Shen AD, Vishnevsky B 2012. Russian "successful" clone B0/W148 of *Mycobacterium tuberculosis* Beijing genotype: a multiplex PCR assay for rapid detection and global screening. *J Clin Microbiol* 50: 3757-3759.

[doi>](#) Gomes HM, Elias AR, Oelemann MA, Pereira MA, Montes FF, Marsico AG, Kritski AL, Filho LA, Caldas PC, Posuelo LG, Cafrune P, Rossetti ML, Lucena N, Saad MH, Cavalcanti HR, Leite CQ, de Brito RC, Lopes ML, Lima K, Souza M, Trindade RC, Zozio T, Sola C, Rastori N, Suffys PN 2012. Spoligotypes of *Mycobacterium tuberculosis* complex isolates from patients residents of 11 states of Brazil. *Infect Genet Evol* 12: 649-656.

[doi>](#) Barbosa CB, Lazzarini LC, Elias AR, Leung JA, Ribeiro SB, da Silva MG, Duarte RS, Suffys P, Gomes HM, Kritski AL, Lapa e Silva JR, Ho JL, Boéchat N 2012. Tuberculosis caused by RDRio Mycobacterium tuberculosis is not associated with differential clinical features. *Int J Tuberc Lung D* 16: 1377-1382.

2013

Indexado (fator de impacto < 1 ou sem FI)

Arnaldo P, Thompson RE, Lopes MQP, Suffys PN, Santos AR 2013. Frequencies of Cytochrome P450 2B6 and 2C8 Allelic Variants in the Mozambican Population. *Malays J Med Sci* 20: 13-23.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Luiz RS, Suffys PN, Barroso EC, Kerr LR, Duarte CR, Freitas MV, Mota RM, Frota CC 2013. Genotyping and drug resistance patterns of Mycobacterium tuberculosis strains observed in a tuberculosis high-burden municipality in Northeast, Brazil. *Braz J Infect Dis* 17: 338-345.

[doi>](#) Mendes-de-Lima CA, Gomes HM, Oelemann MAC, Ramos JP, Caldas PC, Campos CE, Pereira MA, Montes FF, de Oliveira MS, Suffys PN, Moura MM 2013. Nontuberculous mycobacteria in respiratory samples from patients with pulmonary tuberculosis in the state of Rondonia, Brazil. *Mem I Oswaldo Cruz (impresso)* 108: 457-462.

Silva MR, Da Silva RA, da Costa RR, de Alencar AP, de Oliveira VM, Fonseca AA, Junior, Sales ML, Issa MD, Soares PM, Filho, Pereira, OT, Santos EC, Mendes RS, Ferreira AM, Mota PM, Suffys PN, Guimarães MDC 2013. Tuberculosis patients co-infected with Mycobacterium bovis and Mycobacterium tuberculosis in an urban area of Brazil. *Mem I Oswaldo Cruz (impresso)* 108: 321-327.

[doi>](#) Zumárraga MJ, Arriaga C, Barandiaran S, Cobos-Marín L, de Waard J, Estrada-García I, Figueiredo T, Figueroa A, Giménez F, Gomes HM, Gonzalez-y-Merchand JA, Macías A, Milián-Suazo F, Rodríguez CA, Santillán MA, Suffys PN, Trangoni MD, Zárraga AM, Cataldi A 2013. Understanding the relationship between Mycobacterium bovis spoligotypes from cattle in Latin America countries. *Res Vet Sci* 94: 9-21.

Indexado (fator de impacto >=2,71 e < 4,35)

[doi>](#) Vinhas SA, Palaci M, Marques HS, de Aguiar PPL, Ribeiro FK, Peres RL, Dietze R, Gomes HM, Suffys PN, Golub JE, Riley RW, Maciel ELN 2013. Mycobacterium tuberculosis DNA fingerprint clusters and its relationship with RDRio genotype in Brazil. *Tuberculosis* 93: 207-212.

[doi>](#) Dalla Costa ER, Lazzarini LC, Perizzolo PF, Diaz CA, Spies FS, Costa LL, Ribeiro AW, Barroco C, Schuh SJ, da Silva Pereira MA, Dias CF, Gomes HM, Unis G, Zaha A, Almeida da Silva PE, Suffys PN, Rossetti ML 2013. Mycobacterium tuberculosis of the RDRio genotype is the predominant cause of tuberculosis and associated with multidrug resistance in Porto Alegre city, South Brazil. *J Clin Microbiol* 51: 1071-1077.

2014

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Cristina P Araújo, Ana Luiza A. R. Osório, Klaudia S. G. Jorge, Carlos A. N. Ramos, Antonio F. Souza Filho, Carlos E. S. Vidal, Agueda P. C. Vargas, Eliana Roxo, Da Silva RA, Suffys PN, Antonio A. Fonseca Junior, Marcio R Silva, José D. Barbosa Neto, Valéria D. Cerqueira, Flávio R. Araújo 2014. Direct detection of Mycobacterium tuberculosis complex in bovine and bubaline tissues through nested-PCR. *Braz J Microbiol* 45: 633-640.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Borges LS, Santos AR, Suffys PN, Muxfeldt ES, Salles GF 2014. Different phenotypes of the NAT2 gene influences hydralazine antihypertensive response in patients with resistant hypertension. *Pharmacology* 15: 169-178.

[doi>](#) Sergio Luiz Montego Ferreira Junior, Elis Regina Dalla Costa, Paula Gonçalves dos Santos, Gomes HM, Marcia Susana Nunes Silva, Leonardo Souza Esteves, Martha Maria Oliveira, Raquel de Abreu Maschmann, Afrânio Lineu Kritski, Suffys PN, Maria Lucia Rosa Rossetti 2014. In house reverse membrane hybridisation assay versus GenoType MTBDRplus and their performance to detect mutations in the genes rpoB, katG and inhA. *Mem I Oswaldo Cruz (impresso)* 109(3): 307-314.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Huber FD, Alexandra Sánchez, Gomes HM, Vasconcelos SEG, Véronique Massari d, Angela Barreto, Vanderci Cesconi b, Silvia Maria de Almeida Mach, Michel K. Gomgnimbou g,h,i, Christophe Sola, Bernard Larouzé d,e,j , Suffys PN, Saad MH 2014. Insights into the population structure of Mycobacterium tuberculosis using spoligotyping and RDRio in a southeastern Brazilian prison unit. *Infect Genet Evol* 26: 194-202.

[doi>](#) Flávia A. D. de Freitas, Vagner Bernardo, Michel K. Gomgnimbou, Christophe Sola,, Hélio R. Siqueira, Márcia A. S. Pereira, Fátima C. O. Fandinho, Gomes HM, Marcelo E. I. Araújo, Suffys PN, Elizabeth A. Marques, Rodolpho M. Albano 2014. Multidrug resistant mycobacterium tuberculosis: A retrospective katG and rpoB mutation profile analysis in isolates from a reference center in Brazil. *Plos One* 9: - .

[doi>](#) Ribeiro SCM, Gomes LL, Amaral EP, Andrade MRM, Almeida FM, Rezende AL, Lanes VR, Carvalho ECQ, Suffys PN, Mokrousov I, Lasunskaja EB 2014. Mycobacterium tuberculosis Strains of the Modern Sublineage of the Beijing Family Are More Likely To Display Increased Virulence than Strains of the Ancient Sublineage. *J Clin Microbiol* 52: 2615-2624.

[doi>](#) Vasconcelos SEG, Acosta CCD, Gomes LL, Emilyn Costa Conceição, Karla Valéria Lima, Marcelo Ivens de Araujo, Maria de Lourdes Leite, Flávio Tannure, Paulo Cesar de Souza Caldas, Gomes HM, Santos AR, Michel K. Gomgnimbou, Christophe Sola, David Couvin, Nalin Rastogi, Suffys PN 2014. Strain Classification of Mycobacterium tuberculosis Isolates in Brazil Based on Genotypes Obtained by Spoligotyping, Mycobacterial Interspersed Repetitive Unit Typing and the Presence of Large Sequence and Single Nucleotide Polymorphism. *Plos One* 9: - .

2015

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Gomes LL, Marin MA, Lasunskaja E, Vasconcelos SEG, Ivens-de-Araujo ME, Miranda AB, Suffys PN 2015. Genome Comparison of an Ancestral Isolate and a Modern Isolate of

Mycobacterium tuberculosis of the Beijing Lineage from São Paulo, Brazil. Genome Announc 3: - .

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Pedro Hda S, Nardi SM, Pereira MI, Oliveira RS, Suffys PN, Gomes HM, Finardi AJ, Moraes EB, Baptista IM, Machado RL, Castiglioi L 2015. Clinical and Epidemiological profiles of individuals with drug-resistant tuberculosis. Mem I Oswaldo Cruz (impresso) 110: 235-248.

[doi>](#) Dantas NG, Suffys PN, Carvalho Wda S, Gomes HM, de Almeida IN, de Assis LJ, Augusto CJ, Gomgnimbou MK, Refregier G, Sola C, de Miranda SS 2015. Genetic diversity and molecular epidemiology of multidrug-resistant Mycobacterium tuberculosis in Minas Gerais State, Brazil.. BMC Infect Dis 15: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Gomes LL, Vasconcelos SEG, Gomes HM, Elias AR, Da Silva RA, Ribeiro SC, Panunto AC, Ferrazoli L, da Silva Telles MA, Ivens-de-Araujo ME, Kritski AL, Mokrousov I, Manicheva OA, Lasunskaja E, Suffys PN 2015. Genetic diversity of the Mycobacterium tuberculosis Beijing family in Brazil and Mozambique and relation with infectivity and induction of necrosis in THP-1 cells. Tuberculosis 95: S 190-S 196.

[doi>](#) Dalla Costa ER, Vasconcelos SEG, Esteves LS, Gomes HM, Gomes LL, Almeida da Silva P, Perdigão J, Portugal I, Viveiros M, McNerney R, Pain A, Clark TG, Rastogi N, Unis G, Rossetti ML, Suffys PN 2015. Multidrug-Resistant Mycobacterium tuberculosis of the Latin American Mediterranean Lineage, Wrongly Identified as Mycobacterium pinnipedii (Spoligotype International Type 863 [SIT863]), Causing Active Tuberculosis in South Brazil. J Clin Microbiol 53: 3805-3811.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Sacchi FP, Praça RM, Tatara MB, Simonsen V, Ferrazoli L, Croda MG, Suffys PN, Ko AI, Andrews JR, Croda J 2015. Prisons as reservoir for community transmission of tuberculosis, Brazil. Emerg Infect Dis 21: 452-455.

2016

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Neumann AS, Felipe de Almeida Dias, Ferreira JS, Fontes AN, Patricia Sammarco Rosa, Rafael Enrique Macedo, José Henrique Oliveira, Teixeira RLF, Pessolani MCV, Moraes MO, Suffys PN, Pedro L Oliveira, Marcos Henrique Ferreira Sorgine, Lara FA 2016. Experimental Infection of Rhodnius prolixus (Hemiptera, Triatominae) with Mycobacterium leprae Indicates Potential for Leprosy Transmission. Plos One 11: - .

[doi>](#) Heinrich MM, Zembrzuski VM, Ota MM, Sacchi FP, Teixeira RLF, Cabello Acero PH, Cunha GM, Souza-Santos R, Croda J, Basta PC 2016. Factors associated with anti-TB drug-induced hepatotoxicity and genetic polymorphisms in indigenous and non-indigenous populations in Brazil. Tuberculosis 101: 15-24.

[doi>](#) Carvalho RCT, Vasconcelos SEG, Issa MA, Soares-Filho PM, Mota PMPC, Araújo FR,

Carvalho ACS, Gomes HM, Suffys PN, Figueiredo EES, Paschoalin VMF 2016. Molecular Typing of Mycobacterium bovis from Cattle Reared in Midwest Brazil. Plos One 11(9): - .

2017

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Panzenhagen PHN, Cabral CC, Suffys PN, Aquino MHC, Franco RM, Pereira VLA, Rodrigues DP, Conte-Junior CA 2017. Draft Genome Sequences of Salmonella enterica subsp. enterica Serovar Typhimurium Strains Isolated from Chicken and Swine Carcasses in Two Distinct Geographical Regions from Rio de Janeiro State, Brazil. Genome Announc 5(17): - .

Hasker E, Baco A, Younoussa A, Mzembaba A, Grillone S, Demeulenaere T, Groenen G, Suffys PN, Jong BC 2017. Leprosy on Anjouan (Comoros): persistent hyper-endemicity despite decades of solid control efforts. Leprosy Rev 88: 334-342.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Dantas NGT, Suffys PN, Carvalho WS, Gomes HM, Almeida IN, Figueiredo LJA, Gonçalves AD, Gomgnimbou MK, Refregier G, Sola C, Miranda SS 2017. Correlation between the BACTEC MGIT 960 culture system with Genotype MTBDRplus and TB-SPRINT in multidrug resistant Mycobacterium tuberculosis clinical isolates from Brazil. Mem I Oswaldo Cruz (impresso) 112(11): 769-774.

[doi>](#) Conceição EC, Rastogi N, Couvin D, Lopes ML, Furlaneto IP, Gomes HM, Vasconcelos SEG, Suffys PN, Schneider MPC, Sousa MS, Sola S, Guimarães RJPS, Duarte RS, Lima KVB 2017. Genetic diversity of Mycobacterium tuberculosis from Pará, Brazil, reveals a higher frequency of ancestral strains than previously reported in South America. Infect Genet Evol 56: 62-72.

[doi>](#) Moraes EB, Slompo L, Finardi AJ, Silveira HPP, Luciana Ruiz, Gomes HM, Richini VB, Suffys PN, Fortaleza CMCB, Cavalcanti R, Baptista IMFD 2017. Tuberculosis associated factors caused by Mycobacterium tuberculosis of the RDRio genotype. Mem I Oswaldo Cruz (impresso) 112(3): 182-187.

Indexado (fator de impacto >=2,71 e < 4,35)

[doi>](#) Fontes AN, Lima LNGC, Mota RMS, Almeida RLF, Pontes MA, Gonçalves HS, Frota CC, Vissa VD, Brennan PJ, Guimaraes RJPS, Carl Kendall C, Kerr LRFS, Suffys PN 2017. Genotyping of Mycobacterium leprae for better understanding of leprosy transmission in Fortaleza, Northeastern Brazil. Plos Neglect Trop D 11(12): - .

[doi>](#) Araujo S, Goulart LR, Truman RW, Goulart IMB, Vissa V, Li W, Matsuoka M, Suffys PN, Fontes AN, Rosa PS, Scollard DM, Williams DL 2017. qPCR-High resolution melt analysis for drug susceptibility testing of Mycobacterium leprae directly from clinical specimens of leprosy patients. Plos Neglect Trop D 11(6): - .

2018

Indexado (fator de impacto >= 7,51)

[doi>](#) Brynildsrud OB, Pepperell CS, Suffys PN, Grandjean L, Monteserin J, Debech N, Bohlin J, Alfnes K, Pettersson JO, Kirkeleite I, Fandinho F, da Silva MA, Perdigo J, Portugal I, Viveiros

M, Clark T, Caws M, Dunstan S, Thai PVK, Lopez B, Ritacco V, Kitchen A, Brown TS, van Soolingen D, Holt KE, Feil EJ, Mathema B, Balloux F, Eldholm V 2018. Global expansion of Mycobacterium tuberculosis lineage 4 shaped by colonial migration and local adaptation. *Sci Adv* 4(10): - .

[doi>](#) Andrej Benjak, Charlotte Avanzi, Pushpendra Singh, Chloé Loiseau, Selfu Girma, Philippe Busso, Fontes AN, Yuji Miyamoto, Masako Namisato, Kidist Bobosha, Claudio G. Salgado, Moisés B. da Silva, Raquel C. Bouth, Marco A. C. Frade, Fred Bernardes Filho, Josafá G. Barreto, Nery JAC, Samira Bühner-Sékula, Andréanne Lupien, Abdul R. Al-Samie, Yasin Al-Qubati, Abdul S. Alkubati, Gisela Bretzel, Lucio Vera-Cabrera, Fatoumata Sakho, Christian R. Johnson, Mamoudou Kodio, Abdoulaye Fomba, Samba O. Sow, Moussa Gado, Ousmane Konaté, Mariane M. A. Stefani, Gerson O. Penna, Suffys PN, Sarno EN, Moraes MO, Patricia S. Rosa, Ida Maria F. Dias Baptista, John S. Spencer, Abraham Aseffa, Masanori Matsuoka, Masanori Kai, Stewart T. Cole 2018. Phylogenomics and antimicrobial resistance of the leprosy bacillus *Mycobacterium leprae*. *Nat Commun* 9: - .

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Panzenhagen PHN, Cabral CC, Suffys PN, Franco RM, Rodrigues DP, Conte-Junior CA 2018. Comparative genome analysis and characterization of the *Salmonella* Typhimurium strain CCRJ_26 isolated from swine carcasses using whole-genome sequencing approach. *Lett Appl Microbiol* 66(4): 352-359.

[doi>](#) Correia Sacchi FP, Tatara MB, Camioli de Lima C, Ferreira da Silva L, Cunha EAL, Simonsen V, Ferrazoli L, Gomes HM, Vasconcelos SEG, Suffys PN, Andrews JR, Croda J 2018. Genetic Clustering of Tuberculosis in an Indigenous Community of Brazil. *Am J Trop Med Hyg* 98(2): 372-375.

[doi>](#) Lima LNC, Frota CC, Suffys PN, Fontes AN, Mota RMS, Almeida RLF, Pontes MAA, Gonçalves HS, Kendall C, Kerr LRS 2018. Genotyping comparison of *Mycobacterium leprae* isolates by VNTR analysis from nasal samples in a Brazilian endemic region. *Pathog Glob Health* 112: 79-85.

[doi>](#) Peres RL, Vinhas SA, Ribeiro FKC, Palaci M, Prado TN, Reis-Santos B, Zandonade E, Suffys PN, Golub JE, Riley LW, Maciel EL 2018. Risk factors associated with cluster size of *Mycobacterium tuberculosis* (Mtb) of different RFLP lineages in Brazil. *BMC Infect Dis* 18(1): - .

[doi>](#) Klotoe BJ, Molina-Moya B, Gomes HM, Gomgnimbou MK, Oliveira Suzarte L, Saad MH, Ali S, Dominguez J, Pimkina E, Zholdybayeva E, Sola C, Refrégier G 2018. TB-EFI, a novel 18-Plex microbead-based method for prediction of second-line drugs and ethambutol resistance in *Mycobacterium tuberculosis* complex. *J Microbiol Meth* 152: 10-17.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Conceição EC, Guimarães AES, Lopes ML, Furlaneto IP, Rodrigues YC, Conceição ML, Barros WA, Cardoso NC, Sharmae A, Lima LNGC, Gomes HM, Duarte RS, Frota C, Rutaihwah LK, Gagneuxh S, Suffys PN, Lima KVB 2018. Analysis of potential household transmission events of tuberculosis in the city of Belem, Brazil. *Tuberculosis* 113: 125-129.

[doi>](#) Molina-Moya B, Abdurrahman ST, Madukaji LI, Gomgnimbou MK, Spinasse L, Gomes-Fernandes M, Gomes HM, Kacimi S, Dacombe R, Bimba JS, Lawson L, Sola C, Cuevas LE, Dominguez J 2018. Genetic characterization of Mycobacterium tuberculosis complex isolates circulating in Abuja, Nigeria. Infect Drug Resistance 11: 1617-1625.

[doi>](#) Esteves LS, Dalla Costa ER, Vasconcellos SEG, Vargas A, Ferreira Junior SLM, Halon ML, Ribeiro MO, Rodenbusch R, Gomes HM, Suffys PN, Rossetti MLR 2018. Genetic diversity of Mycobacterium tuberculosis isoniazid mono-resistant and multidrug-resistant in Rio Grande do Sul, a tuberculosis high-burden state in Brazil. Tuberculosis 110: 36-43.

[doi>](#) Silva MR, Da Silva RA, Araújo FR, Júnior AUF, Alencar AP, Suffys PN, Costa RR, Moreira MAS, Guimarães MDC 2018. Risk factors for human Mycobacterium bovis infections in an urban area of Brazil. Mem I Oswaldo Cruz (on line) 113: - .

[doi>](#) Braet S, Vandelannoote K, Meehan CJ, Fontes AN, Hasker E, Rosa PS, Lucena-Silva N, Rigouts L, Suffys PN, De Jong BC 2018. The Repetitive Element RLEP Is a Highly Specific Target for Detection of Mycobacterium leprae. J Clin Microbiol 56(3): e01924-17-e01924-17.

[doi>](#) Machado E, Vasconcellos SEG, Cerdeira C, Gomes LL, Junqueira R, Carvalho LD, Ramos JP, Redner P, Campos CED, Caldas PCS, Gomes APCS, Goldenberg T, Montes FF, Mello FCQ, Mussi VO, Lasunskaja E, Soolingen DV, Miranda AB, Rigouts L, Jong BC, Meehan CJ, Catanho M, Catanho MP, Suffys PN 2018. Whole genome sequence of Mycobacterium kansasii isolates of the genotype 1 from Brazilian patients with pulmonary disease demonstrates considerable heterogeneity. Mem I Oswaldo Cruz (on line) 113(9): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Cambau E, Saunderson P, Matsuoka M, Cole ST, Kai M, Suffys PN, Rosa PS, Williams D, Gupta UD, Lavania M, Cardona-Castro N, Miyamoto Y, Hagge D, Srikantam A, Hongseng W, Indropo A, Vissa V, Johnson RC, Cauchoix B, Pannikar VK, Cooreman EAWD, Pemmaraju VRR, Gillini L, WHO surveillance network of antimicrobial resistance 2018. Antimicrobial resistance in leprosy: results of the first prospective open survey conducted by a WHO surveillance network for the period 2009-15. Clin Microbiol Infect 24(12): 1305-1310.