

Laboratório de Bioquímica de Tripanossomatídeos

2006

Indexado (fator de impacto > 0,65 a 2,0)

Pinero J, Temporal RM, Silva-Gonçalves AJ, Jimenez IA, Bazzocchi IL, Oliva A, Perera A, Leon LL, Valladares B 2006. New administration model of trans-chalcone biodegradable polymers for the treatment of experimental leishmaniasis. *Acta Trop* 98: 59-65.

Genestra MS, Guedes-Silva D, Souza WJ, Cysne-Finkelstein L, Soares-Bezerra RJ, Monteiro FP, Leon LL 2006. Nitric oxide synthase (NOS) characterization in *Leishmania amazonensis* axenic amastigotes. *Arch Med Res* 37: 328-333.

Indexado (fator de impacto >2,0 a 4,0)

Costa EV, Pinheiro ML, Xavier CM, Silva JR, Amaral AC, Souza AD, Barison A, Campos FR, Ferreira AG, Machado GM, Leon LL 2006. A pyrimidine-beta-carboline and other alkaloids from *Annona foetida* with antileishmanial activity.. *J Nat Prod* 69: 292-294.

Genestra M, Souza WJ, Guedes-Silva D, Machado GM, Cysne-Finkelstein L, Bezerra RJ, Monteiro F, Leon LL 2006. Nitric oxide biosynthesis by *Leishmania amazonensis* promastigotes containing a high percentage of metacyclic forms.. *Arch Microbiol* 185: 348-354.

Bernardino AM, Gomes AO, Charret KS, Freitas AC, Machado GM, Canto-Cavalheiro MM, Leon LL, Amaral VF 2006. Synthesis and leishmanicidal activities of 1-(4-X-phenyl)-N-[(4-Y-phenyl)methylene]-1H-pyrazole-4-carbohydrazides.. *Eur J Med Chem* 41: 80-87.

2007

Indexado (fator de impacto > 0,65 a 2,0)

Machado GMC, Leon LL, Castro SL 2007. Activity of Brazilian and Bulgarian propolis against different species of *Leishmania*. *Mem I Oswaldo Cruz (impresso)* 102: 73-77.

Tanaka JC, da Silva CC, Ferreira IC, Machado GMC, Leon LL, de Oliveira AJ 2007. Antileishmanial activity of indole alkaloids from *Aspidosperma ramiflorum*. *Phytomedicine* 14: 377-380.

Castro-Pinto DB, Lima ELS, Cunha AS, Genestra MS, Léo RMM, Monteiro F, Leon LL 2007. *Leishmania amazonensis* trypanothione reductase: evaluation of the effect of glutathione analogs on parasite growth, infectivity and enzyme activity. *J Enzym Inhib Med Ch* 22: 71-75.

Indexado (fator de impacto >2,0 a 4,0)

Rodrigues RF, da Silva EF, Echevarria A, Bonin RF, Amaral VF, Leon LL, Cavalheiro MMC 2007. A comparative study of mesoionic compounds in *Leishmania* sp. and toxicity evaluation. *Eur J Med Chem* 42: 1039-1043.

FERREIRA SB, COSTA MS, BOECHAT N. , SOARES-BEZERRA RJ, GENESTRA MS, CANTO-CAVALHEIRO MM, KOVER WB, FERREIRAVF 2007. Synthesis and evaluation of new difluoromethyl azoles as antileishmanial agents. *Eur J Med Chem* 42: 1388-1395.

Indexado (fator de impacto >4,0)

Genestra MS 2007. Oxy radicals, redox-sensitive signaling cascades and antioxidants. *Cell*

Signal 19: 1807-1819.

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Castro-Pinto DB, Genestra MS, Leon LL, Waghabi MC, Menezes GTB, Gonçalves AJS, Cistia CND, SANTANNA, C. M. R, Mendonça-Lima L 2008. Cloning and expression of trypanothione reductase from a New World Leishmania species. Arch Microbiol 189: 375-384.

[doi>](#) Soares-Bezerra RJ, da Silva EF, Echevarria Á, Silva LG, Cysne-Finkelstein L, Monteiro FP, Leon LL, Genestra M 2008. Effect of mesoionic 4-phenyl-5-(cinnamoyl)-1,3,4-thiadiazolium-2-phenylamine chloride derivative salts on the activities of the nitric oxide synthase and arginase of Leishmania amazonensis. J Enzym Inhib Med Ch 23: 328-333.

[doi>](#) Genestra M, Soares-Bezerra RJ, Gomes-Silva L, Fabrino DL, Bellato-Santos T, Castro-Pinto DB, Canto-Cavalheiro MM, Leon LL 2008. In vitro sodium nitroprusside-mediated toxicity towards Leishmania amazonensis promastigotes and axenic amastigotes. Cell Biochem Funct 26: 709-717.

2009

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Costa EV, Pinheiro ML, Silva JR, Maia BH, Duarte MC, Amaral AC, Machado GM, Leon LL 2009. Antimicrobial and antileishmanial activities of essential oil from the leaves of Annona foetida (Annonaceae). Quim Nova 32: 78-81.

[doi>](#) da Silva AJ, Netto CD, Pacienza-Lima W, Torres-Santos EC, Rossi-Bergmann B, Maurel S, Valentin A, Costa PR 2009. Antitumoral, antileishmanial and antimalarial activity of pentacyclic 1,4-naphthoquinone derivatives. J Brazil Chem Soc 20: 176-182.

[doi>](#) Silva JR, do Carmo DF, Reis EM, Machado GM, Leon LL, da Silva BO, Ferreira JL, Amaral AC 2009. Chemical and biological evaluation of essential oils with economic value from Lauraceae species. J Brazil Chem Soc 20: 1071-1076.

Indexado (fator de impacto > 2 e < 4)

Charret KS, Rodrigues RF, Bernardino AM, Gomes AO, Carvalho AV, Canto-Cavalheiro MM, Leon L, Amaral VF 2009. Effect of oral treatment with pyrazole carbohydrazide derivatives against murine infection by Leishmania amazonensis. Am J Trop Med Hyg 80: 568-573.

Matta NE, Nogueira RS, Franco AM, de Souza e Souza I, Mattos MS, Oliveira-Neto MP, Coutinho SG, Leon LL, Da-Cruz AM 2009. Leishmania (Viannia) guyanensis induces low immunological responsiveness in leishmaniasis patients from endemic area of the Brazilian Amazon highland. Am J Trop Med Hyg 80: 339-344.

[doi>](#) Chaves SP, Torres-Santos EC, Marques C, Figliuolo VR, Persechini PM, Coutinho-Silva R, Rossi-Bergmann B 2009. Modulation of P2X7 purinergic receptor in macrophages by Leishmania amazonensis and its role in parasite elimination. Microbes Infect 11: 842-849.

[doi>](#) Fabrino DL, Bleck CK, Anes E, Hasilik A, Melo RC, Niederweis M, Griffiths G, Gutierrez MG

2009. Porins facilitate nitric oxide-mediated killing of mycobacteria. *Microbes Infect* 11: 868-875.

Indexado (fator de impacto > 4)

[doi>](#) Torres-Santos EC, Sampaio-Santos MI, Buckner, F. S, Yokoyama K, Gelb M, Urbina JA, Rossi-Bergmann B 2009. Altered sterol profile induced in *Leishmania amazonensis* by a natural dihydroxymethoxylated chalcone. *J Antimicrob Chemoth* 63: 469-472.

[doi>](#) Rodrigues RF, Charret KS, da Silva EF, Echevarria A, Amaral VF, Leon LL, Canto-Cavalheiro MM 2009. Antileishmanial activity of 1,3,4-thiadiazolium-2-aminide in mice infected with *Leishmania amazonensis*. *Antimicrob Agents Ch* 53: 839-842.

2010

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Campos MC, Salomão K, Castro-Pinto DB, Leon LL, Barbosa HS, Maciel MA, de Castro SL 2010. Croton cajucara crude extract and isolated terpenes: activity on *Trypanosoma cruzi*. *Parasitol Res* 107: 1193-1204.

[doi>](#) Da-Cruz AM, Matta NE, Cysne-Finkelstein L, Machado GM, Leon L 2010. Differences in the antigenic profile and infectivity of murine macrophages of *Leishmania* (*Viannia*) parasites. *J Parasitol* 96: 509-515.

[doi>](#) Almeida-Amaral EE, Cardoso VC, Francioli FG, Meyer-Fernandes JR 2010. *Leishmania amazonensis*: heme stimulates (Na⁺)+K⁺)ATPase activity via phosphatidylinositol-specific phospholipase C/protein kinase C-like (PI-PLC/PKC) signaling pathways. *Exp Parasitol* 124: 436-441.

[doi>](#) Cabral MM, Barbosa-Filho JM, Maia GL, Chaves MC, Braga MV, de Souza W, Soares RO 2010. Neolignans from plants in northeastern Brazil (Lauraceae) with activity against *Trypanosoma cruzi*. *Exp Parasitol* 124: 319-324.

2011

Indexado (fator de impacto > 2 e 4)

[doi>](#) Silva JR, Ramos AS, Machado M, de Moura DF, Neto Z, Canto-Cavalheiro MM, Figueiredo P, do Rosário VE, Amaral AC, Lopes D 2011. A review of antimalarial plants used in traditional medicine in communities in Portuguese-speaking countries: Brazil, Mozambique, Cape Verde, Guinea-Bissau, São Tomé and Príncipe and Angola. *Mem I Oswaldo Cruz* (impresso) 106 suppl 1: 142-158.

[doi>](#) Buarque CD, Militão GC, Lima DJ, Costa-Lotufu LV, Pessoa C, de Moraes MO, Cunha-Junior EF, Torres-Santos EC, Netto CD, Costa PR 2011. Pterocarpanquinones, azapterocarpanquinone and derivatives: synthesis, antineoplastic activity on human malignant cell lines and antileishmanial activity on *Leishmania amazonensis*. *Bioorgan Med Chem* 19: 6885-6891.

[doi>](#) dos Santos MS, Oliveira ML, Bernardino AM, de Léo RM, Amaral VF, de Carvalho FT, Leon LL, Canto-Cavalheiro MM 2011. Synthesis and antileishmanial evaluation of 1-aryl-4-(4,5-

dihydro-1H-imidazol-2-yl)-1H-pyrazole derivatives. *Bioorg Med Chem Lett* 21: 7451-7454.

[doi>](#) Andrade-Neto VV, Cicco NN, Cunha-Junior EF, Canto-Cavalheiro MM, Atella GC, Tottes-Santos EC 2011. The pharmacological inhibition of sterol biosynthesis in *Leishmania* is counteracted by enhancement of LDL endocytosis. *Acta Trop* 119: 194-198.

Indexado (fator de impacto > 4)

[doi>](#) da Cunha-Júnior EF, Pacienza-Lima W, Ribeiro GA, Netto CD, Canto-Cavalheiro MM, da Silva AJ, Costa PR, Rossi-Bergmann B, Torres-Santos EC 2011. Effectiveness of the local or oral delivery of the novel naphthopterocarpanquinone LQB-118 against cutaneous leishmaniasis. *J Antimicrob Chemoth* 66: 1555-1559.

[doi>](#) Fonseca-Silva F, Inacio JD, Canto-Cavalheiro MM, Almeida-Amaral EE 2011. Reactive oxygen species production and mitochondrial dysfunction contribute to quercetin induced death in *Leishmania amazonensis*. *Plos One* 6: - .

Indexado (fator de impacto 0,65 e 2)

[doi>](#) Soares RO, Echevarria A, Bellieny MS, Pinho RT, de Leo RM, Seguin WS, Machado GM, Canto-Cavalheiro MM, Leon LL 2011. Evaluation of thiosemicarbazones and semicarbazones as potential agents anti-*Trypanosoma cruzi*. *Exp Parasitol* 120: 381-387.

[doi>](#) dos Santos MS, Gomes AO, Bernardino AM, de Souza MC, Khan MA, de Brito MA, Castro HC, Abreu PA, Rodrigues CR, de Léo RM, Leon LL, Canto-Cavalheiro MM 2011. Synthesis and antileishmanial activity of new 1-aryl-1H-pyrazole-4-carboximidamides derivatives. *J Brazil Chem Soc* 22: 352-358.

2012

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Leite AC, Kato MJ, Soares RO, Guimarães AE, Santos-Mallet JR, Cabral MM 2012. Grandisin caused morphological changes larval and toxicity on *Aedes aegypti*. *Rev Bras Farmacogn* 22: 517-521.

Indexado (fator de impacto >=1 e < 2,71)

Marra RK, Bernardino AM, Proux TA, Charret KS, Lira ML, Castro HC, Souza AM, Oliveira CD, Borges JC, Rodrigues CR, Canto-Cavalheiro MM, Leon LL, Amaral VF 2012. 4-(1H-Pyrazol-1-yl) benzenesulfonamide derivatives: identifying new active antileishmanial structures for use against a neglected disease. *Molecules* 17: 12962-12973.

[doi>](#) Moura do Carmo DF, Amaral AC, Machado GM, Leon LL, de Andrade Silva JR 2012. Chemical and biological analyses of the essential oils and main constituents of *Piper* species. *Molecules* 17: 1819-1829.

[doi>](#) Carrara VS, Serra LZ, Cardozo-Filho L, Cunha-Júnior EF, Torres-Santos EC, Cortez DA 2012. HPLC analysis of supercritical carbon dioxide and compressed propane extracts from *Piper amalago* L. with antileishmanial activity. *Molecules* 17: 15-33.

[doi>](#) Lacerda DI, Cysne-Finkelstein L, Nunes MP, De-Luca PM, Genestra MS, Leon LL, Berredo-Pinho M, Mendonça-Lima L, Matos DC, Medeiros MA, Mendonça SC 2012. Kinetoplastid membrane protein-11 exacerbates infection with *Leishmania amazonensis* in murine macrophages. *Mem I Oswaldo Cruz (impresso)* 107: 238-245.

[doi>](#) De Cicco NN, Pereira MG, Corrêa JR, Andrade-Neto VV, Saraiva FB, Chagas-Lima AC, Gondim KC, Torres-Santos EC, Folly E, Saraiva EM, Cunha-e-Silva NL, Soares MJ, Atella GC 2012. LDL uptake by *Leishmania amazonensis*: Involvement of membrane lipid microdomains. *Exp Parasitol* 130: 330-340.

[doi>](#) Inacio JD, Canto-Cavalheiro MM, Menna-Barreto RF, Almeida-Amaral EE 2012. Mitochondrial damage contribute to epigallocatechin-3-gallate induced death in *Leishmania amazonensis*. *Exp Parasitol* 132: 151-155.

[doi>](#) Andrade-Neto VV, de Matos-Guedes HL, Gomes DC, Canto-Cavalheiro MM, Rossi-Bergmann B, Torres-Santos EC 2012. The stepwise selection for ketoconazole resistance induces upregulation of C14-demethylase (CYP51) in *Leishmania amazonensis*. *Mem I Oswaldo Cruz (impresso)* 107: 416-419.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Cunha AC, Chierrito TP, Machado GM, Leon LL, da Silva CC, Tanaka JC, de Souza LM, Gonçalves RA, de Oliveira AJ 2012. Anti-leishmanial activity of alkaloidal extracts obtained from different organs of *Aspidosperma ramiflorum*. *Phytomedicine* 19: 413-417.

[doi>](#) Rodrigues RF, Castro-Pinto D, Echevarria A, dos Reis CM, Del Cistia CN, Sant'Anna CM, Teixeira F, Castro H, Canto-Cavalheiro M, Leon LL, Tomás A 2012. Investigation of trypanothione reductase inhibitory activity by 1,3,4-thiadiazolium-2-aminide derivatives and molecular docking studies. *Bioorgan Med Chem* 20: 1760-1766.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Rodrigues RF, Charret KS, Campos MC, Amaral V, Echevarria A, dos Reis C, Canto-Cavalheiro MM, Leon LL 2012. The in vivo activity of 1,3,4-thiadiazolium-2-aminide compounds in the treatment of cutaneous and visceral leishmaniasis. *J Antimicrob Chemoth* 67: 182-190.

[doi>](#) Schmidt TJ, Khalid SA, Romanha A.J, Alves TM, Biavatti MW, Brun R, da Costa FB, de Castro SL, Ferreira VF, de Lacerda MV, Lago JH, Leon LL, Lopes NP, das Neves Amorim RC, Niehues M, Ogungbe IV, Pohlit AM, Scotti MT, Setzer WN, de N C Soeiro M, Steindel M, Tempone AG 2012. The potential of secondary metabolites from plants as drugs or leads against protozoan neglected diseases - Part I. *Curr Top Med Chem* 19: 2128-2175.

[doi>](#) Schmidt TJ, Khalid SA, Romanha AJ, Alves TM, Biavatti MW, Brun R, Da Costa FB, de Castro SL, Ferreira VF, de Lacerda MV, Lago JH, Leon LL, Lopes NP, das Neves Amorim RC, Niehues M, Ogungbe IV, Pohlit AM, Scotti MT, Setzer WN, de N C Soeiro M, Steindel M, Tempone AJ 2012. The potential of secondary metabolites from plants as drugs or leads against protozoan neglected diseases - part II. *Curr Top Med Chem* 19: 2176-2228.

2013

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Vanessa da Silva Carrara, Cunha Jr EF, Santos ECT, Arlene Gonçalves Corrêa, Julia L. Monteiro, Izabel Galhardo Demarchi, Maria Valdrinez Campana Lonardoni, Diógenes Aparício Garcia Cortez 2013. Antileishmanial activity of amides from Piper amalago and synthetic analogs. Rev Bras Farmacogn 23: 1-8.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Soares-Bezerra, RJ, Leon LL, Echevarria A, Reis CM, Gomes-Silva L, Agostinho CG, Fernandes RA, Cavalheiro MMC, Genestra MS 2013. In vitro evaluation of 4-phenyl-5-(4-X-phenyl)-1,3,4-thiadiazolium-2-phenylaminide chlorides and 3[N-4-X-phenyl]-1,2,3-oxadiazolium-5-olate derivatives on nitric oxide synthase and arginase activities of Leishmania amazonensis. Exp Parasitol 135: 50-54.

[doi>](#) Campos COM, Castro-Pinto DB, Ribeiro GA, Berredo-Pinho MM, Gomes LH, da Silva Bellieny MS, Goulart CM, Echevarria A, Leon LL 2013. P-glycoprotein efflux pump plays an important role in Trypanosoma cruzi drug resistance. Parasitol Res 112: 2341-2351.

[doi>](#) Faria JV, Dos Santos MS, Bernardino AM, Becker KM, Machado GMC, Rodrigues RF, Cavalheiro MMC, Leon LL 2013. Synthesis and activity of novel tetrazole compounds and their pyrazole-4-carbonitrile precursors against Leishmania spp.. Bioorg Med Chem Lett 23: 6310-6312.

[doi>](#) Charret KS, Lagrota-Candido J, Carvalho-Pinto CE, Hottz CF, Lira ML, Rodrigues RF, Gomes AO, Bernardino AM, Cavalheiro MMC, Leon LL, Amaral VF 2013. The histopathological and immunological pattern of CBA mice infected with Leishmania amazonensis after treatment with pyrazole carbohydrazide derivatives.. Exp Parasitol 133: 201-210.

[doi>](#) Giarola NL, de Almeida-Amaral EE, Collopy-Júnior I, Fonseca-de-Souza AL, Majerowicz D, Paes LS, Gondim KC, Meyer-Fernandes JR 2013. Trypanosoma cruzi: Effects of heat shock on ecto-ATPase activity. Exp Parasitol 133: 434-441.

Indexado (fator de impacto >=2,71 e < 4,35)

[doi>](#) Inácio Filho JD, Cavalheiro MMC, Amaral EEA 2013. In Vitro and in Vivo Effects of (-)-Epigallocatechin 3-O-gallate on Leishmania amazonensis. J Nat Prod 76: 1993-1996.

[doi>](#) Silva FFE, Inácio Filho JD, Cavalheiro MMC, Amaral EEA 2013. Reactive Oxygen Species Production by Quercetin Causes the Death of Leishmania amazonensis Intracellular Amastigotes.. J Nat Prod 76: 1505-1508.

[doi>](#) Claudio Eduardo Rodrigues-Santos, Leon LL, Adailton J. Bortoluzzi, Cavalheiro MMC, Machado GMC, Aurea Echevarria 2013. Synthesis, antileishmanial activity and structure-activity relationship of 1-N-X-phenyl-3-N-Y-phenyl-benzamidines. Eur J Med Chem 67: 166-174.

Indexado (fator de impacto >=4,35 e < 7,51)

[doi>](#) Ribeiro GA, Cunha-Junior EF, Pinheiro RO, da-Silva SA, Canto-Cavalheiro MM, da Silva AJ,

Costa PR, Netto CD, Melo RC, Almeida-Amaral EE, Torres-Santos EC 2013. LBQ-118, an orally active pterocarpanquinone, induces selective oxidative stress and apoptosis in *Leishmania amazonensis*. *J Antimicrob Chemoth* 68: 789-799.

2014

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Campos COM, Leon LL, Taylor, M.C., Kelly, J.M. 2014. Benzidazole-resistance in *Trypanosoma cruzi*: Evidence that distinct mechanisms can act in concert.. *Mol Biochem Parasit* 193: 17-19.

[doi>](#) Faiões VS, Leon LL, Cavalheiro MMC, Santos ECT, Bernardino, A.M.R., Vegi, P., Santos, M. 2014. Effectiveness of novel 5-(5-amino-21-aryl-1H-pyrazol-4-yl)-1H-tetrazole derivatives against promastigotes and amastigotes of *Leishmania amazonensis*. *Chem Biol Drug Des* 83: 272-277.

[doi>](#) Giarola NL, Silveira TS, Inácio Filho JD, Viieira LP, Amaral EEA, Meyer-Fernandes JR 2014. *Leishmania amazonensis*: Increase in ecto-ATPase activity and parasite burden of vinblastine-resistant protozoa.. *Exp Parasitol* 146: 25-33.

[doi>](#) Ferreira-de-Vasconcelos M, Cunha Jr EF, Andrade-Neto VV, Larissa Moreira Siqueira, d Avila-Levy CM, Marcele Moreth, Wilson Cunico, Marcus Vinícius Nora de Souza, Claudia Regina Brandão Gomes, Torres-Santos EC 2014. Oral effectiveness of PMIC4, a novel hydroxyethylpiperazine analogue, in *Leishmania amazonensis*. *Int J Parasitol-Drug* 4: 210-213.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Luciana Costa, Roberta O. Pinheiro, Patricia M. L. Dutra, Rosiane F. Santos, Cunha Jr EF, Santos ECT, Alcides J. M. da Silva, Paulo R.R. Costa, Silvia A. G. da-Silva 2014. Pterocarpanquinone LQB-118 Induces Apoptosis in *Leishmania (Viannia) braziliensis* and Controls Lesions in Infected Hamsters.. *Plos One* 9: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Inácio Filho JD, Oliveira LGF, Cavalheiro MMC, Amaral EEA 2014. The Effect of (-)-Epigallocatechin 3-O - Gallate In Vitro and In Vivo in *Leishmania braziliensis*: Involvement of Reactive Oxygen Species as a Mechanism of Action.. *Plos Neglect Trop D* 8: - .

[doi>](#) Faiões VS, Dos Santos MS, Bernardino AM, Cunha Jr EF, Cavalheiro MMC, Santos ECT 2014. The New Pyrazolytetrazole Derivative MSN20 Is Effective via Oral Delivery against Cutaneous Leishmaniasis. *Antimicrob Agents Ch* 58(10): 6290-6293.

2015

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Cibele Baptista, Luciana de Freitas Campos Miranda, Maria de Fátima Madeira, Leon LL, Fátima Conceição-Silva, Armando de Oliveira Schubach 2015. In Vitro Sensitivity of Paired *Leishmania (Viannia) braziliensis* Samples Isolated before Meglumine Antimoniate Treatment and after Treatment Failure or Reactivation of Cutaneous Leishmaniasis. *Dis Markers* 2015: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Gerson S. Lima, Castro-Pinto DB, Machado GMC, Maria A.M.Maciel, Aurea Echevarria 2015. Antileishmanial activity and trypanothione reductase effects of terpenes from the Amazonian species *Croton cajucara* Benth (Euphorbiaceae). *Phytomedicine* 22: 1133-1137.

[doi>](#) Silva FFE, Cavalheiro MMC, Rubem F. S. Menna-Barreto, Amaral EEA 2015. Effect of Apigenin on *Leishmania amazonensis* Is Associated with Reactive Oxygen Species Production Followed by Mitochondrial Dysfunction. *J Nat Prod* 78: 880-884.

[doi>](#) Jorge Luiz R. de Melos, Santos ECT, Faiões VS, Catarina de Nigris Del Cistia, Claudio Eduardo Rodrigues-Santos, Aurea Echevarria 2015. Novel 3,4-methylenedioxyde-6-X-benzaldehyde-thiosemicarbazones: Synthesis and antileishmanial effects against *Leishmania amazonensis*. *Eur J Med Chem* 103: 409-417.

2016

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Bernuci KZ, Iwanaga CC, Fernandez-Andrade CM, Lorenzetti FB, Santos ECT, Faiões VS, Gonçalves JE, Amaral W, Deschamps C, Scodro RBL, Cardoso RF, Baldin VP, Cortez DAG 2016. Evaluation of Chemical Composition and Antileishmanial and Antituberculosis Activities of Essential Oils of Piper Species. *Molecules* 21: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Andrade-Neto VV, Pereira TM, Cavalheiro MMC, Santos ECT 2016. Imipramine alters the sterol profile in *Leishmania amazonensis* and increases its sensitivity to miconazole.. *Parasite Vector* 9: - .

[doi>](#) Fernanda Fonseca Silva, Inácio Filho JD, Cavalheiro MMC, Rubem F. S. Menna-Barreto, Amaral EEA 2016. Oral Efficacy of Apigenin against Cutaneous Leishmaniasis: Involvement of Reactive Oxygen Species and Autophagy as a Mechanism of Action. *Plos Neglect Trop D* 10 (2): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Andrade-Neto VV, Cunha Jr EF, Cavalheiro MMC, Atella GC, Fernandes TA, Costa PRR, Santos ECT 2016. Antileishmanial Activity of Ezetimibe: Inhibition of Sterol Biosynthesis, In Vitro Synergy with Azoles, and Efficacy in Experimental Cutaneous Leishmaniasis. *Antimicrob Agents Ch* 60: 6844-6852.

[doi>](#) Cunha Jr EF, Thiago Martino Martins, Cavalheiro MMC, Paulo Roberto Marques, Elyzabeth Avvad Portari, Marsen Garcia Pinto Coelho, Chaquip Daher Netto, Paulo Roberto Ribeiro Costa, Katia Costa de Carvalho Sabino, Santos ECT 2016. Preclinical Studies Evaluating Subacute Toxicity and Therapeutic Efficacy of LQB-118 in Experimental Visceral Leishmaniasis.. *Antimicrob Agents Ch* 60: 3794-3801.

2017

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Kaufmann C, Ethur EM, Arossi K, Hoehne L, Freitas EM, Machado GMC, Cavalheiro MMC, Adriana Flach A, Costa LAMA, Gnoatto SB 2017. Chemical Composition and Evaluation Preliminary of Antileishmanial Activity in vitro of Essential Oil from Leaves of *Eugenia pitanga*, A Native Species of Southern of Brazil. *J Essent Oil Bear PI* 20: 559-569.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Carrara VS, Filho LC, Garcia VAS, Faiões VS, Cunha Jr EF, Santos ECT, Cortez DAG 2017. Supercritical Fluid Extraction of Pyrrolidine Alkaloid from Leaves of *Piper amalago* L.. *Evid-Based Compl Alt* 2017: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Arruda-Costa N, Escrivani D, Amaral EEA, Meyer-Fernandes JR, Rossi-Bergmann B 2017. Anti-parasitic effect of the diuretic and Na⁺-ATPase inhibitor furosemide in cutaneous leishmaniasis. *Parasitology* x: 1-9.

[doi>](#) Cunha Jr EF, Andrade-Neto VV, Lima ML, Costa-Silva TA, Galisteo Junior AJ, Abengózar MA, Barbas C, Rivas L, Amaral EEA, Tempone AG, Santos ECT 2017. Cyclobenzaprine Raises ROS Levels in *Leishmania infantum* and Reduces Parasite Burden in Infected Mice. *Plos Neglect Trop D* 11(1): - .

[doi>](#) Silva CF, Batista DGJ, Araújo JS, Cunha Jr EF, Stephens CE, Banerjee M, Farahat AA, Akay S, Fisher MK, Boykin DW, Soeiro MNC 2017. Phenotypic evaluation and in silico ADMET properties of novel arylimidamides in acute mouse models of *Trypanosoma cruzi* infection. *Drug Des Dev Ther* 11: 1095-1105.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Velásquez AMA, Ribeiro WC, Venn V, Castelli S, Santoro M, De Assis RP, De Souza RA, Ribeiro AR, Passalacqua TG, Da Rosa JA, Baviera AM, Mauro AE, Desideri A, Amaral EEA, Gracinha MAS 2017. Efficacy of a binuclear cyclopalladated compound therapy for cutaneous leishmaniasis in the murine model of infection with *Leishmania amazonensis* and its inhibitory effect on topoisomerase 1B. *Antimicrob Agents Ch* 61: e00688-17-e00688-17.

[doi>](#) Nogueira NP, Saraiva FMS, Oliviera MP, Mendonça APM, Inácio Filho JD, Amaral EEA, Menna-Barreto RF, Laranja GAT, Lopes Torres EJ, Oliveira MF, Paes MC 2017. Heme modulates *Trypanosoma cruzi* bioenergetics inducing mitochondrial ROS production. *Free Radical Bio Med* 108: 183-191.

2018

Indexado (fator de impacto ≥ 1 e $< 2,71$)

Andrade-Neto VV, Cunha Jr EF, Faiões VS, Pereira TM, Silva RL, Leon LL, Santos ECT 2018. Leishmaniasis treatment: update of possibilities for drug repurposing. *Front Biosci* 23: 967-996.

[doi>](#) Rebello KM, Andrade-Neto VV, Zuma AA, Motta MCM, GomesCRB, Souza MVN, Attela

GC, Branquinha MH, Santos ALS, Santos ECT, d'Avila-Levy CM 2018. Lopinavir, an HIV-1 peptidase inhibitor, induces alteration on the lipid metabolism of *Leishmania amazonensis* promastigotes. *Parasitology* 145(10): 1304-1310.

[doi>](#) Faiões VS, Frota LCRM, Cunha Jr EF, Barcellos JCF, Da-Silva T, Netto CD, Da-Silva SAG, Silva AJM, Costa PRR, Torres-Santos EC 2018. Second-generation pterocarpanquinones: synthesis and antileishmanial activity. *J Venom Anim Toxins* 24: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Baldin VP, Scodro RBL, Lopes-Ortiz MA, De Almeida AL, Gazim, ZC, Ferarrese L, Faiões VS, Santos ECT, Pires CTA, Caleffi-Ferracioli KR, Siqueira VRL, Cortez DAG, Cardoso RF 2018. Anti-*Mycobacterium tuberculosis* activity of essential oil and 6,7-dehydroroyleanone isolated from leaves of *Tetradenia riparia* (Hochst.) Codd (Lamiaceae). *Phytomedicine* 47: 34-39.

[doi>](#) Oliveira VG, Faiões VS, Gonçalves GBR, Lima MFO, Boechat FCS, Cunha AC, Andrade-Neto VV, Silva FC, Santos ECT, Souza MCBV 2018. Design, Synthesis and Antileishmanial Activity of Naphthotriazolyl-4-Oxoquinolines. *Curr Top Med Chem* 18(17): 1454-1464.

[doi>](#) Emiliano YSS, Amaral EEA 2018. Efficacy of Apigenin and Miltefosine combination therapy against experimental cutaneous leishmaniasis. *J Nat Prod* 81(8): 1910-1913.

[doi>](#) Nefertiti ASG, Batista MM, Da Silva PB, Batista DGJ, Da Silva CF, Peres RB, Santos ECT, Cunha Jr EF, Holt E, Boykin DW, Brun R, Wenzler T, Soeiro MNC 2018. In Vitro and In Vivo Studies of the Trypanocidal Effect of Novel Quinolines. *Antimicrob Agents Ch* 62: 1-11.

[doi>](#) Lima SCM, Pacheco JS, Marques AM, Veltri ERP, Almeida-Lafetá RC, Figueiredo MR, Kaplan MAC, Santos ECT 2018. Leishmanicidal Activity of Withanolides from *Aureliana Fasciculata* var. *Fasciculata*. *Molecules* 23: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Gervazoni LFO, Gonçalves-Ozorio G, Amaral EEA 2018. 2-Hydroxyflavanone activity in vitro and in vivo against wild-type and antimony-resistant *Leishmania amazonensis*. *Plos Neglect Trop D* 12(12): - .

[doi>](#) Tabélé C, Faiões VS, Grimaud F, Santos ECT, Khoumeri O, Curti C, Vanelle P 2018. Original antileishmanial hits: Variations around amidoximes. *Eur J Med Chem* 148: 154-164.