

Laboratório de Enterobactérias

2006

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Hofer E, Reis CM, Theophilo GN, Cavalcanti VO, Lima NV, Henriques MF 2006. Envolvimento de *Aeromonas* em surto de doença diarréica aguda em São Bento do Una, Pernambuco.. *Rev Soc Bras Med Tro* 39: 217-220.

Indexado (fator de impacto > 0,65 a 2,0)

Peirano G, Silva FSS, Rodrigues DP 2006. Frequency of serovars and antimicrobial resistance in *Shigella* spp. from Brazil.. *Mem I Oswaldo Cruz* (impresso) 101: 245-250.

Indexado (fator de impacto >2,0 a 4,0)

Fonseca EL, Mykytczuk OL, Asensi MD, Reis EMF, Ferraz LR, Paula FL, Ng LK, Rodrigues DP 2006. Clonality and antimicrobial resistance gene profiles of multidrug- resistant *Salmonella enterica* serovar infantis isolates from four public hospitals in Rio de Janeiro, Brazil.. *J Clin Microbiol* 44: 2767-2772.

Peirano G, Agerso Y, Aarestrup FM, Reis EMF, Rodrigues DP 2006. Occurrence of integrons and antimicrobial resistance genes among *Salmonella enterica* from Brazil.. *J Antimicrob Chemoth* 58: 305-309.

2007

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Pereira CS, Possas CA, Viana CM, Rodrigues DP 2007. Características de *Vibrio parahaemolyticus* isolados de mexilhões (Perna perna) comercializados em Niteroi, Rio de Janeiro. *Rev Soc Bras Med Tro* 40: 56-59.

Esposito EM, Da Silva WCP, Reis CMF, Reis EMF, Ribeiro RV, Rodrigues DP, Lázaro NS 2007. Enteropatógenos bacterianos em peixes criados em uma estação de reciclagem de nutrientes e no ecossistema relacionado. *Pesqui Vet Brasil* 27: 144-148.

Pereira CS, Medeiros LM, Costa RG, Festivo ML, Reis EMF, Seki LM, Rodrigues DP 2007. Phage typing and multidrug resistance profile in *S. typhimurim* isolated from different sources in Brazil from 1999 to 2004. *Braz J Microbiol* 38: 385-390.

Pereira CS, Nunes-de-Almeida MT, Costa RG, Reis EMF, Rodrigues DP 2007. *Salmonella* Hadar phage types isolated from different sources of foodchain in Brazil. *Braz J Microbiol* 38: 620-623.

Pereira CS, Possas CA, Viana CM, Rodrigues DP 2007. *Vibrio* spp. isolados a partir de mexilhões (Perna perna) in natura e pré-cozidos de Estação Experimental de Cultivo, RJ, RJ, Brasil. *Ciencia Tecnol Alime* 27: 387-390.

Pereira CS, Amorim SD, Santos AFM, Siciliano S, Moreno IMB, Ott PH, Rodrigues DP 2007. *Vibrio* spp. isolados de mamíferos marinhos capturados na região litorânea do sudeste ao sul do Brasil. *Pesqui Vet Brasil* 27: 81-83.

Indexado (fator de impacto >2,0 a 4,0)

Campos L, Lobianco LF, Seki Im, Santos R, Asensi MD 2007. Outbreak of *Enterobacter hormaechei* septicaemia in newborns caused by contaminated parenteral nutrition in Brazil.. J Hosp Infect 66: 95-97.

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Prado T, Pereira W, Silva D, Seki LM, Carvalho APD, Asensi MD 2008. Detection of extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* in effluents and sludge of a hospital sewage treatment plant. Lett Appl Microbiol 46: 136-141.

Indexado (<0,65 e não impactadas no ISI)

[doi>](#) Pereira CS, Amorim SD, Santos AFM, Theophilo GND, Reis CMF, Rodrigues DP 2008. Caracterização de *Aeromonas* spp isoladas de neonatos hospitalizados. Rev Soc Bras Med Tro 41: 179-182.

Pereira CS, Amorim SD, Santos AF, Siciliano S, Moreno IB, Ott PH, Rodrigues DP 2008. *Plesiomonas shigelloides* and *Aeromonadaceae* family pathogens isolated from marine mammals of Southern and Southeastern Brazilian coast. Braz J Microbiol 39: 749-755.

Indexado (>2,0 a 4,0)

[doi>](#) Salomão K, Pereira PRSCS, Campos LC, Borba CM, Cabello PH, Marcucci MC, Castro SL 2008. Brazilian propolis: correlation between chemical composition and antimicrobial activity. Evid-Based Compl Alt 5: 317-324.

[doi>](#) Cordeiro F, Pereira DSG, Rocha M, Asensi MD, Elias WP, Campos LC 2008. Evaluation of a multiplex PCR for identification of enteroaggregative *Escherichia coli*. J Clin Microbiol 46: 828-829.

2009

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Pereira CS, Barros PR, Silva PM, Rodrigues DP 2009. Patógenos isolados do trato gastrointestinal de cães saudáveis no Rio de Janeiro. Arq Bras Med Vet Zoo 61: 1000-1001.

[doi>](#) Maia AA, Cantisani ML, Esposto EM, Silva WC, Rodrigues EC, Rodrigues DP, Lázaro NS 2009. Resistência antimicrobiana de *Pseudomonas aeruginosa* isolados de pescado e de cortes e de miúdos de frango. Ciencia Tecnol Alime 29: 114-119.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Bhowmick TS, Das M, Ruppitsch W, Stoeger A, Pietzka AT, Allerberger F, Rodrigues DP, Sarkar BL 2009. Detection of virulence-associated and regulatory protein genes in association with phage typing of human *Vibrio cholerae* from several geographical regions of the world. J Med Microbiol 58: 1160-1167.

2010

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Evangelista-Barreto NS, Carvalho FC, Vieira RH, Reis CM, Macrae A, Rodrigues DP 2010. Characterization of *Aeromonas* species isolated from an estuarine environment. *Braz J Microbiol* 41: 452-460.

[doi>](#) Vieira RH, de Sousa OV, Costa RA, Theophilo GN, Macrae A, Fonteles Filho AA, Rodrigues DP 2010. Raw oysters can be a risk for infections. *Braz J Infect Dis* 14: 66-70.

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Vaz CS, Streck AF, Michael GB, Marks FS, Rodrigues DP, Dos Reis EM, Cardoso MR, Canal CW 2010. Antimicrobial resistance and subtyping of *Salmonella enterica* subspecies *enterica* serovar *Enteritidis* isolated from human outbreaks and poultry in southern Brazil. *Poultry Sci* 89: 1530-1536.

[doi>](#) Vieira RH, Carvalho EM, Carvalho FC, Silva CM, Sousa OV, Rodrigues DP 2010. Antimicrobial susceptibility of *Escherichia coli* isolated from shrimp (*Litopenaeus vannamei*) and pond environment in northeastern Brazil. *J Environ Sci Heal B* 45: 198-203.

[doi>](#) Ribeiro RV, Reis EM, Reis CM, Freitas-Almeida AC, Rodrigues DP 2010. Incidence and antimicrobial resistance of enteropathogens isolated from an integrated aquaculture system. *Lett Appl Microbiol* 51: 611-618.

2011

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) de Melo LM, Almeida D, Hofer E, dos Reis CM, Theophilo GN, Santos AF, Vieira RH 2011. Antibiotic resistance of *Vibrio parahaemolyticus* isolated from pond-reared *Litopenaeus vannamei* marketed in Natal, Brazil. *Braz J Microbiol* 42: 1463-1469.

Parente, L.S., Costa, R.A., Vieira, G.H.F., Reis EMF, Hofer E, Fonteneles, A. A., Vieira, R. H. S. F. 2011. Bactérias entericas presentes em amostras de água e camarão marinho *Litopenaeus vannamei* oriundos de fazendas de cultivo no Estado do Ceará, Brasil. *Braz J Vet Res Anim Sci* 48: 46-53.

[doi>](#) Casagrande RA, Lopes LF, dos Reis EM, Rodrigues DP, Matsushima ER 2011. Isolamento de *Salmonella enterica* em gambás (*Didelphis aurita* e *Didelphis albiventris*) do Estado de São Paulo, Brasil. *Cienc Rural* 41: 492-496.

[doi>](#) Medeiros MA, Oliveira DC, Rodrigues DP, Freitas DR 2011. Prevalence and antimicrobial resistance of *Salmonella* in chicken carcasses at retail in 15 Brazilian cities. *Rev Panam Salud Publ* 30: 555-560.

[doi>](#) dos Reis EM, Rodrigues DP, de Freitas-Almeida AC, Hofer E 2011. Prevalence of R-type ACSSuT in strains of *Salmonella* serovar *Typhimurium* DT193 isolated from human infections in Brazil. *Rev Panam Salud Publ* 29: 387-392.

Pribul BR, Pereira IA, SOARES, L.C., COELHO, S.M., BARBERIS, I.L., SOUZA, M.M.S. 2011.

Resistência bacteriana e ação das bacteriocinas de *Lactobacillus* spp. em *Staphylococcus aureus* isolados de mastite bovina.. Arq Bras Med Vet Zoo 63: 744-748.

Indexado (fator de impacto 0,65 e 2)

[doi>](#) Santos FF, Aquino MH, Nascimento ER, Abreu DL, Gouvêa R, Rodrigues DP, Reis EM, Araújo MS, Pereira VL 2011. Chicken feet bacteriological quality at 4 steps of technological processing. Poultry Sci 90: 2864-2868.

Rodrigues EC, Souza MC, Toledo SS, Barbosa CG, Reis EM, Rodrigues DP, Lázaro NS 2011. Effects of gamma irradiation on the viability and phenotypic characteristics of *Salmonella enteritidis* inoculated into specific pathogen-free eggs. J Food Protect 74: 2031-2038.

[doi>](#) Vieira RH, Costa RA, Menezes FG, Silva GC, Theophilo GN, Rodrigues DP, Maggioni R 2011. Kanagawa-negative, tdh- and trh-positive *Vibrio parahaemolyticus* isolated from fresh oysters marketed in Fortaleza, Brazil. Curr Microbiol 63: 126-130.

2012

Indexado (fator de impacto < 1 ou sem FI)

SOARES, L.C., Pereira IA, Pribul BR, OLIVA, M.S., COELHO, S.M.O., SOUZA, M.M.S. 2012. Antimicrobial resistance and detection of *mecA* and *blaZ* genes in coagulase-negative *Staphylococcus* isolated from bovine mastitis.. Pesqui Vet Brasil 32: 692-696.

[doi>](#) Morales AS, Fragoso de Araújo J, de Moura Gomes VT, Reis Costa AT, dos Prazeres Rodrigues D, Porfida Ferreira TS, de Lima Filsner PH, Felizardo MR, Micke Moreno A 2012. Colistin resistance in *Escherichia coli* and *Salmonella enterica* strains isolated from swine in Brazil. Scientific World Journal 2012: - .

[doi>](#) Kottwitz LB, Scheffer MC, Costa LM, Leão JA, Back A, Rodrigues DP, Magnani M, de Oliveira TC 2012. Perfil de resistência a antimicrobianos, fagotipagem e caracterização molecular de cepas de *Salmonella Enteritidis* de origem avícola. Semin-Cienc Agrar 33: 705-712.

SANTOS, V.S.S., PEREIRA, F., AQUINO, V., Reis EMF, Rodrigues DP 2012. *Salmonella* spp. em carcaças de frango antes e após a passagem pelo chiller em matadouro avícola sob inspeção sanitária.. Arq Bras Med Vet Zoo 33: 220-220.

Indexado (fator de impacto >=1 e < 2,71)

COELHO, S.M.O., Pereira IA, SOARES, L.C., Pribul BR, SOUZA, M.M. 2012. Virulence Factors of *Staphylococcus aureus* isolated from subclinical bovine mastitis in the State of Rio de Janeiro, Brazil.. J DAIRY SCI 94: 3305-3310.


2013

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) MOURA, JAILSON F., Rodrigues DP, Roges EM, Laine-de-Souza R, OTT, PAULO H., TAVARES, MAURICIO, LEMOS, LEILA S., TAVARES, DAVI C., SICILIANO, S. 2013. Humpback whales washed ashore in southeastern Brazil from 1981 to 2011: stranding patterns and

microbial pathogens survey. *Biologia Bratislava* 68: 992-999.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

 Costa RG, Festivo ML, Araújo MS, Reis EMF, Lázaro NS, Rodrigues DP 2013. Antimicrobial Susceptibility and serovars of Salmonella Circulating in Commercial Poultry Carcasses and Poultry Products in Brazil. *J Food Protect* 76(12): 2011-2017.


2014

Indexado (fator de impacto < 1 ou sem FI)

Ramos, R.J, Miotto, L.A, Miotto, M, Silveira Junior, N., Silva, H.S., CIROLINI, A., Rodrigues DP, Vieira, C.R.W. 2014. Occurrence of potentially pathogenic *Vibrio* in oysters (*Crassostrea gigas*) and waters from bivalve mollusk cultivations in the South Bay of Santa Catarina.. *Rev Soc Bras Med Tro* 47: 327-333.

Cardoso MD, Jailson Fulgencio de Moura, Davi C. Tavares, Rodrigo A Gonçalves, Fernanda I. Colabuono, Roges EM, Laine-de-Souza R, Rodrigues DP, Rosalinda C. Montone, Salvatore Siciliano 2014. The Manx shearwater (*Puffinus puffinus*) as a candidate sentinel of Atlantic Ocean health.. *Aquat Biosyst* 10: 6-6.

Indexado (fator de impacto ≥ 1 e $< 2,71$)


 Rusak LA, Reis CMF, Barbosa AV, Santos AFM, Renata Paixão, Hofer E, Silva DCV, Asensi MD 2014. Phenotypic and genotypic analysis of bio-serotypes of *Yersinia enterocolitica* from various sources in Brazil. *J Infect Dev Countr* 8(12): 1533-1540.

2015

Indexado (fator de impacto < 1 ou sem FI)

Gonçalves VD, LENGGRUBER, F. B. , FONSECA, B. O., PEREIRA, R. M. S. , MELO, L. D. B. , BELLO, A. R. , PEREIRA, J. A. A. . 2015. Detección y caracterización microbiológica de enterobacterias multidrogosresistentes transportadoras del gen modificador de aminoglicósidos durante tres décadas en un hospital universitario de Río de Janeiro.. *Biomédica* 35: 117-124.


Indexado (fator de impacto ≥ 1 e $< 2,71$)

 Fernanda Almeida, Marta Inês Cazentini Medeiros, Rodrigues DP, Juliana Pfrimer Falcão 2015. Genotypic diversity, pathogenic potential and the resistance profile of *Salmonella* Typhimurium strains isolated from humans and food from 1983 to 2013 in Brazil. *J Med Microbiol* 64: 1395-1407.

2016

Indexado (fator de impacto < 1 ou sem FI)

Palma JM, Pereira RCL, Rodrigues DP, Santos AFM, Hofer E, Santana AP 2016. Caracterização molecular de *Listeria monocytogenes* oriundas de cortes cárneos bovinos e de abatedouros frigoríficos de bovinos localizados no Distrito Federal, Brasil. *Pesqui Vet Brasil* 36(10): 957-964.

 Pribul BR, Festivo ML, Souza MMS, Rodrigues DP 2016. Characterization of quinolone resistance in *Salmonella* spp. isolates from food products and human samples in Brazil. *Braz J*

Microbiol 47: 196-201.

[doi>](#) Matias CAR, Pereira IA, Reis EMF, Rodrigues DP, Siciliano S 2016. Frequency of zoonotic bacteria among illegally traded wild birds in Rio de Janeiro.. Braz J Microbiol 47: 882-888.

[doi>](#) Lima AL, Rodrigues DP, Araújo MS, Reis EMF, Festivo ML, Rodrigues ECP, Lázaro NS 2016. Sorovares e perfil de suscetibilidade a antimicrobianos em Salmonella spp. isoladas de produtos de origem suína. Arq Bras Med Vet Zoo 68: 39-47.

[doi>](#) Milanez GP, Nascimento LC, Tirabassi AH, Zuanaze M, Rodrigues DP, Pereira G, Brocchi M 2016. Whole-Genome Sequence of Salmonella enterica Serovar Enteritidis Phage Type 4, Isolated from a Brazilian Poultry Farm. Genome Announc 4: - .

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Matias CAR, Pereira IA, Araujo MS, Santos AFM, Lopes RP, Christakis S, Rodrigues DP, Siciliano S 2016. Characteristics of Salmonella spp. isolated from Wild Birds Confiscated in Illegal Trade Markets, Rio de Janeiro, Brazil. BioMed Res Int 2016: - .

[doi>](#) Dias MK, Sampaio LS, Proietti-Junior AA, Yoshioka ET, Rodrigues DP, Rodriguez AF, Ribeiro RA, Faria FS, Ozório RO, Tavares-Dias M 2016. Lethal dose and clinical signs of Aeromonas hydrophila in Arapaima gigas (Arapaimidae), the giant fish from Amazon. Vet Microbiol 188: 12-15.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Panzenhagen PHN, Aguiar WS, Silva FB, Pereira VIA, Lima DCA, Rodrigues DP, Rosendo EN, Cosendey MVA 2016. Prevalence and fluoroquinolones resistance of Campylobacter and Salmonella isolates from poultry carcasses in Rio de Janeiro, Brazil. Food Control 61: 243-247.

Qualis B2

[doi>](#) Olivia MS, Brozonato GF, Soares LC, Pereira IA, Pribul BR, Souza MAS, Coelho SMO, Coelho IS, Rodrigues DP, Souza MMS 2016. Detection of virulence and antibiotic resistance genes in environmental strains of Vibrio spp. from mussels along the coast of Rio de Janeiro State, Brazil.. Afr J Microbiol Res 10: 906-913.

2017

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Kehrig HA, Baptista G, Di Benedetto APM, Almeida MG, Rezende CE, Siciliano S, Moura JF, Moreira I 2017. Biomagnificación de mercurio en la cadena trófica del Delfín Moteado del Atlántico (*Stenella frontalis*), usando el isótopo estable de nitrógeno como marcador ecológico. Rev Biol Mar Oceanogr 52: 233-244.

[doi>](#) Campioni F, Cao G, Kastanis G, Sanchez Leon M, Bergamini AMM, Rodrigues DP, Allard MW, Falcão JP 2017. Draft Genome Sequences of 256 Salmonella enterica subsp. enterica Serovar Enteritidis Strains Isolated from Humans, Food, Chickens, and Farm Environments in Brazil. Genome Announc 5(28): - .

[doi>](#) Panzenhagen PHN, Cabral CC, Suffys PN, Aquino MHC, Franco RM, Pereira VLA, Rodrigues DP, Conte-Junior CA 2017. Draft Genome Sequences of *Salmonella enterica* subsp. *enterica* Serovar Typhimurium Strains Isolated from Chicken and Swine Carcasses in Two Distinct Geographical Regions from Rio de Janeiro State, Brazil. *Genome Announc* 5(17): - .

[doi>](#) Siciliano S, Corrêa LG, Di Benedetto APM 2017. Real-Time Record of Entanglement of a Guiana Dolphin (*Sotalia guianensis*) in Recreational Fishing Ge. *Aquat Mamm* 43: 320-323.

[doi>](#) Figueiredo GC, De O Santos MC, Siciliano S, Moura JF 2017. Southern Right Whales (*Eubalaena australis*) in an Urbanized Area off the Southwestern Atlantic Ocean: Updated Records and Conservation Issues. *Aquat Mamm* 43: 52-62.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Cabral CC, Panzenhagen PHN, Delgado KF, Silva GRA, Rodrigues DP, Franco RM, Conte-Junior CA 2017. Contamination of Carcasses and Utensils in Small Swine Slaughterhouses by *Salmonella* in the Northwestern Region of the State of Rio de Janeiro, Brazil. *J Food Protect* 80: 1128-1132.

[doi>](#) Di Benedetto APM, Siciliano S, Monteiro LR 2017. Herbivory level and niche breadth of juvenile green turtles (*Chelonia mydas*) in a tropical coastal area: insights from stable isotopes. *Mar Biol* 164: 13-13.

[doi>](#) Seade GCC, Cerqueira VD, Sierra Eva, Chaves JF, Moura MAO, Montão DP, Riet-Correa G, Oliveira CA, Siciliano S, Emin-Lima R, Costa AF, Fernández A, Bezerra Júnior PS 2017. Herpesviral infection in a Guiana dolphin (*Sotalia guianensis*) from the northern coast of Brazil. *J Vet Diagn Invest* 29(6): 877-879.

[doi>](#) Iwasa-Arai T, Siciliano S, Serejo CS, Rodrigues-Rey GT 2017. Life history told by a whale-louse: a possible interaction of a southern right whale *Eubalaena australis* calf with humpback whales *Megaptera novaeangliae*. *Helgoland Mar Res* 71: 6-6.

[doi>](#) Brandão MA, Lopes AT, Neta MT, Oliveira RB, Rezende RP, Albuquerque GR, Gonçalves VD, Rodrigues DP, Boehs G, Maciel BM 2017. Microbiological Quality and Prevalence of β -Lactam Antibiotic Resistance Genes in Oysters (*Crassostrea rhizophorae*). *J Food Protect* 80: 488-496.

[doi>](#) Almeida F, Seribelli AA, da Silva P, Medeiros MI, Rodrigues DP, Moreira CG, Allard MW, Falcao JP 2017. Multilocus sequence typing of *Salmonella* Typhimurium reveals the presence of the highly invasive ST313 in Brazil. *Infect Genet Evol* 51: 41-44.

[doi>](#) Costa AF, Siciliano S, Emin-Lima R, Martins BML, Sousa MEM, Giarrizzo T, Silva Júnior JS 2017. Stranding survey as a framework to investigate rare cetacean records of the north and north-eastern Brazilian coasts. *ZooKeys* 688: 111-134.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Pribul BR, Festivo ML, Rodrigues MS, Costa RG, Rodrigues ECP, Souza MMS, Rodrigues DP 2017. Characteristics of Quinolone Resistance in *Salmonella* spp. Isolates from the Food Chain

in Brazil. *Front Microbiol* 8: - .

[doi>](#) Tavares DC, Moura JF, Merico A, Siciliano S 2017. Incidence of marine debris in seabirds feeding at different water depths. *Mar Pollut Bull* 688: 111-134.

Qualis B1

[doi>](#) Cunha-Neto A, Castro VS, Carvalho LA, Rodrigues DP, Mano SB, Figueiredo EES, Conte-Junior CA 2017. Serotypes and antimicrobial resistance profiles of *Salmonella* isolated from fresh beef processing and chilled fresh beef samples produced and marketed in the metropolitan region of Cuiabá, in the State of Mato Grosso, Brazil. *Afr J Microbiol Res* 11: 1626-1631.

2018

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Siciliano S, Viana MC, Emin-Lima R, Bonvicino CR 2018. Dolphins, love and Enchantment: Tracing the Use of Cetacean Products In Brazil. *Front Mar Sci* 5: 107-107.

[doi>](#) Panzenhagen PHN, Paul NC, Conte Junior CA, Costa RG, Rodrigues DP, Shah DH 2018. Draft Genome Sequences of 11 *Salmonella enterica* Serovar Typhimurium Strains Isolated from Human Systemic and Nonsystemic Sites in Brazil. *Genome Announc* 6(5): - .

[doi>](#) Campioni F, Vilela FP, Cao G, Kastanis G, Miller D, Sanchez LM, Tiba-Casas MR, Fernandes SA, Rodrigues DP, Costa RG, Allard MW, Falcão JP 2018. Draft Genome Sequences of 112 *Salmonella enterica* Serovar Dublin Strains Isolated from Humans and Animals in Brazil. *Genome Announc* 6(24): - .

[doi>](#) Baptista DQ, Santos AFM, Aquino MHC, Abreu DLC, Rodrigues DP, Nascimento ER, Pereira VLA 2018. Prevalência e susceptibilidade antimicrobiana de sorotipos de *Salmonella* spp. isolados de frangos vivos e carcaças no estado do Rio Janeiro. *Pesqui Vet Brasil* 38: 1278-1285.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Panzenhagen PHN, Cabral CC, Suffys PN, Franco RM, Rodrigues DP, Conte-Junior CA 2018. Comparative genome analysis and characterization of the *Salmonella* Typhimurium strain CCRJ_26 isolated from swine carcasses using whole-genome sequencing approach. *Lett Appl Microbiol* 66(4): 352-359.

[doi>](#) Carneiro MRP, Patrício MIA, Jain S, Rodrigues DP, Fracalanza SEL 2018. Meningitis caused by *Salmonella enterica* serotype Panama in Brazil: first case reported. *Rev Soc Bras Med Tro* 51(2): 244-246.

[doi>](#) Cunha-Neto A, Carvalho LA, Carvalho RCT, Rodrigues DP, Mano SB, Figueiredo EES, Conte Jr CA 2018. *Salmonella* isolated from chicken carcasses from a slaughterhouse in the state of Mato Grosso, Brazil: antibiotic resistance profile, serotyping, and characterization by repetitive sequence-based PCR system. *Poultry Sci* 97: 1373-1381.

[doi>](#) Matias, C. A. R., Pereira, I. A., Rodrigues DP, Siciliano S 2018. Staphylococcus spp. isolated from wild birds apprehended in the local illegal trade in Rio de Janeiro, Brazil, and relevance in public health. Lett Appl Microbiol 67: 292-298.

[doi>](#) Iwasa-Arai T, Serejo CS, Siciliano S, Ott PH, Freire AS, Elwen S, Crespo EA, Colosio AC, Carvalho VL, Rodríguez-Rey GT 2018. The host-specific whale louse (*Cyamus boopis*) as a potential tool for interpreting humpback whale (*Megaptera novaeangliae*) migratory routes. J Exp Mar Biol Ecol 505: 45-51.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Cardoso MD, Lemos LS, Roges EM, Moura JF, Tavares DC, Matias CAR, Rodrigues DP, Siciliano S 2018. A comprehensive survey of *Aeromonas* sp. and *Vibrio* sp. in seabirds from southeastern Brazil: outcomes for public health. Appl Microbiol Biot 124: 1283-1293.

[doi>](#) Campioni F, Cao G, Kastanis G, Janies DA, Bergamini AMM, Rodrigues DP, Stones R, Brown E, Allard MW, Falcão JP 2018. Changing of the Genomic Pattern of *Salmonella* Enteritidis Strains Isolated in Brazil Over a 48 year-period revealed by Whole Genome SNP Analyses. Sci Rep 8: - .

[doi>](#) Panzenhagen PHN, Narayan PC, Conte Junior CA, Costa RG, Rodrigues DP, Shah DH 2018. Genetically distinct lineages of *Salmonella* Typhimurium ST313 and ST19 are present in Brasil. Int J Med Microbiol 308: 306-316.

[doi>](#) Fernanda A, Seribelli AA, Medeiros MIC, Rodrigues DP, Varani AM, Luo Y, Allard MW, Falcão JP 2018. Phylogenetic and antimicrobial resistance gene analysis of *Salmonella* Typhimurium strains isolated in Brazil by whole genome sequencing. Plos One 13: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Moura JF, Tavares DC, Lemos LS, Acevedo-Trejos E, Siciliano S, Merico A 2018. Interspecific variation of essential and non-essential trace elements in sympatric seabirds. Environ Pollut 242: 470-479.

Qualis B2

[doi>](#) Barbosa-Filho MLV, Barreto RMF, Siciliano S, Seminara CI, Costa-Neto EM 2018. Use of Cetaceans as Bait in Southern Bahia, Brazil, by Expert Fishermen that Market Shark Fins: A Lucrative Trade and Two Threatened Zoological Groups. Ethnobiology Letters 9: - .