

Laboratório de Epidemiologia e Sistemática Molecular

2013

Indexado (fator de impacto < 1 ou sem FI)

doi: Oliveira GM, Madeira FM, Oliveira FS, Pires MQ, Pacheco RS 2013. Canine cutaneous leishmaniasis: Dissemination and tissue tropism of genetically distinct Leishmania (Viannia) braziliensis populations. *Vet Med Int* 2013: 1-5.

Gomes TF, Freitas FS, Bezerra CM, Lima MM, Costa, FAC 2013. Reasons for Persistence of Dwelling Vulnerability to Chagas Disease (American Trypanosomiasis): A Qualitative Study in Northeastern Brazil. *World Health Popul* 14: 14-21.

Indexado (fator de impacto >=1 e < 2,71)

doi: Fernando Abad-Franch, Pavan MG, Nicolás Jaramillo, Francisco S Palomeque, Dale C, Duverney Chaverra, Monteiro FA 2013. *Rhodnius barretti*, a new species of Triatominae (Hemiptera: Reduviidae) from western Amazonia. *Mem I Oswaldo Cruz (impresso)* 108: 92-99.

doi: Macedo GA, de Araújo JM, Schatzmayr HG, Costa, FAC, Filippis AMB, Santos FB, Nogueira RMR 2013. Virological surveillance for early warning of dengue epidemics in the State of Rio de Janeiro, Brazil. *T Roy Soc Trop Med H* 107: 141-146.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Márcio Pavan, Rafael Mesquita, Gena Lawrence, Cristiano Lazoski, Ellen Dotson, Abubucker S, Mitreva M, Randall-Maher J, Monteiro FA 2013. A nuclear single-nucleotide polymorphism (SNP) potentially useful for the separation of *Rhodnius prolixus* from members of the *Rhodnius robustus* cryptic species complex (Hemiptera: Reduviidae). *Infect Genet Evol* 14: 426-433.

doi: Oliveira FS, Valete-Rosalino CM, Pacheco JBS, Costa, FAC, Schubach AO, Pacheco RS 2013. American cutaneous leishmaniasis caused by Leishmania (Viannia) braziliensis: assessment of parasite genetic variability at intra and inter-patient levels. *Parasite Vector* 2013: - .

doi: Costa FSO, Valete-Rosalino CM, Pacheco SJ, Costa, FAC, Schubach AO, Pacheco RS 2013. American tegumentary leishmaniasis caused by Leishmania (Viannia) braziliensis: assessment of parasite genetic variability at intra- and inter-patient levels. *Parasite Vector* 6: - .

doi: Barroso DE, Castiñeiras TM, Rebelo MC, Tulenko MM, Marsh JW, Krauland MG, Harrison LH 2013. Invasive *Neisseria meningitidis* strain expressing capsular polysaccharides W and Y in Brazil. *J Clin Microbiol* 51: 1059-1060.

doi: Barroso DE, Castiñeiras TM, Cabral AC, Vicente AC, Rebelo MC, Cerqueira EO, Tulenko MM, Marsh JW, Krauland MG, Harrison LH 2013. *Neisseria meningitidis* ST-11 clonal complex bearing capsule serogroups B, C, or W in Brazil. *J Infection* 66: 547-550.

doi: Monteiro FA, Tatiana Peretolchina, Cristiano Lazoski, Kecia Harris, Ellen Dotson, Fernando Abad-Franch, Tamayo E, Pamela Pennington, Carlota Monroy, Cordon-Rosales C, Salazar-Schettino PM, Gómez-Palacio A, Grijalva MJ, Charles Beard, Paula Marcet 2013.

Phylogeographic Pattern and Extensive Mitochondrial DNA Divergence Disclose a Species Complex within the Chagas Disease Vector *Triatoma dimidiata*.. Plos One 8: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Barroso DE, Terezinha M.P.P. Castiñeiras, Fernanda S. Freitas, Jane W. Marsh, Mary G. Krauland, Mary M. Tulenko, Érica L. Fonseca, Vicente ACP, Rebelo MC, Elaine O. Cerqueira, Adriano C. Xavier, Ana P.C.M. Cardozo, Simone E.M. da Silva, Lee H. Harrison 2013. Three Outbreak-causing *Neisseria meningitidis* Serogroup C Clones, Brazil. Emerg Infect Dis 19: 1847-1850.

2014

Indexado (fator de impacto < 1 ou sem FI)

Casmo V, Augusto G, Nala R, Sabonete A, Costa, FAC 2014. The effect of hookworm infection and urinary schistosomiasis on blood hemoglobin concentration of schoolchildren living in northern mozambique. Rev Inst Med Trop SP 56: 219-224.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Monteiro FA, Renata Shama, Ademir Martins, Andrea Gloria-Soria, Julia E. Brown, Jeffrey Powell 2014. Genetic Diversity of Brazilian *Aedes aegypti*: Patterns following an Eradication Program. Plos Neglect Trop D 8: - .

2015

Indexado (fator de impacto < 1 ou sem FI)

doi: Cabral AC, Iñiguez AM, Moreno TB, Boia MN, Costa, FAC 2015. Clinical conditions associated with intestinal strongyloidiasis in Rio de Janeiro, Brazil. Rev Soc Bras Med Tro 48: 321-325.

Indexado (fator de impacto >= 7,51)

doi: Monteiro FA 2015. Genome of *Rhodnius prolixus*, an insect vector of Chagas disease, reveals unique adaptations to hematophagy and parasite infection. Proc Natl Acad Sci USA 112: 14936-14941.

Indexado (fator de impacto >=1 e < 2,71)

doi: Assis RMS, Fialho AM, Miagostovich MP, Leite JPG, Costa, FAC, Portes SA, de Mello Volotao E, Rose TL, Rocha MS, Trindade Pinheiro Xavier Mda P, Rocha MS 2015. Aichi Virus Positivity in HIV-1 Seropositive Children Hospitalized with Diarrheal Disease. Curr HIV Res 13: 325-331.

doi: Sangenis LHC, Saraiva RM, Georg I, de Castro L, dos Santos Lima V, Roque AL, Xavier SC, Santos LC, Fernandes FA, Sarquis O, Lima MM, Costa, FAC, Boia MN 2015. Autochthonous transmission of Chagas disease in Rio de Janeiro State, Brazil: a clinical and eco-epidemiological study. BMC Infect Dis 15: - .

doi: Lima MM, Costa, FAC, Toma HK, Borges-Pereira J, de Oliveira TG, Sarquis O 2015. Chagas

disease and housing improvement in northeastern Brazil: a cross-sectional survey. Parasitol Res 114: 1687-1692.

doi: Miagostovich MP 2015. Evaluation of the swab sampling method to recover viruses from fomites. J Virol Methods 217: 24-27.

doi: Guimarães LM, Carneiro EL, Costa, FAC 2015. Increasing incidence of pertussis in Brazil: a retrospective study using surveillance data. BMC Infect Dis 15: - .

doi: Fernando Abad-Franch, Lima MM, otília sarquis, Gurgel-Gonçalves R, Sánchez-Martín M, Calzada J, Saldaña A, Monteiro FA, Palomeque FS, Santos WS, Angulo VM, Esteban L, Dias FB, Diotaiuti L, Bar ME, Gottdenker NL 2015. On palms, bugs, and Chagas disease in the Americas. Acta Trop 151: 126-141.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: João Silveira Moledo Gesto, Gustavo Bueno da Silva Rivas, Pavan MG, Antonio Carlos Alves Meireles-Filho, Paulo Roberto de Amoretty, Nataly Araújo de Souza, Alexandre Afranio Peixoto 2015. Clocks do not tick in unison: isolation of Clock and vrille shed new light on the clockwork model of the sand fly *Lutzomyia longipalpis*. Parasite Vector 8: - .

doi: Santos FB, Barbosa GG, Trilles L, Nishikawa MM, Wanke B, Meyer W, Costa, FAC, Lazéra Mdos S 2015. Environmental isolation of *Cryptococcus gattii* VGII from indoor dust from typical wooden houses in the deep Amazonas of the Rio Negro basin. Plos One 10: - .

doi: Marques da Silva MF, Rose TL, Gomes MM, Costa, FAC, Fialho AM, Assis RMS, Andrade J, Volotão EM, Leite JPG 2015. G1P[8] species A rotavirus over 27 years--pre- and post-vaccination eras--in Brazil: full genomic constellation analysis and no evidence for selection pressure by Rotarix® vaccine. Infect Genet Evol 30: 206-218.

doi: Xavier MP, Costa, FAC, Ferreira MSR, Andrade J, Diniz FK, Andrade TR, Miagostovich MP, Leite JPG, Volotão EM 2015. Surveillance of Human Astrovirus Infection in Brazil: The First Report of MLB1 Astrovirus. Plos One 10: - .

2016

Indexado (fator de impacto < 1 ou sem FI)

doi: Nascimento JAAD, Guimarães LM, Costa, FAC 2016. Malaria epidemiology in the State of Piauí, Northeastern Brazil: a retrospective study with secondary data. Rev Soc Bras Med Trop 49: 99-103.

Indexado (fator de impacto >=1 e < 2,71)

doi: Teixeira AC, Leite JPG, Figueiredo CE, Costa FAC, Melgaço FG, Malta FC, Fumian TM, Miagostovich MP 2016. Dissemination of human adenoviruses and rotavirus species A on fomites of hospital pediatric units. Am J Infect Control 44(11): 1411-1413.

doi: Calegar DA, Nunes BC, Monteiro KJL, Santos JP, Toma HK, Lima MM, Gomes TF, Boia MN, Costa, FAC 2016. Frequency and molecular characterisation of *Entamoeba histolytica*,

Entamoeba dispar, Entamoeba moshkovskii, and Entamoeba hartmanni in the context of water scarcity in northeastern Brazil. Mem I Oswaldo Cruz (impresso) 111: 114-119.

doi: Fioretti JM, Ferreira MSR, Fumian, TM, Amanda Giniuno, Silva TIP, Assis MRS, Rodrigues-de-Souza J, Costa, FAC, Miagostovich MP 2016. Occurrence of human sapoviruses in wastewater and stool samples in Rio de Janeiro, Brazil. J Appl Microbiol 121(3): 855-862.

doi: Mota AM, Costa, FAC 2016. Varicella zoster virus related deaths and hospitalizations in Brazil before the introduction of universal vaccination with the tetravalent vaccine. J Pediat-Brazil 92(4): 361-366.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Albiter HMD, Ferreira TN, Costa SG, Rivas GBS, Rocha MXG, Danilo Rufino Cavalcante, Pavan MG, Gonzalez MS, Mello CB, Viv Maureen Dilon, Bruno RV, Garcia ES, Lima MM, Castro DP, Rod James Dilon, Azambuja P, Genta FA 2016. Everybody loves sugar: first report of plant feeding in triatomines. Parasite Vector 9: - .

doi: Barbosa CV, Sarquis O, Freire AS, David MR, Santelli RE, Monteiro FA, Lima MM, Maciel-de-Freitas R 2016. Marking Triatoma brasiliensis, Triatoma pseudomaculata and Rhodnius nasutus Nymphs with Trace Elements: Element Persistence and Effects of Marking on Insect Mortality. Plos Neglect Trop D 10(3): - .

doi: Pavan MG, Antonio JC, Peixoto AA, Monteiro FA, Rivas GBS 2016. Rhodnius prolixus and R. robustus (Hemiptera: Reduviidae) nymphs show different locomotor patterns on an automated recording system. Parasite Vector 9: - .

doi: Nunes BC, Pavan MG, Jaeger LH, Monteiro KJL, Xavier SCC, Monteiro FA, Boia MN, Costa, FAC 2016. Spatial and Molecular Epidemiology of Giardia intestinalis Deep in the Amazon, Brazil. Plos One 11: - .

doi: rojas-cortez m, pinazo m, garcia l, arteaga m, uriona l, Gamboa s, Mejía c, Lozano d, gascon j, torrico f, Monteiro FA 2016. Trypanosoma cruzi-infected Panstrongylus geniculatus and Rhodnius robustus adults invade households in the Tropics of Cochabamba region of Bolivia.. Parasite Vector 9: - .

2017

Indexado (fator de impacto >=1 e < 2,71)

doi: Barbosa JR, Bezerra CS, Costa, FAC, Azevedo CP, Flores GL, Colares JKB, Lima DM, Lampe E, Villar LM 2017. Cross-Sectional Study to Determine the Prevalence of Hepatitis B and C Virus Infection in High Risk Groups in the Northeast Region of Brazil. Int J Env Res Pub He 14(7): - .

doi: Santos SM, Sousa DM, Santos JP, Vieira JFPDN, Gonçalves TCM, Santos-Mallet JR, Costa FAC 2017. Entomological survey in the state of Piau?, Northeastern Brazil, reveals intradomiciliary colonization of Triatoma brasiliensis macromelasoma. Rev Inst Med Trop SP 59: - .

doi: Nunes BC, Calegar DA, Monteiro KJL, Jaeger LH, Reis ERC, Xavier SCC, Carp LN, Lima MM,

Boia MN, Costa FAC 2017. Giardia intestinalis infection associated with malnutrition in children living in northeastern Brazil. J Infect Dev Countr 7: 563-570.

doi: Tuyama M, Antonio JC, Schlackman J, Marsh JW, Rebelo MC, Cerqueira EO, Nehab M, Kegele F, Camo GF, Thielmann DCA, Harrison LH, Barroso DE 2017. Invasive Haemophilus influenzae disease in the vaccine era in Rio de Janeiro, Brazil. Mem I Oswaldo Cruz (impresso) 112: 196-202.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Parente CC, Bezerra F, Parente P, Dias Neto R, Xavier SCC, Ramos A, Costa FAC, Lima MM 2017. Community-Based Entomological Surveillance Reveals Urban Foci of Chagas Disease Vectors in Sobral, State of Ceará, Northeastern Brazil. Plos One 12: - .

doi: Santos FB, Ferreira MF, Trilles L, Muniz MM, Santos V, Costa FAC, Meyer W, Wanke B, Lazéra MS 2017. Preheating of urine improves the specificity of urinary cryptococcal antigen testing using the lateral flow assay. Plos Neglect Trop D 11: - .

doi: Jaeger LH, Costa FAC 2017. Status of benzimidazole resistance in intestinal nematode populations of livestock in Brazil: a systematic review. BMC Vet Res 13: - .

Qualis B2

doi: Baima-de-Melo C, Nascimento EF, Santos JP, Costa, FAC, Velôso DS, Sarno EN 2017. O uso da expressão de CD64 nos neutrófilos como marcador de severidade do eritema nodoso hansônico. Revista Eletrônica Acervo Saúde 9(2): - .

doi: Soares FAF, Santos JP, Nascimento EF, Siqueira LMIM, Costa, FAC 2017. Óbito materno, causalidade e estratégias de vigilância: uma revisão integrativa. Revista Eletrônica Acervo Saúde 9: - .

2018

Indexado (fator de impacto < 1 ou sem FI)

doi: Dias AP, Calegar DA, Costa, FAC, Alencar MFL, Ignácio CF, da Silva MEC, Moraes Neto AHA 2018. Assessing the Influence of Water Management and Rainfall Seasonality on Water Quality and Intestinal Parasitism in Rural Northeastern Brazil. J Trop Med 2018: - .

doi: Cardoso DRF, Reis LMSD, Sousa RFV, Nascimento EFD, Santos JP, Costa, FAC, Santos-Mallet JR 2018. Chagasic infection among blood donors in Brazil: an integrative review. Hematol Transfus Cell Ther 40: 283-291.

Indexado (fator de impacto >=1 e < 2,71)

doi: Jaeger LH, Pestana CP, Costa, FAC, Medeiros MA, Lilenbaum W 2018. Characterization of the clonal subpopulation Fiocruz L1-130 of Leptospira interrogans in rats and dogs from Brazil. J Med Microbiol 67: 1361-1367.

doi: Almeida IMLM, Ramos CV, Rodrigues DC, Sousa AC, Nascimento MLCAPCD, Silva MVBD,

Batista FMA, Santos JP, Oliveira RS, Soares FAF, Xavier SCDC, Costa FAC 2018. Clinical and epidemiological aspects of microcephaly in the state of Piauí, northeastern Brazil, 2015-2016. J Pediat-Brazil S0021-7557(18)30129: xx-xx.

doi: Monteiro KJL, Reis ERC, Nunes BC, Jaeger LH, Calegar DA, Santos JP, Maia AO, Xavier SCC, Boia MN, Costa FAC 2018. Focal persistence of soil-transmitted helminthiases in impoverished areas in the State of Piaui, Northeastern Brazil. Rev Inst Med Trop SP 60: - .

doi: Nunes BC, Calegar DA, Pavan MG, Jaeger LH, Monteiro KJL, Reis ERC, Lima MM, Boia MN, Costa FAC 2018. Genetic diversity of Giardia duodenalis circulating in three Brazilian biomes. Infect Genet Evol 59: 107-112.

doi: Monteiro KJL, Calegar DA, Jaeger LH, Costa, FAC 2018. Kato-Katz thick smears as a DNA source of soil-transmitted helminths.. J Helminthol epub: epub-epub.

doi: Silva LA, Coronato B, Schlackman J, Marsh JW, Ezeonwuka C, Fernandes ACL, Souza VC, Silva LS, Amorim EFQ, Naveca FG, Alburquerque BC, Amaral A, Souza ALS, Costa FAC, Mustapha MM, Harrison LH, Barroso DE 2018. Neisseria meningitidis disease-associated clones in Amazonas State, Brazil. Scand J Infect Dis 50: 697-704.

doi: Cabral Pires B, Berzin Grapiglia J, Moreira L, Jaeger LH, Costa FAC, Lilenbaum W 2018. Occurrence of uterine carriers for Leptospira interrogans on slaughtered cows. Microb Pathogenesis 114: 163-165.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Monteiro FA, Weirauch C, Felix ME, Lazoski C, Abad-Franch F 2018. Evolution, Systematics, and Biogeography of the Triatominae, Vectors of Chagas Disease. Adv Parasit 99: 265-344.

doi: Dantas E, Gurgel-Gonçalves R, Villela DAM, Monteiro FA, Maciel-de-Freitas R 2018. Should I stay or should I go? Movement of adult Triatoma sordida within the peridomestic area of a typical Brazilian Cerrado rural household. Parasite Vector 11: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Lima-de-Oliveira JA, Cury JC, Gurgel-Gonçalves R, Bahia AC, Monteiro FA 2018. Field-collected Triatoma sordida from central Brazil display high microbiota diversity that varies with regard to developmental stage and intestinal segmentation. Plos Neglect Trop D 12(8): - .

doi: Peretolchina T, Pavan MG, Antonio JC, Gurgel-Gonçalves R, Lima MM, Monteiro FA 2018. Phylogeography and demographic history of the Chagas disease vector *Rhodnius nasutus* (Hemiptera: Reduviidae) in the Brazilian Caatinga biome. Plos Neglect Trop D 12(9): - .