

Laboratório de Genômica Funcional e Bioinformática

2006

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Catanho MP, Mascarenhas D, Degrave WM, Miranda AB 2006. BioParser: a tool for processing of sequence similarity analysis reports.. *Appl Bioinformatics* 5: 49-53.

Catanho M, Mascarenhas D, Degrave W, Miranda AB 2006. GenoMycDB: a database for comparative analysis of mycobacterial genes and genomes.. *Genet Mol Res* 5: 115-126.

Carvalho PC, Fischer JSG, Degrave WM, Carvalho MGC 2006. Marcadores séricos e espectrometria de massas no diagnóstico do câncer. *J Bras Patol Med Lab* 42: 431-436.

Carvalho PC, Freitas SS, Lima AB, Barros M, Bittencourt I, Degrave WM, Cordovil I, Fonseca R, Carvalho MGC, Moura-Neto RS, Cabello PH 2006. Personalized diagnosis by cached solutions with hypertension as a study model. *Genet Mol Res* 5: 856-867.

Indexado (fator de impacto > 0,65 a 2,0)

De Jesus JB, Ferreira MA, Cuervo P, Britto CF, Silva-Filho FCE, Meyer-Fernandes JR 2006. Iron modulates ecto-phosphohydrolase activities in pathogenic trichomonads.. *Parasitol Int* 55: 285-290.

Indexado (fator de impacto >2,0 a 4,0)

Cortes VF, Veiga-lopes FE, Barrabin H, Alves-Ferreira M, Fontes CFL 2006. The gamma subunit of Na⁺, K⁺-ATPase: role on ATPase activity and regulatory phosphorylation by PKA. . *Int J Biochem Cell B* 38: 1901-1913.

2007

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Carvalho PC, Carvalho PC, Degrave WM, Lilla S, De Nucci G, Fonseca R, Spector N, Musacchio J, Domont GB 2007. Differential protein expression patterns obtained by mass spectrometry can aid in the diagnosis of Hodgkins disease. *J Exp Ther Oncol* 6: 137-145.

Indexado (fator de impacto > 0,65 a 2,0)

Gama BE, Pires, FESS, Lopes MKR, Cardoso MA, Britto CFPC, Torres KL, Mendonça-Lima L, Souza JM, Ribeiro CTD, Cruz MFF 2007. Real-time PCR versus conventional PCR for malaria parasite detection in low-grade parasitemia. *Exp Parasitol* 116: 427-432.

Oelemann MAC, Fontes ANB, Pereira MAS, Bravin Y, Silva G, Degrave WM, Carvalho ACC, Brito RC, Krtski A, Suffys PN 2007. Typing of Mycobacterium tuberculosis strains isolated in Community Health Centers of Rio de Janeiro City, Brazil. *Mem I Oswaldo Cruz (impresso)* 102: 455-462.

Indexado (fator de impacto >2,0 a 4,0)

Souza RA, Henriques C, Alves-Ferreira M, Mendonça-Lima L, Degrave WM 2007. Investigation of a protein expression profile by high-resolution bidimensional electrophoresis of

Trypanosoma cruzi epimastigotes.. Anal Biochem 365: 144-146.

Cuervo P, De Jesus JB, Junqueira M, Mendonça-Lima L, González LJ, Betancourt L, Grimaldi F, G, Domont GB, Fernandes O, Cupolillo E 2007. Proteome analysis of Leishmania (Viannia) braziliensis by two-dimensional gel electrophoresis and mass spectrometry. Mol Biochem Parasit 154: 6-21.

Indexado (fator de impacto >4,0)

Galvão TC, Mencía M, Lorenzo V 2007. Emergence of novel functions in transcriptional regulators by regression to stem protein types.. Mol Microbiol 65: 907-919.

Teixeira RLF, Miranda AB, Pacheco AG, Lopes MQP, Fonseca-costa J, Fonseca-costa J, Melo HM, Kritski A, Mello FCQ, Suffys PN, Santos AR 2007. Genetic profile of the arylamine N-acetyltransferase 2 coding gene among individuals from two different regions of Brazil. Mutat Res 624: 31-40.

Waghabi M, Keramidas M, Calvet CM, Marcos Meuser Batista, Soeiro MNC, Mendonça-Lima L, Araujo-Jorge TC, Feige JJ, Bailly S 2007. SB-431542, a transforming growth factor beta inhibitor, impairs Trypanosoma cruzi infection in cardiomyocytes and parasite. Antimicrob Agents Ch 51: 2905-2910.

2008

Indexado (> 0,65 a 2,0)

doi:> Castro-pinto DB, Genestra M, Genestra M, Waghabi M, Gonçalves A, Gonçalves A, Leon LL, Mendonça-Lima L 2008. Cloning and expression of trypanothione reductase from a New World Leishmania species. Arch Microbiol 189: 375-384.

Indexado (>4,0)

doi:> Araujo-Jorge TC, Waghabi MC, Soeiro MNC, Keramidas M, Bailly S, Feige J 2008. Pivotal role for TGF-beta in infectious heart disease: The case of Trypanosoma cruzi infection and consequent Chagasic myocardopathy. Cytokine Growth F R 19: 405-413.

Indexado (<0,65 e não impactadas no ISI)

Pinto ME, Schrago CG, Miranda AB, Russo CAM 2008. A molecular study on the evolution of a subtype B variant frequently found in Brazil. Genet Mol Res 7: 1031-1044.

Otto TD, Vasconcellos EA, Gomes LH, Moreira AS, Degrave WM, Mendonça-Lima L, Alves-Ferreira M 2008. ChromaPipe: a pipeline for analysis, quality control and management for a DNA sequencing facility. Genet Mol Res 7: 861-871.

Guimarães AC, Otto TD, Alves-Ferreira M, Miranda AB, Degrave WM 2008. In silico reconstruction of the amino acid metabolic pathways of Trypanosoma cruzi. Genet Mol Res 7: 872-882.

Indexado (>2,0 a 4,0)

doi:> Otto TD, Guimarães ACR, Degrave WM, Miranda AB 2008. AnEnPi: Identification and

annotation of analogous enzymes. BMC Bioinformatics 9: - .

doi: Otto TD, Gomes LH, Alves-Ferreira M, de Miranda AB, Degrave WM 2008. ReRep: computational detection of repetitive sequences in genome survey sequences (GSS). BMC Bioinformatics 9: - .

2009

Indexado (fator de impacto < 0,65 ou sem FI)

Carels N, Frías D 2009. Classifying coding DNA with nucleotide statistics. Bioinform Biol Insights 3: 141-154.

doi: Cuervo P, De Jesus JB, Saboia-Vahia L, Mendonça-Lima L, Domont GB, Cupolillo E 2009. Proteomic characterization of the released/secreted proteins of Leishmania (Viannia) braziliensis promastigotes. J Proteomics 73: 79-92.

Carels N, Vidal R, Frías D 2009. Universal features for the classification of coding and non-coding DNA sequences. Bioinform Biol Insights 3: 37-49.

Indexado (fator de impacto > 0,65 e < 2)

doi: Alves-Ferreira M, Guimarães AC, Capriles PV, Dardenne LE, Degrave WM 2009. A new approach for potential drug target discovery through in silico metabolic pathway analysis using Trypanosoma cruzi genome information. Mem I Oswaldo Cruz (impresso) 104: 1100-1110.

doi: Waghabi MC, Coutinho- Silva R, Feige JJ, Higuchi ML, Becker D, Burnstock G, Araujo-Jorge TC 2009. Gap junction reduction in cardiomyocytes following transforming growth factor- beta treatment and Trypanosoma cruzi infection. Mem I Oswaldo Cruz (impresso) 104: 1083-1090.

doi: Coutinho L, Alves Ferreira M, Cosson A, Meuser Batista M, Batista DG, Minoprio P, Degrave WM, Berneman A, Soeiro MN 2009. Inhibition of Trypanosoma cruzi proline racemase affects host-parasite interactions and the outcome of in vitro infection. Mem I Oswaldo Cruz (impresso) 104: 1055-1062.

doi: Sodré CL, Chapeaurouge DA, Kalume DE, de Mendonça-Lima L, Perales J, Fernandes O 2009. Proteomic map of Trypanosoma cruzi CL Brener: the reference strain of the genome project. Arch Microbiol 191: 177-184.

doi: Waniek PJ, Mendonça-Lima L, Menezes GB, Jansen AM, Araújo CA 2009. Recombinant expression and characterization of a lysozyme from the midgut of Triatoma brasiliensis (Hemiptera, Reduviidae) in comparison with intestinal muramidase activity. Physiol Entomol 34: 309-317.

Indexado (fator de impacto > 2 e < 4)

doi: Carvalho PC, Fischer JS, Chen EI, Domont GB, Carvalho MG, Degrave WM, Yates JR 3rd, Barbosa VC 2009. GO Explorer: A gene-ontology tool to aid in the interpretation of shotgun proteomics data. Proteome Sci 7: - .

doi: Carvalho VF, Barreto EO, Farias-Filho FA, Gomes LH, Mendonça-Lima L, Cordeiro RS,

Martins MA, Rodrigues e Silva PM 2009. Reduced expression of IL-3 mediates intestinal mast cell depletion in diabetic rats: role of insulin and glucocorticoid hormones. *Int J Exp Pathol* 90: 148-155.

Indexado (fator de impacto > 4)

doi: Waghabi MC, de Souza EM, de Oliveira GM, Keramidas M, Feige JJ, Araujo-Jorge TC, Bailly S 2009. Pharmacological inhibition of transforming growth factor beta signaling decreases infection and prevents heart damage in acute Chagas' disease. *Antimicrob Agents Ch* 53: 4694-4701.

2010

Indexado (fator de impacto > 0,65 e < 2)

doi: Monnerat LS, Moreira AS, Alves MC, Bonvicino CR, Vargas FR 2010. Identification and characterization of novel sequence variations in MECP2 gene in Rett syndrome patients. *Brain Dev-JPN* 32: 843-848.

Braggio E, Braggio DA, Small IA, Lopes LF, Valadão M, Gouveia ME, Moreira AS, Linhares E, Romano S, Bacchi CE, Renault IZ, Guimarães DP, Ferreira CG 2010. Prognostic relevance of KIT and PDGFRA mutations in gastrointestinal stromal tumors. *Anticancer Res* 30: 2407-2414.

Indexado (fator de impacto > 2 e < 4)

doi: Romanha AJ, Castro SL, Soeiro MN, Lannes-Vieira J, Ribeiro I, Talvani A, Bourdin B, Blum B, Olivieri B, Zani C, Spadafora C, Chiari E, Chatelain E, Chaves G, Calzada JE, Bustamante JM, Freitas-Junior LH, Romero LI, Bahia MT, Lotrowska M, Soares M, Andrade SG, Armstrong T, Degrave W, Andrade Zde A 2010. In vitro and in vivo experimental models for drug screening and development for Chagas disease. *Mem I Oswaldo Cruz (impresso)* 105: 233-238.

doi: Teixeira RL, Silva Jr FP, Silveira AR, Cabello PH, Mendonça-Lima L, Rabahi MF, Kritski AL, Mello FC, Suffys PN, de Miranda AB, Santos AR 2010. Sequence analysis of NAT2 gene in Brazilians: Identification of undescribed single nucleotide polymorphisms and molecular modeling of the N-acetyltransferase 2 protein structure. *Mutat Res* 683: 43-49.

doi: Capriles PV, Guimarães AC, Otto TD, Miranda AB, Dardenne LE, Degrave WM 2010. Structural modelling and comparative analysis of homologous, analogous and specific proteins from *Trypanosoma cruzi* versus *Homo sapiens*: putative drug targets for Chagas disease treatment. *BMC Genomics* 11: - .

Indexado (fator de impacto > 4)

doi: Teles RM, Teles RB, Amadeu TP, Moura DF, Mendonça-Lima L, Ferreira H, Santos IM, Nery JA, Sarno EN, Sampaio EP 2010. High matrix metalloproteinase production correlates with immune activation and leukocyte migration in leprosy reactional lesions. *Infect Immun* 78: 1012-1021.

doi: Otto TD, Catanho M, Tristão C, Bezerra M, Fernandes RM, Elias GS, Scaglia AC, Bovermann B, Berstis V, Lifschitz S, de Miranda AB, Degrave WM 2010. ProteinWorldDB:

querying radical pairwise alignments among protein sets from complete genomes. Bioinformatics 26: 705-707.

2011

Indexado (fator de impacto < 0,65 ou sem FI)

doi: Gomes MR, Guimarães AC, de Miranda AB 2011. Specific and nonhomologous isofunctional enzymes of the genetic information processing pathways as potential therapeutical targets for tritryps. Enzyme Res 2011: 543912-1000000000.

Indexado (fator de impacto > 2 e 4)

doi: Gomes LH, Otto TD, Vasconcellos EA, Ferrão PM, Maia RM, Moreira AS, Ferreira MA, Castello-Branco LR, Degrave WM, Mendonça-Lima L 2011. Genome sequence of *Mycobacterium bovis* BCG Moreau, the Brazilian vaccine strain against tuberculosis. J Bacteriol 193: 5600-5601.

doi: Silva MR, Guimarães MD, de Oliveira VM, Moreira AS, da Costa RR, Abi-Zaid KC, Rocha AS, Suffys PN 2011. Identification of *Mycobacterium* tuberculosis complex based on amplification and sequencing of the oxyR pseudogene from stored Ziehl-Neelsen-stained sputum smears in Brazil. Mem I Oswaldo Cruz (impresso) 106: 9-15.

doi: Berrêdo-Pinho MM, Kalume DE, Correa PR, Gomes LH, Pereira MP, da Silva RF, Castello-Branco LR, Degrave WM, Mendonça-Lima L 2011. Proteomic profile of culture filtrate from the Brazilian vaccine strain *Mycobacterium bovis* BCG Moreau compared to *M. bovis* BCG Pasteur. BMC Microbiol 11: - .

doi: Gomes AF, Guimarães EV, Carvalho L, Correa JR, Mendonça-Lima L, Barbosa HS 2011. Toxoplasma gondii down modulates cadherin expression in skeletal muscle cells inhibiting myogenesis. BMC Microbiol 11: - .

Indexado (fator de impacto > 4)

doi: Otto TD, Dillon GP, Degrave WM, Berriman M 2011. RATT: Rapid Annotation Transfer Tool. Nucleic Acids Res 39: e57-e57.

Indexado (fator de impacto 0,65 e 2)

doi: Ingrid P Ewald, Patrícia Izetti, Fernando R Vargas, Silva MFO, Aline S Moreira, Carlos A Moreira-Filho, Danielle R Cunha, Sara Hamaguchi, Suzi A Camey, Aishameriane Schmidt, Maira Caleffi, Patrícia Koehler-Santos, Roberto Giugliani, Patricia Ashton-Prolla 2011. Prevalence of the BRCA1 founder mutation c.5266dupin Brazilian individuals at-risk for the hereditary breast and ovarian cancer syndrome. Hered Cancer Clin Pr 20: 9-12.

2012

Indexado (fator de impacto < 1 ou sem FI)

doi: Lifschitz S, Viana CJ, Ttristão C, Catanho M, Degrave W, Miranda AB, Bezerra M, Otto TD 2012. Design and implementation of ProteinWorldDB. Lect Notes Comput Sci 7409: 144-155.

Indexado (fator de impacto >=1 e < 2,71)

doi: Lacerda DI, Cysne-Finkelstein L, Nunes MP, De-Luca PM, Genestra MS, Leon LL, Berrêdo-Pinho M, Mendonça-Lima L, Matos DC, Medeiros MA, Mendonça SC 2012. Kinetoplastid membrane protein-11 exacerbates infection with *Leishmania amazonensis* in murine macrophages. *Mem I Oswaldo Cruz (impresso)* 107: 238-245.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Ferrão PM, de Oliveira FL, Degrave WM, Araujo-Jorge TC, Mendonça-Lima L, Waghabi MC 2012. A phosphoproteomic approach towards the understanding of the role of TGF-beta in *Trypanosoma cruzi* biology. *Plos One* 7: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: da Mota FF, Marinho LP, Moreira CJ, Lima MM, Mello CB, Garcia ES, Carels N, Azambuja P 2012. Cultivation-independent methods reveal differences among bacterial gut microbiota in triatomine vectors of Chagas disease. *Plos Neglect Trop D* 6: - .

doi: de Oliveira FL, Araujo-Jorge TC, de Souza EM, de Oliveira GM, Degrave WM, Feige JJ, Bailly S, Waghabi MC 2012. Oral administration of GW788388, an inhibitor of transforming growth factor beta signaling, prevents heart fibrosis in Chagas disease. *Plos Neglect Trop D* 6: - .

doi: Araujo-Jorge TC, Waghabi MC, Bailly S, Feige JJ 2012. The TGF- β pathway as an emerging target for Chagas disease therapy. *Clin Pharmacol Ther* 92: 613-621.

2013

Indexado (fator de impacto < 1 ou sem FI)

doi: Carels N, Frias D 2013. A Statistical Method without Training Step for the Classification of Coding Frame in Transcriptome Sequences. *Bioinform Biol Insights* 7: 35-54.

Indexado (fator de impacto >=1 e < 2,71)

doi: Saraiva, RM, Waghabi MC, Vilela, MF, Madeira, FS, da Silva, GM, Xavier, SS, Feige, JJ, Hasslocher-Moreno, AM, Araujo-Jorge TC 2013. Predictive value of transforming growth factor- α 1 in Chagas disease: towards a biomarker surrogate of clinical outcome. *T Roy Soc Trop Med H* 107: 518-525.

doi: Victalina-de-Almeida D, Morgado MG, Côrtes FH, Guimaraes ML, Mendonça-Lima L, Pilotto JH, Beatriz Grinsztejn, Valdilea Goncalves Veloso, Bongertz V 2013. Short communication: neutralizing antibodies in HIV-1-infected Brazilian individuals.. *AIDS Res Hum Retrov* 29: 488-492.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Santos LO, A. S. Garcia-Gomes, Catano M, Sodre CL, Santos AL, Branquinha MH,, d Avila-Levy CM 2013. Aspartic Peptidases of Human Pathogenic Trypanosomatids: Perspectives and Trends for Chemotherapy. *Curr Med Chem* 20: 3116-3133.

doi: Fares, RC, Gomes, JA, Garzoni LR, Waghabi MC, Saraiva, RM, Medeiros, NI, Oliveira-Prado, R, Sangenis, LH, Chambela, MC, de Araujo, FF, Teixeira- Carvalho, A, Damasio, MP, Valente, VA, Ferreira, KS, Souza, GR, Rocha, MO, Correa-Oliveira, R 2013. Matrix metalloproteinases 2 and 9 are differentially expressed in patients with indeterminate and cardiac clinical forms of Chagas disease. *Infect Immun* 81(10): 3600-3608.

doi: Jun Han, Luis Caetano Antunes, Jingxi Pan, Moreira CJC, Azambuja P, Christoph H Borchers, Carels N 2013. Metabolic Signatures of Triatomine Vectors of *Trypanosoma cruzi* Unveiled by Metabolomics. *Plos One* 8: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Rodrigues CM, Menna-Barreto RFS, Sabois-Vahia, R, da Silva, SA, Souza EM, Waghabi MC, Cuervo P, de Jesus, JB 2013. Cellular growth and mitochondrial ultrastructure of leishmania (Viannia) braziliensis promastigotes are affected by the iron chelator 2,2-dipyridyl. *Plos Neglect Trop D* 7(10): - .

2014

Indexado (fator de impacto < 1 ou sem FI)

doi: Sa, RA, Moreira AS, Cabello PH, Ornelas, AA, Costa, EB, Matos, CS, Alves, G, Hatagima, A 2014. Human glutathione S-transferase polymorphisms associated with prostate cancer in the Brazilian population.. *Int Braz J Urol* 40: 463-473.

doi: Ponce de Leon, M., Miranda AB, Alvarez-Valin, F., Carels N 2014. The Purine Bias of Coding Sequences is Determined by Physicochemical Constraints on Proteins. *Bioinform Biol Insights* 8: 93-108.

Indexado (fator de impacto >=1 e < 2,71)

doi: Oliveira, SD, Nanini, HF, Savio, LE, Waghabi MC, Silva, CL, Coutinho-Silva, R 2014. Macrophage P2X7 receptor function is reduced during schistosomiasis: putative role of TGF- β 1. *Mediat Inflamm* 2014: - .

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Galvão TC, Cristiane Rodrigues Lima, Gomes LHF, Talita Duarte Pagani, Alves-Ferreira M, Gonçalves AJS, Corrêa PR, Degrave WM, Mendonça-Lima L 2014. The BCG Moreau RD16 deletion inactivates a repressor reshaping transcription of an adjacent gene. *Tuberculosis* 94: 26-33.

2015

Indexado (fator de impacto >=1 e < 2,71)

doi: Wajnberg G, CARVALHO BS, FERREIRA CG, Passetti F 2015. Combined Analysis of SNP Array Data Identifies Novel CNV Candidates and Pathways in Ependymoma and Mesothelioma. *BioMed Res Int* 2015: - .

doi: Mariana Chantre-Justino, Gilda Alves, Constança Britto, Angélica Cardoso, Luciano Scherrer, Aline dos Santos Moreira, Raul Quirino, Antonio Ornellas, Alvaro Leitão , Claudia Lage

2015. Impact of reduced levels of APE1 transcripts on the survival of patients with urothelial carcinoma of the bladder. *Oncol Rep* 34: 1667-1674.

doi: Priscila V.S.Z. Capriles, Baptista LPR, Isabella A Guedes, Guimarães ACR, Fabio L. Custódioa, Marcelo Alves-Ferreira, Laurent E. Dardenne 2015. Structural modeling and docking studies of ribose 5-phosphate isomerase from Leishmania major and Homo sapiens: a comparative analysis for Leishmaniasis treatment.. *J Mol Graph Model* 55: 134-147.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Lucas Delmonico, Moreira AS, Marco Felipe Franco, Eliane Barbosa Esteves, Luciano Scherrer , Cláudia Vitória de Moura Gallo, Cristina Moreira do Nascimento , Maria Helena Faria Ornellas , Carolina Maria de Azevedo , Gilda Alves 2015. CDKN2A (p14ARF/p16INK4a) and ATM promoter methylation in patients with impalpable breast lesions.. *Hum Pathol* 46: 1540-1547.

doi: Ferrão, PM, d Avila-Levy CM, Araujo-Jorge TC, Degrave WM, Gonçalves AJS, Garzoni LR, Lima, AP, Feige, JJ, Bailly, S, Mendonça-Lima L, Waghabi MC 2015. Cruzipain Activates Latent TGF-β from Host Cells during *T. cruzi* Invasion. *Plos One* 4: - .

doi: Cristina Henriques, Megan P. Miller, Catanho MP, Técia Maria Ulisses de Carvalho, Marco Aurélio Krieger, Christian M. Probst, Wanderley de Souza, Degrave WM, Susan Gaye Amara 2015. Identification and functional characterization of a novel arginine/ornithine transporter, a member of a cationic amino acid transporter subfamily in the *Trypanosoma cruzi* genome. *Parasite Vector* 8: - .

2016

Indexado (fator de impacto < 1 ou sem FI)

doi: Degrave WM 2016. Brazilian Response to Global End TB Strategy : The National Tuberculosis Research Agenda. *Rev Soc Bras Med Tro* 49: 135-145.

Indexado (fator de impacto >=1 e < 2,71)

doi: Carlyle Ribeiro Lima, Nicolas Carels, Guimarães ACR, Pierre Tufféry, Philippe Derreumaux 2016. In silico structural characterization of protein targets for drug development against *Trypanosoma cruzi*. *J Mol Model* 22: 244-257.

doi: Lopes GD, Veloso AB, Matilde, Gabriel Padrón, Cássia Luana de Faria Castro, Guimarães ACR, Britto CFPC, Cuervo P, De Jesus JB 2016. Proteomics reveals major components of oogenesis in the reproductive tract of sugar-fed *Anopheles aquasalis*. *Parasitol Res* 115: 1977-1989.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Rodrigues R, Souza EM, Oliveira FL, Ferrao PM, Gomes LH, Mendonça-Lima L, Meusser-Batista M, Bailly S, Feige JJ, Araujo-Jorge TC, Waghabi MC 2016. Proteins involved on TGF-β pathway are up-regulated during the acute phase of experimental Chagas disease. *Immunobiology* 221: 587-594.

doi: PANKIEWICZ, V. C. S., CAMILIOS-NETO, D., BONATO, P., BALSANELLI, E., TADRA-SFEIR, M. Z., FAORO, H., CHUBATSU, L. S., DONATTI, L., Wajnberg G, Passetti F, MONTEIRO, R. A.,

PEDROSA, F. O. , SOUZA, E. M. 2016. RNA-seq transcriptional profiling of *Herbaspirillum seropedicae* colonizing wheat (*Triticum aestivum*) roots. *Plant Mol Biol* 90: 589-603.

doi: Marques MAM, Berrêdo-Pinho MM, Rosa TLSA, Pujari V, Lemes RM, Santos LML, Silva CA, Guimarães ACR, Atella GC, Wheat WH, Brennan PJ, Crick DD, Belisle JT, Pessolani MCV 2016. The Essential Role of Cholesterol Metabolism in the Intracellular Survival of *Mycobacterium leprae* Is Not Coupled to Central Carbon Metabolism and Energy Production. *J Bacteriol* 197: 3698-3707.

doi: Wajnberg G, Passetti F 2016. Using high-throughput sequencing transcriptome data for INDEL detection: challenges for cancer drug discovery.. *Expert Opin Drug Discov* 11: 257-268.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Pinho RT, Waghabi MC, Cardillo F, Mengel J, Antas PRZ 2016. Scrutinizing the Biomarkers for the Neglected Chagas Disease: How Remarkable!. *Front Immunol* 7: - .

2017

Indexado (fator de impacto < 1 ou sem FI)

doi: Costa LC, Lima CR, Franca A, Guimarães ACR, Alves-Ferreira A, Tuffery P, Derreumaux P, Carels N 2017. A Computational Methodology to Overcome the Challenges Associated With the Search for Specific Enzyme Targets to Develop Drugs Against *Leishmania major*. *Bioinform Biol Insights* 11: - .

doi: Leite C, Delmonico L, Alves G, Gomes RJ, artino MR, Silva AR, Moreira AS, Maioli MC, Scherrer LR, Bastos EF, Irineu R, Ornellas MH 2017. Screening of mutations in the additional sex combs like 1,transcriptional regulator, tumor protein p53, and KRAS proto-oncogene, GTPase/NRAS proto-oncogene, GTPase genes of patients with myelodysplastic syndrome. *Biomed Rep* 7: 343-348.

Indexado (fator de impacto >= 7,51)

doi: Metsky HC, Matranga CB, Sabeti PC, Degrave WM, E outros 54 autores 2017. Zika virus evolution and spread in the Americas. *Nature* 546(7658): 411-415.

Indexado (fator de impacto >=1 e < 2,71)

doi: Dias ST, Moreira AS, Mello FCA, Franz HCF, Gomes SA, Araujo NM 2017. Complete genome sequence of a hepatitis B virus isolate of genotype D2, subtype adrq+, from Brazil. *Arch Virol* 162: 1695-1700.

doi: Chambela MC, Mediano MFF, Rodrigues R, Japiassú AM, Waghabi MC, da Silva GMS, Saraiva RM 2017. Correlation of 6-min walk test with left ventricular function and quality of life in heart failure due to Chagas disease. *Trop Med Int Health* 22: 1314-1321.

doi: Castilho VVS, Baptista LPR, Ferreira MA, Dardenne L, Silva JHM, Guimaraes ACR 2017. In silico identification of inhibitors of ribose 5-phosphate isomerase from *Trypanosoma cruzi* using ligand and structure based approaches. *J Mol Graph Model* 77: 168-180.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Piergiorgio RM, Miranda AB, Guimarães ACR, Catano M 2017. Functional Analogy in Human Metabolism: Enzymes with Different Biological Roles or Functional Redundancy?. *Genome Biol Evol* 9: 1624-1636.

doi: Silvestre RT, Delmonico L, Bravo M, Santiago F, Scherrer LR, Moreira AS, Tabalipa M, Otero U, Ornellas MHF, Alves G 2017. Health survey and assessment of the polymorphisms BRCA1/P871L, BRCA1/Q356R, and BRCA2/N372H in female gas station workers in Rio de Janeiro. *Environ Mol Mutagen* 58: 730-734.

doi: Jorge NAN, Wajnberg G, Ferreira CG, Sa Carvalho BS, Passetti F 2017. snoRNA and piRNA expression levels modified by tobacco use in women with lung adenocarcinoma. *Plos One* 12(8): - .

doi: Tavares R, Wajnberg G, Scherer NM, Pauletti BA, Cassoli JS, Ferreira CG, Leme AFP, Araujo-Souza PS, Martins-de-Souza D, Passetti F 2017. Unveiling alternative splice diversity from human oligodendrocyte proteome data. *J Proteomics* 151: 293-301.

2018

Indexado (fator de impacto < 1 ou sem FI)

Padilha F, El-Jaick K, de Castro L, Moreira AS, Almeida F, Ferreira AMR 2018. ACTN3 gene variants as potential phenotype and performance biomarkers in Brazilian sport horses training for eventing in a tropical climate. *Can J Vet Res* 82: 236-238.

doi: Castilho VVS, Gonçalves KCS, Rebello KM, Baptista LPR, Sangenito LS, Santos HC, Branquinha MH, Santos ALS, Menna-Barreto RFS, Guimaraes ACR, d Avila-Levy CM 2018. Docking simulation between HIV peptidase inhibitors and Trypanosoma cruzi aspartyl peptidase. *BMC Res Notes* 11: - .

Indexado (fator de impacto >=1 e < 2,71)

doi: Gomes MM, Santos FV, Santos AAC, Silva-de-Mello I, Santos MP, Ribeiro IP, Ferreira AA, Moraes-de-Miranda R, Castro MG, Ribeiro MS, Junior RCI, Aguiar SF, Meira GLS, Antunes D, Torres PHM, Mir D, Vicente AC, Guimaraes ACR, Caffarena ER, Bello G, Lourenço de Oliveira R, Bonaldo MC 2018. Genomic and structural features of the yellow fever virus from the 2016–2017 Brazilian outbreak. *J Gen Virol* 99: 536-548.

doi: Silveira MC, Silva RA, Mota FF, Catano MP, Fonseca RJM, Guimaraes ACR, Miranda AB 2018. Systematic Identification and Classification of β-Lactamases Based on Sequence Similarity Criteria: β-Lactamase Annotation. *Evol Bioinform* (on line) 14: - .

doi: Pillai G, Chibale K, Constable EC, Keller AN, Gutierrez MM, Mirza F, Sengstag C, Masimirembwa C, Denti P, Maartens G, Ramsay M, Ogutu B, Makonnen E, Gordon R, Ferreira CG, Goldbaum FA, Degrave WM, Spector J, Tadmor B, Kaiser HJ 2018. The Next Generation Scientist program: capacity-building for future scientific leaders in low- and middle-income countries. *BMC Med Educ* 18: - .

doi: Módolo DG, Horn CS, Soares JSM, Yunes JA, Mendonça-Lima L, Souza SM, Menossi M 2018. Transgenic Nicotiana tabacum seeds expressing the Mycobacterium tuberculosis Alanine- and Proline-rich antigen. *AMB Express* 8: 178-188.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Curvo E, Rodrigues R, Madeira F, Alves G, Chambela M, Sangenis LH, Waghabi MC, Saraiva R 2018. Correlation of transforming growth factor- β 1 and tumour necrosis factor levels with left ventricular function in Chagas disease. *Mem I Oswaldo Cruz (on line)* 113: - .

doi: Monteiro-Maia R, Corrêa PR, Sousa PSV, Pinho RT, Mendonça-Lima L 2018. Gain of function in *Mycobacterium bovis* BCG Moreau due to loss of a transcriptional repressor. *Mem I Oswaldo Cruz (on line)* 113: - .

doi: Silveira MC, Catanho MP, Miranda AB 2018. Genomic analysis of bifunctional Class C-Class D β -lactamases in environmental bacteria. *Mem I Oswaldo Cruz (on line)* 113: - .

doi: Patricia Mello Ferrão, Lindice Nisimura, Moreira OC, Marcelo Land, Pereira MCS, Mendonça-Lima L, Araujo-Jorge TC, Waghabi MC, Garzoni LR 2018. Inhibition of TGF- β pathway reverts extracellular matrix remodeling in *T. cruzi* -infected cardiac spheroids. *Exp Cell Res* 362: 260-267.

doi: da Silva DA, Ferreira NV, Rego AM, Barbosa PCP, Machado RF, Pimentel A, Dos Reis LM, de Pina LC, Redner P, Caldas PCS, Fandinho-Montes FCO, Borga L, Leite SP, da Rocha JL, Bastos LS, Ramos JP, Degrave WM, Antunes LCM, Galvão TC 2018. Integrated analysis of ethionamide resistance loci in *Mycobacterium tuberculosis* clinical isolates. *Tuberculosis* 113: 163-174.

doi: Rodrigues R, Madeira F, Alves G, Chambela M, Curvo E, Moreira AS, Renata Sá, Mendonça-Lima L, Cabello PH, Bailly S, Feige JJ, Araujo-Jorge TC, Saraiva R, Waghabi MC 2018. TGF- β Polymorphisms Are a Risk Factor for Chagas Disease. *Dis Markers* 2018: - .

doi: Machado E, Vasconcellos SEG, Cerdeira C, Gomes LL, Junqueira R, Carvalho LD, Ramos JP, Redner P, Campos CED, Caldas PCS, Gomes APCS, Goldenberg T, Montes FF, Mello FCQ, Mussi VO, Lasunskaja E, Soolingen DV, Miranda AB, Rigouts L, Jong BC, Meehan CJ, Catanho MP, Suffys PN 2018. Whole genome sequence of *Mycobacterium kansasii* isolates of the genotype 1 from Brazilian patients with pulmonary disease demonstrates considerable heterogeneity. *Mem I Oswaldo Cruz (on line)* 113: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Bombaça ACS, Viana PG, Santos ACC, Silva TL, Rodrigues ABM, Guimaraes ACR, Goulart MOF, Silva Júnior EN, Menna-Barreto RFS 2018. Mitochondrial dysfunction and ROS production are essential for anti-*Trypanosoma cruzi* activity of β -lapachone-derived naphthoimidazoles. *Free Radical Bio Med* 130: 408-418.