

Laboratório de Imunoparasitologia

2006

Indexado (fator de impacto > 0,65 a 2,0)

Gomes, Marcio Alex Barros, Rodrigues, Flavio Henrique, Cardoso, Sandra Regina Afonso, Buso, Antonio M., Gomes Silva, A., Favoreto Junior, Silvio, Souza, Maria Aparecida de 2006. Levels of immunoglobulin A1 and messenger RNA for interferon gama and tumor necrosis factor alfa in total saliva from patients with diabetes mellitus type 2 with chronic periodontal disease.. J Periodontal Res 41: 177-183.

Genestra M, Guedes-Silva D, Souza WJ, Cysne-Finkelstein L, Soares-Bezerra RJ, Monteiro FP, Leon LL 2006. Nitric oxide synthase (NOS) characterization in *Leishmania amazonensis* axenic amastigotes. Arch Med Res 37: 328-333.

Barbosa AF, Oliveira SM, Bertho AL, Rangel EF 2006. Single and concomitant experimental infectious by *Endotrypanum* spp. and *Leishmania* (*Viannia*) *guyanensis* (Kinetoplastida: Trypanosomatidae) in the neotropical sand fly *Lutzomyia longipalpis* (Diptera: Psychodidae). Mem I Oswaldo Cruz (impresso) 101: 851-856.

Indexado (fator de impacto >2,0 a 4,0)

Barreto EO, Carvalho VF, Oliveira MSS, Santos ALB, Barja-fidalgo TC, Cordeiro RBS, Martins MA, Martins PMRS 2006. High levels of filamentous actin and apoptosis correlate with mast cell refractoriness under alloxan-evoked diabetes. Life Sci 79: 1194-1202.

Telino E, De Luca PM, Matos DC, Azeredo-Coutinho RB, Meirelles MN, Conceição-Silva F, Schubach A, Mendonça, SC 2006. In vitro responses of human peripheral blood mononuclear cells to whole-cell particulate and soluble extracts of *Leishmania* promastigotes. Clin Exp Immunol 143: 338-344.

Genestra M, Souza WJ, Guedes-Silva D, Machado GM, Cysne-Finkelstein L, Bezerra RJ, Monteiro F, Leon LL 2006. Nitric oxide biosynthesis by *Leishmania amazonensis* promastigotes containing a high percentage of metacyclic forms.. Arch Microbiol 185: 348-354.

2007

Indexado (fator de impacto > 0,65 a 2,0)

Palmeiro MR, Valete-rosalino CM, Quintela LP, Morgado FN, Martins AC, Moreira J, Schubach A, Silva FC 2007. Gingival leishmaniasis in an HIV-negative patient.. Or Surg Or Med Or Pa 104: 12-16.

Matos GI, Covas CJF, Bittar RC, Silva AG, Marques F, Maniero VC, Amato VS, Oliveira-Neto MP, Mattos MS, Pirmez C, Sampaio EP, Moraes MO, Cruz AM 2007. IFNG +874T/A polymorphism is not associated with American tegumentary leishmaniasis susceptibility but can influence *Leishmania* induced IFN-gamma production. BMC Infect Dis 7: - .

Coutinho, RBGA, Mendonça, SCF, Callahan H, Portal AC, Grögl M 2007. Sensitivity of

Leishmania braziliensis promastigotes to meglumine antimoniate (glucantime) is higher than that of other Leishmania species and correlates with response to therapy in American tegumentary leishmaniasis. J Parasitol 93: 688-693.

Bittar RC, Nogueira RS, Vieira-gonçalves R, Ribeiro VP, Mattos MS, Oliveira-neto MP, Coutinho SG, Cruz AM 2007. T-cell responses associated with resistance to Leishmania infection in individuals from endemic areas for Leishmania (Viannia) braziliensis.. Mem I Oswaldo Cruz (impresso) 102: 625-630.

Santos AP, Santos ALB, Martins RM, Marcovitz R 2007. The sample processing time interval as an influential factor in flow cytometry analysis of lymphocyte subsets. Mem I Oswaldo Cruz (impresso) 102: 117-120.

Indexado (fator de impacto >2,0 a 4,0)

Silva AG, Bittar RC, Nogueira RS, Amato VS, Mattos MS, Oliveira-neto MP, Oliveira-neto MP, Cruz AM 2007. Can interferon-gamma and interleukin-10 balance be associated with severity of human Leishmania (Viannia) braziliensis infection?. Clin Exp Immunol 149: 440-444.

Brito MMS, Silva FC, Morgado FN, Schubach A, Schubach TP, Schaffer GMV, Schaffer GMV 2007. Comparison of virulence of different Sporothrix schenckii clinical isolates using experimental murine model.. Med Mycol 45: 721-729.

Coutinho, RBGA, Silva FC, Schubach A, Cupolillo E, Quintella LP, Madeira MF, Pacheco RS, Valet-rosalino CM, Mendonça, SCF 2007. First report of diffuse cutaneous leishmaniasis and Leishmania amazonensis infection in Rio de Janeiro State, Brazil. T Roy Soc Trop Med H 101: 735-737.

Pinheiro RO, Pinto EF, Guedes HLM, A Filho OA, Mattos KA, Saraiva EM, Mendonça, SCF, Rossi-Bergmann B 2007. Protection against cutaneous leishmaniasis by intranasal vaccination with lipophosphoglycan. Vaccine 25: 2716-2722.

Duarte CD, Tributino JLM, Lacerda DI, Martins MV, Alexandre-moreira MS, Dutra F, Bechara EJH, De-paula FS, Goulart MOF, Ferreira J, Calixto JB, Nunes MP, Santos ALB, Miranda ALP, Barreiro EJ, Fraga CAM 2007. Synthesis, pharmacological evaluation and electrochemical studies of novel 6-nitro-3,4-methylenedioxyphenyl-N-acylhydrazone derivatives: Discovery of LASSBio-881, a new ligand of cannabinoid receptors.. Bioorg Med Chem Lett 15: 2421-2433.

Indexado (fator de impacto >4,0)

Silva EM, Guillermo LV, Ribeiro-gomes FL, De-meis J, Nunes MP, Senra JFV, Soares MBP, Dosreis GA, Lopes MF 2007. Caspase inhibition reduces lymphocyte apoptosis and improves host immune responses to Trypanosoma cruzi infection. Eur J Immunol 37: 738-746.

Ribeiro-gomes FL, Moniz-de-souza MCA, Alexandre-moreira MS, Dias WB, Lopes MF, Nunes MP, Lungarella G, Dosreis GA 2007. Neutrophils activate macrophages for intracellular killing of Leishmania major through recruitment of TLR4 by neutrophil elastase. J Immunol 179: 3988-3994.

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Vieira-Gonçalves R, Pirmez C, Jorge ME, Silva WJ, Oliveira MP, Rutowitsch MS, Da-Cruz AM 2008. Clinical features of cutaneous and disseminated cutaneous leishmaniasis caused by *Leishmania (Viannia) braziliensis* in Paraty, Rio de Janeiro. *Int J Dermatol* 47: 926-932.

[doi>](#) Bezerra RJS, Silva EF, Echevarria A, Silva LG, Finkelstein LC, Monteiro FP, Leon LL, Genestra MS 2008. Effect of mesoionic 4-phenyl-5-(cinnamoyl)-1,3,4-thiadiazolium-2-phenylamine chloride derivative salts on the activities of the nitric oxide synthase and arginase of *Leishmania amazonensis*. *J Enzym Inhib Med Ch* 23: 328-333.

Indexado (>4,0)

[doi>](#) Villena SN, Olmo-Pinheiro R, Pinheiro CS, Nunes MP, Takyra CM, Dosreis GA, Previato JO, Mendonça-previato L, Freire-de-lima CG 2008. Capsular polysaccharides galactoxylomannan and glucuronoxylomannan from *Cryptococcus neoformans* induce macrophage apoptosis mediated by Fas ligand. *Cell Microbiol* 10: 1274-1285.

Indexado (<0,65 e não impactadas no ISI)

[doi>](#) Saheki MN, Schubach AO, Salgueiro MM, Silva FC, Wanke B, Lazera M 2008. Histoplasmose cutânea primária: relato de caso em paciente imunocompetente e revisão de literatura. *Rev Soc Bras Med Tro* 41: 680-682.

Mendonça SC 2008. Patogênese da leishmaniose tegumentar americana: conceitos estabelecidos e lacunas no conhecimento. *Rev Soc Bras Med Tro* 41 Suppl III: 155-159.

Cruz AM, Rabello A, Elkhoury AN, Fernandes AP, Fux B, Nunes CM, Costa CH, Costa DL, Furtado E, Noronha E, Grimaldi F, Goto H, Silva JCF, Lindoso AL, Brazuna JC, Garcez L, Teixeira LA, Pereira LA, Hueb M, Arruda M, Souza RC, Jeronimo SM, Mendonça SC, Carvalho SF, Amato VS, Camargo-Neves VL, Alves WA, Profeta Z 2008. Revisão das oficinas de trabalho sobre leishmanioses 2002-2007: avaliação das recomendações, análise de implantação e efeito e propostas. *Rev Soc Bras Med Tro* 41 Suppl III: 123-125.

Indexado (>2,0 a 4,0)

[doi>](#) Azeredo-Coutinho RB, Matos DC, Armôa G, Maia RM, Schubach A, Mayrink W, Mendonça SC 2008. Contrasting human cytokine responses to promastigote whole-cell extract and the *Leishmania* analogue receptor for activated C kinase antigen of *L. amazonensis* in natural infection versus immunization. *Clin Exp Immunol* 153: 369-375.

[doi>](#) Santos AP, Mattos DCS, Santos ALB, Mendonça, SCF, Marcovitz R 2008. Detection of Th1/Th2 cytokine signatures in yellow fever 17DD first-time vaccines through ELISpot assay. *Cytokine* 42: 152-155.

[doi>](#) Santiago MA, Ribeiro FC, Mouta-confort E, Nascimento LD, Schubach A, Madeira MF, Santos ALB 2008. Differentiation between canine cutaneous and visceral leishmaniasis by the detection of immunoglobulin G specific for *Leishmania (Viannia) braziliensis* and *Leishmania*

(Leishmania) chagasi antigens using flow cytometry.. Vet Parasitol 154: 341-346.

[doi>](#) Campos RM, Campos RM, Ferraz J, Pereira MMC, Rocha PO, Thompson GM, Finkelstein LC, C.b.q.figueiredo R, Melo Neto OP 2008. Distinct mitochondrial HSP70 homologues conserved in various Leishmania species suggest novel biological functions. Mol Biochem Parasit 160: 157-162.

[doi>](#) Morgado FN, Schubach A, Rosalino CMV, Quintella LP, Santos G, Salgueiro M, Silva FC 2008. Is the in situ inflammatory reaction an important tool to understand the cellular immune response in American tegumentary leishmaniasis?. Brit J Dermatol 158: 50-58.

[doi>](#) Tuon FF, Silva AG, Cruz AM, Duarte MI, A Neto V, Amato VS 2008. Local immunological factors associated with recurrence of mucosal leishmaniasis. Clin Immunol 128: 442-446.

[doi>](#) Villa M, Vargas-Inchaustegui DA, Chaves S, Tempone AJ, Dutra JMF, Soares MJ, Ueda-Nakamura T, Mendonça SCF, Rossi-Bergman B, Soong L, Traub-Cseko YM 2008. The C-terminal extension of Leishmania pifanoi amastigote-specific cysteine proteinase Lpcys2: a putative function in macrophage infection. Mol Biochem Parasit 162: 52-59.

2009

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Dos-Santos MC, Matos-Gomes N, Makimoto FH, Katsurayama M, Santana LL, Becker MA, Paredes-Garcia E, Bertho AL 2009. Cell phenotyping in saliva of individuals under psychological stress. Cell Immunol 260: 39-43.

[doi>](#) Rebello KM, Côrtes LMC, Pereira BA, Pascarelli BM, Côrte-Real S, Finkelstein LC, Pinho RT, d'Avila-Levy CM, Alves CR 2009. Cysteine proteinases from promastigotes of Leishmania (Viannia) braziliensis. Parasitol Res 106: 95-104.

[doi>](#) Costa JD, Soares R, Finkelstein LC, Côrte-Real S, Meirelles MN, Porrozzi R 2009. Fast high yield of pure Leishmania (Leishmania) infantum axenic amastigotes and their infectivity to mouse macrophages. Parasitol Res 105: 227-236.

[doi>](#) Baptista C, Schubach AO, Madeira MF, Leal CA, Pires MQ, Oliveira FS, Conceição-Silva F, Rosalino CM, Salgueiro MM, Pacheco RS 2009. Leishmania (Viannia) braziliensis genotypes identified in lesions of patients with atypical or typical manifestations of tegumentary leishmaniasis: Evaluation by two molecular markers. Exp Parasitol 121: 317-322.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Pinheiro RO, Nunes MP, Pinheiro CS, D'Avila H, Bozza PT, Takiya CM, Corte-Real S, Freire-de-Lima CG, DosReis GA 2009. Induction of autophagy correlates with increased parasite load of Leishmania amazonensis in Balb/c but not C57BL/6 macrophages. Microbes Infect 11: 181-190.

[doi>](#) Mendes-Aguiar CO, Mendes-Aguiar CO, Gomes-Silva A, Gomes-Silva A, Nunes Jr E, Nunes Jr E, Pereira-Carvalho R, Pereira-Carvalho R, Nogueira RS, Nogueira RS, Oliveira -Neto MP, Oliveira-Neto MP, Bertho AL, Bertho AL, Da-Cruz AM, Da-Cruz AM 2009. The skin homing

receptor cutaneous leucocyte-associated antigen (CLA) is up-regulated by Leishmania antigens in T lymphocytes during active cutaneous leishmaniasis. Clin Exp Immunol 157: 377-384.

2010

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Esperidião-Antonio V, Conceição-Silva F, De-Ary-Pires B, Pires-Neto MA, de Ary-Pires R 2010. The human superior tarsal muscle (Müller's muscle): a morphological classification with surgical correlations. Anat Sci Int 85: 1-7.

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Matta NE, Cysne-Finkelstein L, Machado GM, Da-Cruz AM, Leon L 2010. Differences in the antigenic profile and infectivity of murine macrophages of Leishmania (Viannia) parasites. J Parasitol 96: 509-515.

[doi>](#) Rebello KM, Britto C, Pereira BA, Pita-Pereira D, Moraes MO, Ferreira AB, Cysne-Finkelstein L, Otto TD, Côrtes LM, da-Silva GG, Alves CR 2010. Leishmania (Viannia) braziliensis: influence of successive in vitro cultivation on the expression of promastigote proteinases. Exp Parasitol 126: 570-576.

[doi>](#) Araújo-Melo MH, Meneses AM, Schuback AO, Moreira JS, Conceição-Silva F, Salgueiro MM, Pimentel MI, Araujo-Silva M, Oliveira RV, Carmo CN, Valete-Rosalino CM 2010. Risk factors associated with dizziness during treatment of mucosal leishmaniasis with meglumine antimoniate: 16-year retrospective study of cases from Rio de Janeiro, Brazil. J Laryngol Otol 124: 1056-1060.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Vasconcellos EC, Schuback AO, Valete-Rosalino CM, Coutinho RS, Conceição-Silva F, Salgueiro MM, Lyra MR, Moreira JS, Azeredo-Coutinho RB, Pimentel MI, Mortari SR, Madeira MF, Quintella LP, Baptista C, Marzochi MC 2010. American tegumentary leishmaniasis in older adults: 44 cases treated with an intermittent low-dose antimonial schedule in Rio de Janeiro, Brazil. J Am Geriatr Soc 58: 614-616.

Aline Fagundes, Armando Schuback, Cíntia Cristiane de Paula, Alessandra Bogio, Liliane de Fátima Antonio, Patrícia Botelho Schiavoni, Vivian de Souza Monteiro, Maria de Fátima Madeira, Leonardo Pereira Quintella, Claudia Maria Valete-Rosalino, Erica de Camargo Ferreira e Vasconcellos, Coutinho, RBGA, Pacheco RS, Mauro CA Marzochi, Keyla BF Marzochi 2010. Evaluation of polymerase chain reaction in the routine diagnosis for tegumentary leishmaniasis in a referral centre. Mem I Oswaldo Cruz (impresso) 105: 109-112.

[doi>](#) Matos DC, Faccioli LA, Cysne-Finkelstein L, De Luca PM, Corte-Real S, Armoa GR, Lemes EM, Decote-Ricardo D, Mendonça SC 2010. Kinetoplastid membrane protein-11 is present in promastigotes and amastigotes of Leishmania amazonensis and its surface expression increases during metacyclogenesis. Mem I Oswaldo Cruz (impresso) 105: 341-347.

[doi>](#) Oliveira-Ferreira J, Lacerda MV, Brasil P, Ladislau JL, Tauil PL, Daniel-Ribeiro CT 2010. Malaria in Brazil: an overview. Malaria J 9: - .

[doi>](#) Lima-Junior JC, Banic DM, Tran TM, Meyer VS, De-Simone SG, Santos F, Porto LC, Marques MT, Moreno A, Barnwell JW, Galinski MR, Oliveira-Ferreira J 2010. Promiscuous T-cell epitopes of Plasmodium merozoite surface protein 9 (PvMSP9) induces IFN-gamma and IL-4 responses in individuals naturally exposed to malaria in the Brazilian Amazon. *Vaccine* 28: 3185-3191.

[doi>](#) Morgado FN, Schubach A, Vasconcellos E, Azeredo-Coutinho RB, Valete-Rosalino CM, Quintella LP, Santos G, Salgueiro M, Palmeiro MR, Conceição-Silva F 2010. Signs of an in situ inflammatory reaction in scars of human American tegumentary leishmaniasis. *Parasite Immunol* 32: 285-295.

Indexado (fator de impacto > 4)

[doi>](#) Montalvão F, Almeida GM, Silva EM, Borges VM, Vasconcellos R, Takiya CM, Lopes MF, Nunes MP, DosReis GA 2010. Apoptotic lymphocytes treated with IgG from *Trypanosoma cruzi* infection increase TNF-alpha secretion and reduce parasite replication in macrophages. *Eur J Immunol* 40: 417-425.

[doi>](#) Oliveira AC, de Alencar BC, Tzelepis F, Klezewsky W, da Silva RN, Neves FS, Cavalcanti GS, Boscardin S, Nunes MP, Santiago MF, Nóbrega A, Rodrigues MM, Bellio M 2010. Impaired innate immunity in Tlr4(-/-) mice but preserved CD8+ T cell responses against *Trypanosoma cruzi* in Tlr4-, Tlr2-, Tlr9- or Myd88-deficient mice. *Plos Pathog* 6: - .

[doi>](#) Filardy AA, Pires DR, Nunes MP, Takiya CM, Freire-de-Lima CG, Ribeiro-Gomes FL, DosReis GA 2010. Proinflammatory clearance of apoptotic neutrophils induces an IL-12 (low) IL-10 (high) regulatory phenotype in macrophages. *J Immunol* 185: 2044-2050.

[doi>](#) Da-Cruz AM, Oliveira-Neto MP, Bertho AL, Mendes-Aguiar CO, Coutinho SG 2010. T cells specific to leishmania and other nonrelated microbial antigens can migrate to human leishmaniasis skin lesions. *J Invest Dermatol* 130: 1329-1336.

[doi>](#) Hayashi EA, Granato A, Paiva LS, Berto AL, Bellio M, Nobrega A 2010. TLR4 promotes B cell maturation: independence and cooperation with B lymphocyte-activating factor. *J Immunol* 184: 4662-4672.

2011

Indexado (fator de impacto > 2 e 4)

[doi>](#) Pratt-Riccio LR, Bianco C Jr, Totino PR, Perce-da-Silva DS, Silva LA, Riccio EK, Ennes-Vidal V, Neves-Ferreira AG, Perales J, Rocha SL, Dias-da-Silva F, Ferreira-da-Cruz MF, Daniel-Ribeiro CT, Oliveira-Ferreira J, Theisen M, Carvalho LJ, Banic DM 2011. Antibodies against the *Plasmodium falciparum* glutamate-rich protein from naturally exposed individuals living in a Brazilian malaria-endemic area can inhibit in vitro parasite growth. *Mem I Oswaldo Cruz* (impresso) 106 suppl 1: 34-43.

[doi>](#) Lima-Junior JC, Jiang J, Rodrigues-da-Silva RN, Banic DM, Tran TM, Ribeiro RY, Meyer VS, De-Simone SG, Santos F, Moreno A, Barnwell JW, Galinski MR, Oliveira-Ferreira J 2011. B cell epitope mapping and characterization of naturally acquired antibodies to the *Plasmodium vivax* merozoite surface protein-3alpha (PvMSP-3alpha) in malaria exposed individuals from Brazilian Amazon. *Vaccine* 29: 1801-1811.

[doi>](#) Bedoya-Pacheco SJ, Araujo-Melo MH, Valete-Rosalino CM, Pimentel MI, Conceição-Silva F, Schubach AO, Marzochi MC 2011. Endemic tegumentary leishmaniasis in Brazil: correlation between level of endemicity and number of cases of mucosal diseases. *Am J Trop Med Hyg* 84: 901-905.

[doi>](#) Perce-da-Silva DS, Banic DM, Lima-Junior JC, Santos F, Daniel-Ribeiro CT, Oliveira-Ferreira J, Pratt-Riccio LR 2011. Evaluation of allelic forms of the erythrocyte binding antigen 175 (EBA-175) in *Plasmodium falciparum* field isolates from Brazilian endemic area. *Malaria J* 10: - .

[doi>](#) Pereira BA, Silva FS, Rebello KM, Marin-Villa M, Traub-Cseko YM, Andrade TC, Bertho AL, Caffarena ER, Alves CR 2011. In silico predicted epitopes from the COOH-terminal extension of cysteine proteinase B inducing distinct immune responses during *Leishmania (Leishmania) amazonensis* experimental murine infection. *BMC Immunol* 12: - .

[doi>](#) Côrtes LM, Silva RM, Pereira BA, Guerra C, Zapata AC, Bello FJ, Finkelstein LC, Madeira MF, Brazil RP, Côte-Real S, Alves CR 2011. Lulo cell line derived from *Lutzomyia longipalpis* (Diptera: Psychodidae): a novel model to assay *Leishmania* spp. and vector interaction. *Parasite Vector* 4: - .

[doi>](#) Morgado FN, Schubach AO, Barros MB, Conceição-Silva F 2011. The in situ inflammatory profile of lymphocutaneous and fixed forms of human sporotrichosis. *Med Mycol* 49: 612-620.

Indexado (fator de impacto > 4)

[doi>](#) Ali N, de Brito EC, Brodskyn C, Campos-Neto A, Carvalho EM, Chang KP, Costa CH, Fernandes AP, Fujiwara R, Gazzimelli R, Goto H, Grimaldi G, Kaye P, Kedzierski L, Khamesipour A, Maia C, Maruyama SR, McMaster WR, Mendonça SC, de Janeiro R, Nakhasi HL, Peters NC, Piazza F, Quinnell R, Reis AB, Santos IK, Santos M, Santos-Gomes G, Shaw J, Valenzuela J, Walden P, Werneck G 2011. Vaccines for the leishmaniasis: proposals for a research agenda. *Plos Neglect Trop D* 5: - .

Indexado (fator de impacto 0,65 e 2)

[doi>](#) de Mello CX, de Oliveira Schubach A, de Oliveira RV, Conceição-Silva F, Pimentel MI, Lyra MR, E Vasconcellos EC, de Fátima Madeira M 2011. Comparison of the sensitivity of imprint and scraping techniques in the diagnosis of American tegumentary leishmaniasis in a referral centre in Rio de Janeiro, Brazil. *Parasitol Res* 109: 927-933.

2012

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Batista C, Schubach AO, Madeira MF, Miranda LF, Pinto AG, Barros JH, Conceição-Silva F, Pimentel MI, Pacheco RS 2012. Evaluation of genetic polymorphism of *Leishmania (V.) braziliensis* isolates obtained from the same patient before and after therapeutic failure or reactivation of cutaneous lesions. *J Trop Med* 2012: - .

Indexado (fator de impacto ≥ 1 e < 2,71)

Lima-Junior JC, Rodrigues-da-Silva RN, Pereira VA, Storer FL, Perce-da-Silva DS, Fabrino DL, Santos F, Banic DM, Oliveira-Ferreira J 2012. Cells and mediators of inflammation (C-reactive protein, nitric oxide, platelets and neutrophils) in the acute and convalescent phases of uncomplicated *Plasmodium vivax* and *Plasmodium falciparum* infection. Mem I Oswaldo Cruz (impresso) 107: 1035-1041.

[doi>](#) Palmeiro MR, Morgado FN, Valete-Rosalino CM, Martins AC, Moreira J, Quintella LP, de Oliveira Schubach A, Conceição-Silva F 2012. Comparative study of the in situ immune response in oral and nasal mucosal leishmaniasis. Parasite Immunol 34: 23-31.

[doi>](#) Azeredo-Coutinho RB, Matos DC, Nery JA, Valete-Rosalino CM, Mendonça SC 2012. Interleukin-10-dependent down-regulation of interferon-gamma response to *Leishmania* by *Mycobacterium leprae* antigens during the clinical course of a coinfection. Braz J Med Biol Res 45: 632-636.

[doi>](#) Vasconcellos EC, Pimentel MI, Schubach AO, de Oliveira RV, Azeredo-Coutinho RB, Silva FC, Salgueiro MM, Moreira JS, Madeira MF, Baptista C, Valete-Rosalino CM 2012. Intralesional meglumine antimoniate for treatment of cutaneous leishmaniasis patients with contraindication to systemic therapy from Rio de Janeiro (2000 to 2006). Am J Trop Med Hyg 87: 257-260.

[doi>](#) Lacerda DI, Cysne-Finkelstein L, Nunes MP, De-Luca PM, Genestra MS, Leon LL, Berrêdo-Pinho M, Mendonça-Lima L, Matos DC, Medeiros MA, de Mendonça SC 2012. Kinetoplastid membrane protein-11 exacerbates infection with *Leishmania amazonensis* in murine macrophages. Mem I Oswaldo Cruz (impresso) 107: 238-245.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Lima-Junior JC, Rodrigues-da-Silva RN, Banic DM, Jiang J, Singh B, Fabricio-Silva GM, Porto LC, Meyer EV, Moreno A, Rodrigues MM, Barnwell JW, Galinski MR, de Oliveira-Ferreira J 2012. Influence of HLA-DRB1 and HLA-DQB1 alleles on IgG antibody response to the *P. vivax* MSP-1, MSP-3 α and MSP-9 in individuals from Brazilian endemic area. Plos One 7: - .

[doi>](#) Macedo AB, Sánchez-Arcila JC, Schubach AO, Mendonça SC, Marins-dos-Santos A, de Fatma Madeira M, Gagini T, Pimentel MI, De Luca PM 2012. Multifunctional CD4+T cells in patients with American cutaneous leishmaniasis. Clin Exp Immunol 167: 505-513.

2013

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Fernandes, ATG, Rocha, NP, Awad, E, Grinsztejn, BJ, Russomano, F, Tristão, A, Quintanam MSB, Perez, MA, Silva FC, Bonecini-de-Almeida, MG 2013. Balance of apoptotic and anti-apoptotic marker and perforin granule release in squamous intraepithelial lesions. HIV infection leads to a decrease in perforin degranulation. Exp Mol Pathol 95: 166-173.

Moreira-de-Sequeira DC, Peixoto MLP, De Luca PM, Oliveira-Ferreira J, Antas PRZ, Borba CM 2013. Detection of antibody to *Purpureocillium lilacinum* by immunofluorescent assay and flow cytometry in serum of infected C57BL/6 mice. J Immunol Methods 396: 147-151.

[doi>](#) Morales, BP, Neves Junior, I, Trilles, L, Santos ALB, Oliveira, RVC, Nishikawa, MM, Elias,

MS, Wanke, B, Lazéra, MS 2013. Determination of the minimum inhibitory concentration of *Cryptococcus neoformans* and *Cryptococcus gattii* against fluconazole by flow cytometry. *Med Mycol* 1: 1-8.

[doi>](#) Miranda, LHM, Silva FC, Quintela LP, Kuraiem, PB, Pereira, SA, Schubach, TMP 2013. Feline sporotrichosis: Histopathological profile of cutaneous lesions and their correlation with clinical presentation.. *Comp Immunol Microb* 36: 425-432.

Pratt-Riccio LR, Silva DSP, Lima-Junior JC, Theisen M, Santos S, Daniel-Ribeiro CT, Oliveira-Ferreira J, Banic DM 2013. Genetic polymorphisms in the Glutamate-Rich Protein of *Plasmodium falciparum* field isolates from a malaria-endemic area of Brazil. *Mem I Oswaldo Cruz (impresso)* 108: 523-528.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Nunes MP, Fortes, B, Silva-Filho JL, Terra-Granado, E, Santos, L, Conde, L, de Araújo-Oliveira, I, Freire-de-Lima, L, Martins, MV, Pinheiro, AA, Takyia, CM, Freire-de-Lima, CG, Todeschini, AR, Dosreis, GA, Morrot, A 2013. Inhibitory effects of *Trypanosoma cruzi* sialoglycoproteins on CD4(+) T cells are associated with increased susceptibility to infection. *Plos One* 8(10): - .

[doi>](#) Pereira-Carvalho, R, Mendes-Aguiar CO, Oliveira-Neto, MP, Covas, CJ, Santos ALB, Cruz AM, Silva AG 2013. *Leishmania braziliensis*-Reactive T Cells Are Down-Regulated in Long-Term Cured Cutaneous Leishmaniasis, but the Renewal Capacity of T Effector Memory Compartments Is Preserved. *Plos One* 8: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Silva FC, Morgado FN, Pimentel MIF, Vasconcelos, ECF, Schubach A, Valette-Rosalino CM, Kropf, P, Muller, I 2013. Two women presenting worsening cutaneous ulcers during pregnancy: diagnosis, immune response and follow up. *Plos Neglect Trop D* 7: - .

2014

Indexado (fator de impacto ≥ 1 e $< 2,71$)

Silva RNR, Lima-Junior JC, Fonseca Bde P, Antas PRZ, Baldez, A, Storer, F, Santos, F, Banic DM, Oliveira-Ferreira J 2014. Alterations in cytokines and haematological parameters during the acute and convalescent phases of *Plasmodium falciparum* and *Plasmodium vivax* infections. *Mem I Oswaldo Cruz (impresso)* 109(2): 154-162.

[doi>](#) Morales BP, Neves Junior I, Trilles L, Bertho AL, Oliveira R de V, Nishikawa MM, Elias M dos S, Wanke B, Lazéra M dos S 2014. Determination of the minimum inhibitory concentration of *Cryptococcus neoformans* and *Cryptococcus gattii* against fluconazole by flow cytometry. *Med Mycol* 52: 90-98.

[doi>](#) Silva FSS, Pereira BAS, Finkelstein LC, Zucolotto, V, Caffarena, ER, Alves CR 2014. Dynamic identification of H2 epitopes from *Leishmania (Leishmania) amazonensis* cysteine proteinase B with potential immune activity during murine infection. *J Mol Recognit* 27: 98-105.

[doi>](#) Naiff PF, Nogueira RF, Cunha CF, Orlandi PP, Boechat AL, Bertho AL, Dos-Santos MC 2014.

Immunophenotyping in saliva as an alternative approach for evaluation of immunopathogenesis in chronic periodontitis. *J Periodontol* 85: e111-e120.

[doi>](#) Arcila JC, Silva DSP, Vasconcelos MPA, Silva RNR, Pereira VA, Aprigio CJL, Lima CAM, Fonseca e Fonseca BP, Banic DM, Lima-Junior JC, Oliveira-Ferreira J 2014. Intestinal parasites coinfection does not alter plasma cytokines profiles elicited in acute malaria in subjects from endemic area of Brazil. *Mediat Inflamm* 2014: - .

Pina-Costa, A, Brasil, P, Di Santi, SM, Araujo, MP, Suárez-Mutis, MC, Santelli, ACFS, Oliveira-Ferreira J, Lourenço de Oliveira R, Daniel-Ribeiro CT 2014. Malaria in Brazil: what happens outside the Amazonian endemic region. *Mem I Oswaldo Cruz (impresso)* 109: 618-633.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

Romão RPR, Moreira OC, Esparza EYO, Finkelstein LC, Silva AG, Valverde JG, Pirmez C, Cruz AM, Pinto EF 2014. Comparative evaluation of lesion development, tissue damage and cytokine expression in golden hamsters (*Mesocricetus auratus*) infected by inocula with different *Leishmania (Viannia) braziliensis* concentrations. *Infect Immun* 82: 5203-5213.

Ferreira AR, Balwan S, Cabrera-Mora E, Magri-de-Souza AC, Queiroz-Marques MT, Porto LCS, Santos F, Banic DM, Calvo-Calle JM, Oliveira-Ferreira J, Moreno A, Lima-Junior JC 2014. Evaluation of Naturally Acquired IgG Antibodies to a Chimeric and Non-Chimeric Recombinant Species of *Plasmodium vivax* Reticulocyte Binding Protein-1: Lack of Association with HLA-DRB1*/DQB1* in Malaria Exposed Individuals from the Brazilian Amazon.. *Plos One* 9: - .

[doi>](#) Filardy, AA, Costa-da-Silva, AC, Koeller, CM, Guimarães-Pinto, K, Ribeiro-Gomes, FL, Lopes, MF, Heise, N, Freire-de-Lima, CG, Nunes MP, Dos-Reis, GA 2014. Infection with *Leishmania major* induces a cellular stress response in macrophages.. *Plos One* 9(1): - .

[doi>](#) Luna-Gomes, T, Filardy, AA, Rocha, JD, Decote-Ricardo, D, LaRocque-de-Freitas IF, Morrot, A, Bozza PT, Castro-Faria-Neto HC, Dos-Reis, G, Nunes MP, Freire-de-Lima, CG 2014. Neutrophils increase or reduce parasite burden in *Trypanosoma cruzi*-infected macrophages, depending on host strain: role of neutrophil elastase.. *Plos One* 9(3): - .

[doi>](#) Costa DCS, Palmeiro MR, Moreira J, Martins AC, Fagundes A, Madeira MF, Pereira-Quintela L, Mouta-Confort E, Schubach AO, Silva FC, Valette-Rosalino CM 2014. Oral manifestations in the american tegumentary leishmaniasis. *Plos One* 9: - .

2015

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Mendonça, SCF, Finkelstein LC, Matos, DCS 2015. Kinetoplastid membrane protein-11 as a vaccine candidate and a virulence factor in *Leishmania*. *Front Immunol* 6: - .

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Nogueira RF, Cunha CF, Silva AG, Schubach AO, Pimentel MIF, Lyra MR, Mendonça, SCF, Valette-Rosalino CM, Cruz AM, Santos ALB 2015. Apoptosis and frequency of total and effector CD8+ T lymphocytes from cutaneous leishmaniasis patients during antimonial therapy. *BMC Infect Dis* 15: - .

[doi>](#) Batista C, Freitas-Campos-de Miranda L, Madeira MF, Leon LL, Conceição-Silva F, Schubach AO 2015. In Vitro Sensitivity of Paired Leishmania (Viannia) braziliensis Samples Isolated before Meglumine Antimoniate Treatment and after Treatment Failure or Reactivation of Cutaneous Leishmaniasis. *Dis Markers* 2015: - .

[doi>](#) Morales, BP, Trilles, L, Santos ALB, Junior, IN, de Oliveira, RVC, Wanke, B, Lázera, MS 2015. In vitro susceptibility testing of amphotericin B for *Cryptococcus neoformans* variety grubii AFLP1/VNI and *Cryptococcus gattii* AFLP6/VGII by CLSI and flow cytometry. *Mycoses* 58: 273-279.

[doi>](#) Ponte, G, PERES, L, Marinho, S, Lima, J, Siqueira, M, Pedro, T, De Luca PM, Cascabulho, C, Castelo-Branco, LR, Antas PRZ 2015. IN VITRO T-CELL PROFILE INDUCED BY BCG MOREAU IN HEALTHY BRAZILIAN VOLUNTEERS. *Hum Vacc Immunother* 11: 450-457.

[doi>](#) Azeredo-Coutinho, RB, Pimentel, MI, Zanini, GM, Madeira, MF, Cataldo, JI, Schubach, AO, Quintela, LP, de Melo, CX, Mendonça, SCF 2015. Intestinal helminth coinfection is associated with mucosal lesions and poor response to therapy in American tegumentary leishmaniasis.. *Acta Trop* 154: 42-49.

[doi>](#) Silva DSP, Luciene A Silva, Lima-Junior JC, Juliana Cardoso-Oliveira, M Ribeiro-Alves, Fátima Santos, Luiz Cristóvão Porto, Oliveira-Ferreira J, Banic DM 2015. Killer cell immunoglobulin-like receptor (KIR) gene diversity in a population naturally exposed to malaria in Porto Velho, Northern Brazil. *Tissue Antigens* 85: 190-199.

Pina-Costa, A, Brasil, P, Santi, SM, Araújo, MP, Suárez-Mutis, MC, Santelli AC, Oliveira-Ferreira J, Lourenço de Oliveira R, Daniel-Ribeiro CT 2015. Malaria in Brazil: what happens outside the Amazonian endemic region. *Mem I Oswaldo Cruz* (impresso) 109: 618-633.

[doi>](#) Ribas JS, Oliveira-Ferreira J, Freitas MGR, Trilla, L, Silva-do-Nascimento TF 2015. New classification of natural breeding habitats for Neotropical anophelines in the Yanomami Indian Reserve, Amazon Region, Brazil and a new larval sampling methodology. *Mem I Oswaldo Cruz* (impresso) 110: 760-770.

[doi>](#) Nogueira RF, Cunha CF, Pimentel MIF, Lyra MR, Schubach A, Mendonça, SCF, Cruz AM, Santos ALB 2015. T-receptor Vbeta repertoire of CD8+ T-lymphocyte subpopulations in cutaneous leishmaniasis patients from state of Rio de Janeiro. *Mem I Oswaldo Cruz* (impresso) 110(5): 596-605.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Morgado FN, Nascimento, MTC, Saraiva, EM, Oliveira-Ribeiro, C, Madeira, MF, Santos, MC, Vasconcelos, ECF, Pimentel, MIF, Lyra, MR, Schubach, AO, Conceição-Silva F 2015. Are Neutrophil Extracellular Traps Playing a Role in the Parasite Control in Active American Tegumentary Leishmaniasis Lesions?. *Plos One* 10(7): - .

[doi>](#) Pereira VA, Arcila JC, Antonio Teva, Silva DSP, Mariana P Vasconcelos, Cleonir A M Lima, Cesarino J L Aprígio, Silva RNR, Davi A Santos, Banic DM, Maria da Gloria Boneccini Almeida, Lima-Junior JC, Oliveira-Ferreira J 2015. IL10A genotypic association with decreased IL-10 circulating levels in malaria infected individuals from endemic area of the Brazilian Amazon. *Malaria J* 14: - .

[doi>](#) Cabrera-Mora, M, Cabrera-Moura, M, Singh, B, Oliveira-Ferreira J, Lima-Junior JC, CALVO-CALLE, J, Moreno, A 2015. Induction of multifunctional broadly reactive T-cell responses by a *Plasmodium vivax* circumsporozoite protein recombinant chimera.. *Infect Immun* 9: 3749-3761.

[doi>](#) Luna-Gomes T, Filardy, AA, Rocha JD, Decote-Ricardo D, LaRocque-de-Freitas IF, Morrot, A, Bozza PT, Castro-Faria-Neto HC, DosReis, GA, Nunes MP, Freire-de-Lima, CG 2015. Neutrophils increase or reduce parasite burden in *Trypanosoma cruzi*-infected macrophages, depending on host strain: role of neutrophil elastase.. *Plos One* 9(3): - .

[doi>](#) Arcila JC, França, MM, Pereira VA, Vasconcelos, MPA, Teva, A, Perce-da-Silva, DS, Rezende Neto, J, Aprígio, CJL, Lima-Junior JC, Rodrigues, MM, Soares, IS, Banic DM, Oliveira-Ferreira J 2015. The influence of intestinal parasites on *Plasmodium vivax*-specific antibody responses to MSP-119 and AMA-1 in rural populations of the Brazilian Amazon. *Malaria J* 14: - .

[doi>](#) Arcanjo, AF, LaRocque-de-Freitas, IF, Rocha, JDB, Zamith, D, Costa-da-Silva, AC, Nunes MP, Mesquita-Santos, FP, Morrot, A, Filardy, AA, Mariano, M, Bandeira-Melo, C, DosReis, GA, Decote-Ricardo, D, Freire-de-Lima, CG 2015. The PGE2/IL-10 Axis Determines Susceptibility of B-1 Cell-Derived Phagocytes (B-1CDP) to *Leishmania major* Infection.. *Plos One* 10(5): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Rocha, JDB, Nascimento, MTC, Decote-Ricardo, D, Corte-Real S, Morrot, A, Heise, N, Nunes MP, Previato, JO, Mendonça-Previato, L, DosReis, GA, Saraiva, E, Freire-de-Lima, CG 2015. Capsular polysaccharides from *Cryptococcus neoformans* modulate production of neutrophil extracellular traps (NETs) by human neutrophils. *Sci Rep-UK* 5: - .

[doi>](#) Silva FSS, Bourguignon SC, Pereira BAS, Cortes LMC, de Oliveira LF, Henriques-Pons A, Finkelstein LC, Ferreira VF, Carneiro PF, Pinho RT, Caffarena ER, Alves CR 2015. Epoxy- α -lapachone has in vitro and in vivo anti-leishmania (*Leishmania*) amazonensis effects and inhibits serine proteinase activity in this parasite. *Antimicrob Agents Ch* 59: 1910-1918.

2016

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Cunha CF, Ferraz, R, Pimentel MIF, Lyra, MR, Schubach, AO, Cruz AM, Santos ALB 2016. Cytotoxic cell involvement in human cutaneous leishmaniasis: assessments in active disease, under therapy and after clinical cure. *Parasite Immunol* 38(4): 244-254.

[doi>](#) Azeredo-Coutinho, RB, Pimentel, MI, Zanini, GM, Madeiram, MF, Cataldo JI, Schubach, AO, Quintela, LP, Mello, CX, Mendonça, SCF 2016. Intestinal helminth coinfection is associated with mucosal lesions and poor response to therapy in American tegumentary leishmaniasis. *Acta Trop* 154: 42-49.

[doi>](#) Lyra, MR, Passos, SRL, Pimentel, MIF, Bedoya-Pacheco, SJ, Valete-Rosalino, CM, Vasconcelos, ECF, Antonio, LF, Saheki, MN, Salgueiro, MM, Santos, GPL, Ribeiro, MN, Conceição-Silva F, Madeira, MF, Silva, JLN, Fagundes, A, Schubach, AO 2016. Pancreatic toxicity as an adverse effect induced by meglumine antimoniate therapy in a clinical trial for cutaneous Leishmaniasis. *Rev Inst Med Trop SP* 56: - .

[doi>](#) Monteiro-de-Miranda LH, Santiago , MA, Schubach, TM, Morgado FN, Pereira, SA, Oliveira, VR, Conceição-Silva F 2016. Severe feline sporotrichosis associated with an increased population of CD8low cells and a decrease in CD4+ cells. *Med Mycol* 54: 29-39.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Mendonça, SCF 2016. Differences in immune responses against Leishmania induced by infection and by immunization with killed parasite antigen: implications for vaccine discovery. *Parasite Vector* 9: - .

[doi>](#) Reis, JG, Reis, SC, Costa, DC, Lucena, MM, Schubach, AO, Oliveira, VR, Rolla, VC, Conceição-Silva F, Valete-Rosalino, CM 2016. Factors Associated with Clinical and Topographical Features of Laryngeal Tuberculosis. *Plos One* 11: - .

[doi>](#) Santiago MA, Fonseca BPFE, Marques CFS, Silva ED, Santos ALB, Almeida ACMA 2016. Flow Cytometry as a Tool for Quality Control of Fluorescent Conjugates Used in Immunoassays. *Plos One* 11: - .

[doi>](#) Silva RNR, Martins, JH, Balwan, S, Jiang, J, Meier, EVS, Santos, F, Banic DM, Moreno, A, Galinsk, MR, Oliveira-Ferreira J, Lima-Junior JC 2016. In silico Identification and Validation of a Linear and Naturally Immunogenic B-Cell Epitope of the Plasmodium vivax Malaria Vaccine Candidate Merozoite Surface Protein-9. *Plos One* 11: - .

[doi>](#) Morgado FN, Schubach, AO, Pimentel, MI, Lyra, MR, Vasconcelos, EC, Valete-Rosalino, CM, Conceição-Silva F 2016. Is There Any Difference between the In Situ and Systemic IL-10 and IFN- γ Production when Clinical Forms of Cutaneous Sporotrichosis Are Compared?. *Plos One* 11(9): - .

[doi>](#) Pinna, RA, Santos, DS, Perce-da-Silva, D, Oliveira-Ferreira J, Villa-Verde DMS, De Luca PM, Banic DM 2016. Malaria-Cutaneous Leishmaniasis Co-Infection: Influence on Disease Outcomes and Immune Response. *Front Microbiol* 7: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Fonseca, JA, Cabrera-Mora, M, Singh, B, Oliveira-Ferreira J, Lima-Junior JC, Calvo-Cale, JM, Lozano, JM, Moreno, A 2016. A chimeric protein-based malaria vaccine candidate induces robust T cell responses against Plasmodium vivax MSP119. *Sci Rep* 6: - .

[doi>](#) De Luca PM, Macedo, AB 2016. Cutaneous leishmaniasis vaccination: A matter of quality. *Front Immunol* 7: - .

[doi>](#) Lima-Junior JC, Pratt-Riccio LR 2016. Major Histocompatibility Complex and Malaria:

Focus on Plasmodium vivax infection. Front Immunol 7: - .

2017

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) de Campos MP, De Luca PM, Renzetti ARS, de Souza SMM, Mendes Júnior AAV, Barros RS, Figueiredo FB 2017. Can vaccines against canine visceral leishmaniasis interfere with serological diagnostics recommended by the Brazilian Ministry of Health?. Cienc Rural 47: - .

[doi>](#) Palacios-Salvatierra R, Anaya-Ramirez E, juscamayta-López J, Cáceres-Rey O, Mendonza-urib L, Mosquera-Visaloth P, Conceição-Silva F 2017. Perfil epidemiológico y molecular de Rickettsiosis en localidades de frontera peruana. Rev Peru Med Exp Salud Publica 34(1): 76-84.

Indexado (fator de impacto >= 7,51)

[doi>](#) Lima-Junior JC, Morgado FN, Conceição-Silva F 2017. How Can Elispot Add Information to Improve Knowledge on Tropical Diseases?. Cell 6(4): 31-56.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Oliveira-Ribeiro, C, Pimentel, MIF, Oliveira, RVC, Fagundes, A, Madeira, MF, Mello, CX, Mouta-Confort, E, Valete-Rosalino, CM, Vasconcellos, ECF, Lyra, MR, Quintela, MP, Fátima Antonio, L, Schubach, AO, Conceição-Silva F 2017. Clinical and laboratory profiles of patients with early spontaneous healing in cutaneous localized leishmaniasis: a historical cohort study. BMC Infect Dis 17: - .

[doi>](#) Gonçalves-de-Oliveira LF, Silva FSS, Finkelstein LC, Rabelo, K, Amorim, J, Azevedo, A, Bourguignon, SC, Ferreira, VF, Paes MV, Alves CR 2017. Evidence for tissue toxicity in Balb/c exposed to a long-term treatment with oxiranes compared to meglumine antimoniate. BioMed Res Int 2017: - .

[doi>](#) Silveira Junior LS, Silva FSS, Pereira BAS, Finkelstein LC, Cavalcanti Jr GB, Alves CR 2017. Exploring the Association of Surface Plasmon Resonance with Recombinant MHC:Ig Hybrid Protein as a Tool for Detecting T Lymphocytes in Mice Infected with Leishmania (Leishmania) amazonensis. BioMed Res Int 2017: - .

[doi>](#) Souza RM, Andrade Junior HF, Duarte MIS, Braz LMA, Schubach AO, Conceição-Silva F, Amato VS 2017. Reactivation of cutaneous and mucocutaneous tegumentary leishmaniasis in rheumatoid arthritis patients: an emerging problem?. Rev Inst Med Trop SP 59: - .

[doi>](#) Velloso-de-Carvalho LM, Pimentel MIF, Conceição-Silva F, Vasconcellos ECF, Valete-Rosalino CM, Lyra MR, Salgueiro MM, Saheki MN, Madeira MF, Mouta-Confort E, Antonio LF, Silva AF, Quintela LP, Bedoya-Pacheco SJ, Schubach AO 2017. Sporotrichoid leishmaniasis: a cross-sectional clinical, epidemiological and laboratory study in Rio de Janeiro State, Brazil. Rev Inst Med Trop SP 59: - .

[doi>](#) Pratt-Riccio LR, Silva DSP, Lima-Junior JC, Riccio EKP, Ribeiro-Alves, M, Santos, F, Arruda, M, Camus, D, Druilhe, P, Oliveira-Ferreira J, Daniel-Ribeiro CT, Banic DM 2017. Synthetic Antigens Derived from Plasmodium falciparum Sporozoite, Liver, and Blood Stages: Naturally Acquired Immune Response and Human Leukocyte Antigen Associations in Individuals Living in a Brazilian Endemic Area. Am J Trop Med Hyg 97: 11-12.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Raquel Ferraz, Clarissa Cunha, Maria Ines F. Pimentel, Marcelo R. Lyra, Silva TP, Armando O. Schubach, Cruz AM, Santos ALB 2017. CD3+CD4negCD8neg (double negative) T lymphocytes and NKT cells as the main cytotoxic-related-CD107a+ cells in lesions of cutaneous leishmaniasis caused by Leishmania (Viannia) braziliensis. Parasite Vector 10: - .

[doi>](#) Arcanjo AF, Nico D, Migliani de Castro GM, Fontes YS, Saltarelli P, Decote-Ricardo D, Nunes MP, Ferreira-Pereira A, Palatnik-de-Sousa CB, Freire-de-Lima CG, Morrot A 2017. Dependency of B-1 Cells in the Maintenance of Splenic Interleukin-10 Producing Cells and Impairment of Macrophage Resistance in Visceral Leishmaniasis. Front Microbiol 8: - .

[doi>](#) Arcila JC, Oliveira-Ferreira J, Gimnig, JE, Pereira-Ribeiro, C, Neves MSAS, Nascimento TFS 2017. Environmental variables associated with anopheline larvae distribution and abundance in Yanomami villages within unaltered areas of the Brazilian Amazon. Parasite Vector 10: - .

[doi>](#) Moreira-de-Sequeira DC, Menezes RC, Oliveira MME, Antas PRZ, De Luca PM, Oliveira-Ferreira J, Borba CM 2017. Experimental hyalohyphomycosis by Purpureocillium lilacinum: outcome of the infection in C57BL/6 murine models. Front Microbiol 8: - .

[doi>](#) Gomes CB, Silva FSS, Charret KS, Pereira BAS, Finkelstein LC, Santos-de-Souza R, Cortes LMC, Pereira MCS, Oliveira Junior FOR, Alves CR 2017. Increasing in cysteine proteinase B expression and enzymatic activity during in vitro differentiation of Leishmania (Viannia) braziliensis: First evidence of modulation during morphological transition. Biochimie 133: 28-36.

[doi>](#) Chaves LB, Silva DSP, Silva RNR, Martins da Silva JH, Capatti CG, Machado RLD, Pratt-Riccio LR, Banic DM, Lima-Junior JC 2017. Plasmodium vivax Cell Traversal Protein for Sporozoites and Ookinetes (PvCelTOS) gene sequence and potential epitopes are highly conserved among isolates from different regions of Brazilian Amazon. Plos Neglect Trop D 11: - .

[doi>](#) Freire-de-Lima, L, Gentile, LB, Fonseca, LM, Costa, KM, Lemos, JS, Jacques, LR, Morrot, A, Freire-de-Lima, CG, Nunes MP, Takyia, CM, Previato, JO, Mendonça-Previato, L 2017. Role of Inactive and Active Trypanosoma cruzi Trans-sialidases on T Cell Homing and Secretion of Inflammatory Cytokines. Front Microbiol 8: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Mendonça PHB, Rocha RFDB, Moraes JBB, LaRocque-de-Freitas IF, Logullo J, Morrot A,

Nunes MP, Freire-de-Lima CG, Decote-Ricardo D 2017. Canine macrophage DH82 cell line as a model to study susceptibility to *Trypanosoma cruzi* infection. *Front Immunol* 8: - .

[doi>](#) Santos-de-Souza HA, Correa EHC, Bianco-Jr C, Andrade, MC, Lima-Junior JC, Pratt-Riccio LR, Daniel-Ribeiro CT, Totino PRR 2017. Detection of signal regulatory protein alpha in *Saimiri sciureus* (squirrel monkey) by anti-human monoclonal antibody. *Front Immunol* 8: - .

[doi>](#) Carrilo E, Fernandez L, Ibarra-Meneses AV, Santos MLB, Nico D, De Luca PM, Correa CB, Almeida RP, Moreno J, Palatnik-de-Sousa CB 2017. F1 Domain of the *Leishmania* (*Leishmania*) *donovani* Nucleoside Hydrolase Promotes a Th1 Response in *Leishmania* (*Leishmania*) *infantum* Cured Patients and in Asymptomatic Individuals Living in an Endemic Area of Leishmaniasis. *Front Immunol* 8: - .

[doi>](#) Decote-Ricardo D, Nunes MP, Morrot A, Freire-de-Lima CG 2017. Implication of Apoptosis for the Pathogenesis of *Trypanosoma cruzi* Infection. *Front Immunol* 8: - .

[doi>](#) Santos MLB, Nico D, Oliveira FA, Barreto AS, Palatnik-de-Sousa I, Carrilo E, Moreno J, De Luca PM, Morrot A, Rosa DS, Palatnik M, Bani-Corrêa C, Almeida RP, Palatnik-de-Sousa CB 2017. *Leishmania donovani* nucleoside hydrolase (nh36) Domains induce T-cell cytokine responses in human Visceral leishmaniasis. *Front Immunol* 8: - .

[doi>](#) Silva RNR, Soares IF, Lopez-Camacho C, Martins da Silva JH, Silva DSP, Teva A, Ramos Franco AM, Pinheiro FG, Chaves LB, Pratt-Riccio LR, Reyes-Sandoval A, Banic DM, Lima-Junior JC 2017. *Plasmodium vivax* Cell-Traversal Protein for Ookinetes and Sporozoites: Naturally Acquired Humoral Immune Response and B-Cell Epitope Mapping in Brazilian Amazon Inhabitants. *Front Immunol* 8: - .

2018

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Pinna RA, dos Santos AC, Silva DSP, Silva LA, da Silva RNR, Alves MR, Ferreira FO, Santos F, Oliveira-Ferreira J, Lima-Junior JC, Villa-Verde DMS, De Luca PM, Carvalho-Pinto CE, Banic DM 2018. Correlation of APRIL with production of inflammatory cytokines during acute malaria in the Brazilian Amazon. *Immun Inflamm Dis* 6: 207-220.

[doi>](#) Conceição-Silva F, Morgado FN 2018. Immunopathogenesis of Human Sporotrichosis: What We Already Know. *J Fungi* 4: - .

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Monte TCC, Chometon TQ, Santos ALB, de Moura VS, de Vasconcellos MC, Garcia J, Ferraz-Nogueira R, Maldonado Júnior A, Faro MJ 2018. Changes in hemocytes of *Biomphalaria glabrata* infected with *Echinostoma paraensei* and exposed to glyphosate-based herbicide. *J Invertebr Pathol* 160: 65-67.

[doi>](#) Silva JN, Miranda LHM, Menezes RC, Gremião IDF, Oliveira RVC, Vieira SMM, Conceição-

Silva F, Ferreiro L, Pereira SA 2018. Comparison of the sensitivity of three methods for the early diagnosis of sporotrichosis in cats. *J Comp Pathol* 160: 72-78.

[doi>](#) Pereira VA, Sánchez-Arcila, JC, Vasconcelos, MPA, Ferreira AR, Videira LS, Teva, A, Silva DSP, Marques, MTQ, Carvalho, LH, Banic DM, Pôrto, LCS, Oliveira-Ferreira J 2018. Evaluating seroprevalence to circumsporozoite protein to estimate exposure to three species of *Plasmodium* in the Brazilian Amazon. *Infect Dis Poverty* 7: 46-50.

[doi>](#) Finkelstein LC, Finkelstein LC, Silva-de-Almeida M, Silva-de-Almeida M, Pereira BAS, Pereira BAS, Charret KS, Charret KS, Santos ALB, Santos ALB, Bastos LS, Bastos, LS, Oliveira Pinto LM, Oliveira Pinto LM, Oliveira Junior FOR, Oliveira Junior FOR, Pereira MCS, Pereira MCS, Alves CR, Alves CR 2018. Evidence of Subpopulations with Distinct Biological Features Within a *Leishmania* (*Viannia*) *braziliensis* Strain. *Protist* 167: 107-121.

[doi>](#) Cataldo JI, Conceição-Silva F, Antônio LF, Schubach AO, Marzochi MCA, Valete-Rosalino CM, Pimentel MIF, Lyra MR, Oliveira RVC, Barros JHS, Pacheco RS, Madeira MF 2018. Favorable responses to treatment with 5mg SbV/kg/day meglumine antimoniate in patients with American tegumentary leishmaniasis acquired in different Brazilian regions. *Rev Soc Bras Med Tro* 51: 769-780.

[doi>](#) Nico D, Conde L, Rivera-Correa JL, Vasconcelos-dos-Santos A, Mesentier-Louro L, Freire-de-Lima L, Arruda MB, Freire-de-Lima CG, Ferreira OC, Lopes Moreira ME, Zin AA, Vasconcelos ZFM, Otero, R.M., Palatinik-de-Souza CB, Tanuri A, Todeschini AR, Savino W, Rodriguez A, Morrot A 2018. Prevalence of IgG autoantibodies against GD3 ganglioside in acute zika virus infection. *Front Med* 5: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Gonçalves-de-Oliveira LF, Silva FSS, Cortes LMC, Finkelstein LC, Pereira MCS, Oliveira Junior FOR, Pinho RT, Corte-Real S, Bourguignon SC, Ferreira VF, Alves CR 2018. Antileishmanial Activity of 2-Methoxy-4H-spiro-[naphthalene 1,2'-oxiran]-4-one (Epoxy-methoxy-lawsonone): A Promising New Drug Candidate for Leishmaniasis Treatment. *Molecules* 23: - .

[doi>](#) Linhares-Lacerda L, Granato A, Gomes Neto JF, Conde L, Freire-de-Lima L, De Freitas EO, Freire-de-Lima CG, Coutinho Barroso SP, Jorde de Alcantara Guerra R, Savino W, Morrot A 2018. Circulating plasma microRNA-208a as potential biomarker of chronic indeterminate phase of Chagas Diseases. *Front Microbiol* 9: - .

[doi>](#) Miranda LHM, Meli M, Conceição-Silva F, Novacco M, Menezes RC, Pereira SA, Sugiarto S, Reis EGD, Gremião IDF, Hofmann-Lehmann R 2018. Co-infection with feline retrovirus is related to changes in immunological parameters of cats with sporotrichosis. *Plos One* 13(11): - .

[doi>](#) Firmino-Cruz L, Ramos TD, Fonseca-Martins AM, Maciel-Oliveira D, Oliveira-Silva G, Elena Silveira Pratti J, Cavazzoni C, Chaves SP, Oliveira Gomes DC, Morrot A, Lima LF, Vale AM, Freire-de-Lima CG, Decoté-Ricardo D, Matos Guedes HL 2018. Immunomodulating role of IL-10-

producing B cells in leishmania amazonensis infection. Cell Immunol 334: 20-30.

LaRoque-de-Freitas IF, Rocha JDB, Nunes MP, Oliveira PAV, Nascimento DO, Freire-de-Lima L, Takyia CM, Morrot A, Decote-Ricardo D, Previat, JO, Dos-Reis GA, Mendonça-Previato L, Freire-de-Lima CG 2018. Involvement of the capsular GalXM-induced IL-17 cytokine in the control of Cryptococcus neoformans infection. Sci Rep 8: - .

[doi>](#) Perez AR, Morrot A, Carvalho VF, Meis J, Savino W 2018. Role of hormonal circuitry upon T cell development in Chagas diseases: Possible implications on T cell dysfunctions. Front Endocrinol 9: - .

[doi>](#) Conceição-Silva F, Leite-Silva J, Morgado FN 2018. The Binomial Parasite-Host Immunity in the Healing Process and in Reactivation of Human Tegumentary Leishmaniasis. Front Microbiol 9: - .

[doi>](#) Morgado FN, Carvalho LMV, Silva JL, Seba AJ, Pimentel MIF, Fagundes A, Madeira MF, Lyra MR, Oliveira MM, Schubach AO, Conceição-Silva F 2018. Unbalanced inflammatory reaction could increase tissue destruction and worsen skin infectious diseases - a comparative study of leishmaniasis and sporotrichosis. Sci Rep 8(1): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)


[doi>](#) Montalvão F, Nascimento DO, Nunes MP, Koeller CM, Morrot A, Lery LMS, Bisch PM, Teixeira SMR, Vasconcellos R, Freire-de-Lima L, Lopes MF, Heise N, Dos Reis GA, Freire-de-Lima CG 2018. Antibody Repertoires Identify Beta-Tubulin as a Host Protective Parasite Antigen in Mice Infected With Trypanosoma cruzi. Front Immunol 9: - .

[doi>](#) Filardy AA, Guimarães-Pinto K, Nunes MP, Zukeram K, Fliess L, Pereira L, Oliveira-Nascimento D, Conde D, Morrot A 2018. Human kinetoplastid protozoan infections: where are we going next?. Front Immunol 9: - .

[doi>](#) Campos MP, Figueiredo FB, Morgado FN, Renzetti ARS, Marques de Souza SM, Pereira, S.A., Rodrigues da Silva, R.N., Lima-Junior JC, De Luca PM 2018. Leishmania infantum virulence factor A2 protein: Linear B-cell epitope mapping and identification of three main linear B-cell epitopes in vaccinated and naturally infected dogs. Front Immunol 9: - .

[doi>](#) Morrot A, Fonseca LM, Salustiano EJ, Gentile LB, Conde L, Filardy AA, Franklin TN, da Costa KM, Freire-de-Lima CG, Freire-de-Lima L 2018. Metabolic symbiosis and immunomodulation: How tumor cell-derived lactate may disturb innate and adaptive immune responses. Front Immunol 8: - .

[doi>](#) Nico D, Martins Almeida F, Maria Motta J, Soares dos Santos Cardoso F, Freire-de-Lima CG, Freire-de-Lima L, De Luca PM, Maria Blanco Martinez A, Morrot A, Palatnik-de-Souza CB 2018. NH36 and F3 Antigen-Primed Dendritic Cells Show Preserved Migrating Capabilities and CCR7 Expression and F3 Is Effective in Immunotherapy of Visceral Leishmaniasis. Front Immunol 9: - .

 Guimarães-Pinto K, Nascimento DO, Corrêa-Ferreira A, Morrot A, Freire-de-Lima CG, Lopes MF, Dos-Reis GA, Filardy AA 2018. Trypanosoma cruzi infection induces cellular stress response and senescence-like phenotype in murine fibroblast. *Front Immunol* 9: - .