

Laboratório de Microbiologia Celular

2006

Indexado (fator de impacto > 0,65 a 2,0)

Ferreira R, Fonseca LS, Afonso AM, Silva MG, Saad MH, Lilenbaum W 2006. A report of mycobacteriosis caused by *Mycobacterium marinum* in bullfrogs (*Rana catesbeiana*). *Vet J* 171: 177-180.

Antunes SLG, Chimelli LM, Rabello ET, Valentim VC, Corte-Real S, Sarno EN, Jardim MR 2006. An immunohistochemical, clinical and electroneuromyographic correlative study of the neural markers in the neuritic form of leprosy. *Braz J Med Biol Res* 39: 1071-1081.

Tavares RC, Salgado JLF, Moreira VB, Ferreira MA, Mello FC, Leung JA, Singh M, Fonseca LS, Saad MH 2006. Cell proliferation and interferon-g response to recombinant MBP-3, NarL, MT-10.3, and 16kDa *Mycobacterium tuberculosis* antigens in Brazilian tuberculosis patients. *Mem I Oswaldo Cruz* (impresso) 101: 857-861.

Indexado (fator de impacto >2,0 a 4,0)

Suffys P, Rocha A da S, Brandão A, Vanderborght B, Mijs W, Jannes G, Mello FC, Pedro H da S, Fonseca Lde S, de Oliveira RS, Leão SC, Saad MH 2006. Detection of mixed infections with *Mycobacterium lentiflavum* and *Mycobacterium avium* by molecular genotyping methods. *J Med Microbiol* 55: 127-131.

Silva MT, Antunes SL, Rolla VC, Galhardo MC, Valle AF 2006. Distal painful peripheral neuropathy associated with erythema induratum of Bazin. *Eur J Neurol* 13: 5-6.

2007

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Mendes JM, Fonseca LS, Lourenço MC, Saad MH 2007. A retrospective study of the epidemiological aspects of tuberculosis in the Complexo de Manguinhos an urban slum area in Rio de Janeiro, Brazil, 2000-2002. *J Bras Pneumol* 33: 443-447.

Cavalcanti HR, Cavalcanti HR, Marques E, Fonseca LS, Saad MH 2007. Do DNA extraction methods and TAQ polimerase quality improve the double repetitive element (DRE) PCR typing method for *Mycobacterium tuberculosis* strains?. *Braz J Microbiol* 38: 409-412.

Mendes JM, Lourenço MC, Ferreira RMC, Fonseca LS, Saad MH 2007. Drug resistance in *Mycobacterium tuberculosis* strains isolated from sputum samples from symptomatic outpatients - Complexo de Manguinhos, Rio de Janeiro, Brazil. *J Bras Pneumol* 33: 579-582.

Trajman A, Kaisermann C, Luiz RR, Sperhake RD, Rossetti ML, Saad MH, Sardella IG, Spector N, Kritski AL 2007. Pleural fluid ADA, IgA-ELISA and PCR sensitivities for the diagnosis of pleural tuberculosis. *Scand J Clin Lab Inv* 67: 877-884.

Indexado (fator de impacto > 0,65 a 2,0)

Tavares RC, Salgado J, Moreira VB, Ferreira MA, Mello FC, Leung JW, Fonseca de S, Spallek R, Singh M, Saad MH 2007. Interferon gamma Response to the Combinations 38 kDa/CFP-10, 38

kDa/MPT-64, ESAT-6/MPT-64 and ESAT-6/CFP-10, Each related to a single Recombinant Protein of Mycobacterium tuberculosis in individuals from Tuberculosis endemic Areas . Microbiol Immunol 51: 289-296.

Indexado (fator de impacto >2,0 a 4,0)

Ribeiro ML, Pessolani MCV 2007. Comparative genomics of mycobacterial proteases. Microb Pathogenesis 43: 173-178.

Ribeiro ML, Tempone AJ, Amaral JJ, Nery JAC, Antunes SLG, Pessolani MCV 2007. Expression analysis of proteases of Mycobacterium leprae in human skin lesions. Microb Pathogenesis 43: 249-254.

Correa Soares JB, Maya-Monteiro CM, Bittencourt-Cunha PR, Atella GC, Lara FA, d Avila JC, Menezes D, Vannier-Santos MA, Oliveira PL, Egan TJ, Oliveira MF 2007. Extracellular lipid droplets promote hemozoin crystallization in the gut of the blood fluke Schistosoma mansoni. Febs Lett 581: 1742-1750.

Biet F, Angela de Melo Marques M, Grayon M, Xavier da Silveira EK, Brennan PJ, Drobecq H, Raze D, Vidal Pessolani MC, Loch C, Menozzi FD 2007. Mycobacterium smegmatis produces an HBHA homologue which is not involved in epithelial adherence. Microbes Infect 9: 175-182.

Martins MV, Lima MC, Duppre NC, Matos HJ, Spencer JS, Brennan PJ, Sarno EN, Fonseca L, Pereira GM, Pessolani MC 2007. The level of PPD-specific IFN-gamma-producing CD4+ T cells in the blood predicts the in vivo response to PPD. Tuberculosis 87: 202-211.

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Esquenazi DA, Moreira AL, Machado AM, Nery JAC, F.F. Alvarenga, F. AF, Sarno EN, Pereira GMB 2008. Clinical, immunological and histological aspects of an uncommon type II reaction in patients with lepromatous leprosy. Clin Exp Dermatol 33: 294-297.

[doi>](#) Silva VMC, Sardella IG, Raggio LR, Cunha AJL, Cavalcanti AH, Mahavir S, Barreto MM, Rodrigues RS, Carvalho TF, Saad MH 2008. Immunoreactivity of five antigens of Mycobacterium tuberculosis in patients attending a public health care facility in an area with high endemicity for TB. Microbiol Immunol 52: 544-550.

Malaspina AC, Cavalcanti HR, Leite CQ, Machado SM, Viana BH, Silva RM, Hage EF, Figueiredo WM, Marques E, Ferrazoli L, Arbex M, Lessi M, Fonseca LS, Rigouts L, Saad MH 2008. Usefulness of Mycobacterium tuberculosis molecular typing in a tuberculosis low-endemic agro-industrial setting of Brazil. Jpn J Infect Dis 61: 231-233.

Indexado (>4,0)

[doi>](#) Marques MAM, Pessolani MCV 2008. Deciphering the proteomic profile of Mycobacterium leprae cell envelope. Proteomics 8: 2477-2491.

Indexado (>2,0 a 4,0)

[doi>](#) Portugal ML, Todeschini AR, Lima CS, Silva CAM, Borges RM, Ottenhoff THM, Previato LM, Previato JO, Pessolani MCV 2008. Characterization of two heparan sulphate-binding sites in

the mycobacterial adhesin Hlp. BMC Microbiol 8: - .

2009

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Ribeiro-Guimarães ML, Marengo EB, Tempone AJ, Amaral JJ, Klitzke CF, da Silveira EK, Portaro FC, Pessolani MC 2009. Cloning, expression and characterisation of an HtrA-like serine protease produced in vivo by Mycobacterium leprae. Mem I Oswaldo Cruz (impresso) 109: 1132-1138.

[doi>](#) Andrade MK, Machado SM, Leite ML, Saad MH 2009. Phenotypic and genotypic variant of MDR-Mycobacterium tuberculosis multiple isolates in the same tuberculosis episode, Rio de Janeiro, Brazil. Braz J Med Biol Res 42: 433-437.

Indexado (fator de impacto > 2 e < 4)

Baetas-da-Cruz W, Alves L, Guimarães EV, Santos-Silva A, Pessolani MC, Barbosa HS, Corte-Real S, Cavalcante LA 2009. Efficient uptake of mannosylated proteins by a human Schwann cell line. Histol Histopathol 24: 1029-1034.

[doi>](#) Geluk A, Spencer JS, Bobosha K, Pessolani MC, Pereira GM, Banu S, Honoré N, Reece ST, MacDonald M, Sapkota BR, Ranjit C, Franken KL, Zewdie M, Aseffa A, Hussain R, Stefani MM, Cho S, Oskam L, Brennan PJ, Dockrell HM, IDEAL Consortium 2009. From genome-based in silico predictions to ex vivo verification of leprosy diagnosis. Clin Vaccine Immunol 16: 352-359.

[doi>](#) de Lima CS, Marques MA, Debie AS, Almeida EC, Silva CAM, Brennan PJ, Sarno EN, Menozzi FD, Pessolani MCV 2009. Heparin-binding hemagglutinin (HBHA) of Mycobacterium leprae is expressed during infection and enhances bacterial adherence to epithelial cells. FEMS Microbiol Lett 292: 162-169.

[doi>](#) Baetas-da-Cruz W, Alves L, Pessolani MC, Barbosa HS, Regnier-Vigouroux A, Corte-Real S, Cavalcante LA 2009. Schwann cells express the macrophage mannose receptor and MHC class II. Do they have a role in antigen presentation?. J Peripher Nerv Syst 14: 84-92.

Indexado (fator de impacto > 4)

[doi>](#) Lara FA, Kahh SA, da Fonseca AC, Bahia CP, Pinho JP, Graça-Souza AV, Houzel JC, de Oliveira PL, Moura-Neto V, Oliveira MF 2009. On the fate of extracellular hemoglobin and heme in brain. J Cerebr Blood F Met 29: 1109-1120.

2010

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Cabral VR, de Souza CF, Guimarães FL, Saad MH 2010. Heterogeneity in human IFN-gamma responses to clinical Mycobacterium tuberculosis strains. J Bras Pneumol 36: 494-497.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Araujo LS, Moraes RM, Trajman A, Saad MH 2010. Assessment of the IgA immunoassay diagnostic potential of the Mycobacterium tuberculosis MT10.3-MPT64 fusion protein in

tuberculous pleural fluid. *Clin Vaccine Immunol* 17: 1963-1969.

[doi>](#) Sardella IG, Singh M, Kumpfer S, Heringer RR, Saad MH, Sohler MP 2010. Evaluation of LIONEX TB kits and mycobacterial antigens for IgG and IgA detection in cerebrospinal fluid from tuberculosis meningitis patients. *Mem I Oswaldo Cruz (impresso)* 105: 722-728.

[doi>](#) Van-Lume DS, de Souza JR, Cabral MM, Rego JC, Balbino V, Saad MH, Schindler HC, Abath FG, Montenegro SM 2010. Immunological diagnosis of tuberculosis based on recombinant antigens ESAT-6 and CFP-10 in children from an endemic area in northeast Brazil. *Scand J Immunol* 72: 460-468.

[doi>](#) Seixas A, Estrela AB, Ceolato JC, Pontes EG, Lara F, Gondim KC, Termignoni C 2010. Localization and function of Rhipicephalus (Boophilus) microplus vitellin-degrading cysteine endopeptidase. *Parasitology* 137: 1819-1831.

[doi>](#) Silva SR, Tempone AJ, Silva TP, Costa MR, Pereira GM, Lara FA, Pessolani MC, Esquenazi D 2010. Mycobacterium leprae downregulates the expression of PHEX in Schwann cells and osteoblasts. *Mem I Oswaldo Cruz (impresso)* 105: 627-632.

[doi>](#) Caiaffa CD, Stiebler R., Oliveira MF, Lara FA, Paiva-Silva GO, Oliveira PL 2010. Sn-protoporphyrin inhibits both heme degradation and hemozoin formation in Rhodnius prolixus midgut. *Insect Biochem Molec* 40: 855-860.

Indexado (fator de impacto > 4)

[doi>](#) Ribeiro-Resende VT, Ribeiro-Guimarães ML, Lemes RM, Nascimento IC, Alves L, Mendez-Otero R, Pessolani MC, Lara FA 2010. Involvement of 9-O-acetyl GD3 ganglioside in Mycobacterium leprae infection of Schwann cells. *J Biol Chem* 285: 34086-34096.

[doi>](#) Mattos KA, Rodrigues LS, Oliveira VG, Sarno EN, Atella GC, Pereira GM, Bozza PT, Pessolani MC 2010. Lipid droplet formation in leprosy: Toll-like receptor-regulated organelles involved in eicosanoid formation and Mycobacterium leprae pathogenesis. *J Leukocyte Biol* 87: 371-384.

[doi>](#) Rodrigues LS, da Silva Maeda E, Moreira ME, Tempone AJ, Lobato LS, Ribeiro-Resende VT, Alves L, Rossle S, Lopes UG, Pessolani MC 2010. Mycobacterium leprae induces insulin-like growth factor and promotes survival of Schwann cells upon serum withdrawal. *Cell Microbiol* 12: 42-54.

2011

Indexado (fator de impacto > 2 e 4)

[doi>](#) Lefrançois LH, Pujol C, Bodier CC, Teixeira-Gomez AP, Drobecq H, Rosso ML, Raze D, Dias AA, Hugot JP, Chacon O, Barletta RG, Loch C, Vidal Pessolani MC, Biet F 2011. Characterization of the Mycobacterium avium subsp. paratuberculosis laminin-binding/histone-like protein (Lbp/Hlp) which reacts with sera from patients with Crohn's disease. *Microbes Infect* 13: 585-594.

[doi>](#) Rodrigues LS, Hacker MA, Illarramendi X, Pinheiro MF, da Costa Nery JA, Sarno EN, Pessolani MC 2011. Circulating levels of insulin-like growth factor-I (IGF-I) correlate with

disease status in leprosy. BMC Infect Dis 11: - .

Indexado (fator de impacto > 4)

[doi>](#) Oliveira JH, Gonçalves RL, Lara FA, Dias FA, Gandara AC, Menna-Barreto RF, Edwards MC, Laurindo FR, Silva-Neto MA, Sorgine MH, Oliveira PL 2011. Blood meal-derived heme decreases ROS levels in the midgut of *Aedes aegypti* and allows proliferation of intestinal microbiota. Plos Pathog 7: - .

[doi>](#) Geluk A, van den Eeden SJ, Dijkman K, Wilson L, Kim HJ, Franken KL, Spencer JS, Pessolani MC, Pereira GM, Ottenhoff TH 2011. ML1419c peptide immunization induces *Mycobacterium leprae*-specific HLA-A*0201-restricted CTL in vivo with potential to kill live mycobacteria. J Immunol 187: 1393-1402.

[doi>](#) Mattos K, Lara FA, Oliveira VG, Rodrigues LS, D'Avila H, Melo RC, Manso PP, Sarno EN, Bozza PT, Pessolani MC 2011. Modulation of lipid droplets by *Mycobacterium leprae* in Schwann cells: a putative mechanism for host lipid acquisition and bacterial survival in phagosomes. Cell Microbiol 13: 259-273.

[doi>](#) Mattos KA, Oliveira VG, D'Avila H, Rodrigues LS, Pinheiro RO, Sarno EN, Pessolani MC, Bozza PT 2011. TLR6-driven lipid droplets in *Mycobacterium leprae*-infected Schwann cells: Immunoinflammatory platforms associated with bacterial persistence. J Immunol 187: 2548-2558.

Indexado (fator de impacto 0,65 e 2)

[doi>](#) Damasco PV, Ávila CA, Barbosa AT, Ribeiro-Carvalho MM, Pereira GM, Lemos ER, Bóia MN, Pereira MM 2011. Atypical lymphocytosis in leptospirosis: a cohort of hospitalized cases between 1996 and 2009 in State of Rio de Janeiro, Brazil. Rev Soc Bras Med Tro 44: 611-615.

2012

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Michellin LB, Barreto JA, Marciano LH, Lara FA, Nogueira ME, de Souza VN, Costa MR 2012. Leprosy patients: neurotrophic factors and axonal markers in skin lesions. Arq Neuropsiquiat 70: 281-286.

[doi>](#) Bobosha K, Van der Ploeg-van Schip JJ, Esquenazi DA, Guimarães MM, Martins MV, Bekele Y, Fantahun Y, Aseffa A, Franken KL, Gismondi RC, Pessolani MC, Ottenhoff TH, Pereira GM, Geluk A 2012. Peptides derived from *Mycobacterium leprae* ML1601c discriminate between leprosy patients and healthy endemic controls. J Trop Med 2012: - .

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Fonseca LD, Marsico AG, Vieira GB, Saad MH, Mello FD 2012. Correlation between resistance to pyrazinamide and resistance to other antituberculosis drugs in *Mycobacterium tuberculosis* strains isolated at a referral hospital. J Bras Pneumol 38: 630-633.

[doi>](#) Antunes de Mattos K, Sarno EN, Pessolani MC, Bozza PT 2012. Deciphering the contribution of lipid droplets in leprosy: multifunctional organelles with roles in *Mycobacterium leprae* pathogenesis. Mem I Oswaldo Cruz (impresso) 107 Suppl 1: 156-166.

[doi>](#) Fontes AN, Gomes HM, Ivens de Araujo M, Albuquerque EC, Baptista IM, Moura MM, Rezende DS, Pessolani MC, Lara FA, Pontes MA, Gonçalves HS, Lucena-Silva N, Sarno EN, Vissa VD, Brennan PJ, Suffys PN 2012. Genotyping of *Mycobacterium leprae* present on Ziehl-Neelsen-stained microscopic slides and in skin biopsy samples from leprosy patients in different geographic regions of Brazil. *Mem I Oswaldo Cruz* (impresso) 107 Suppl 1: 143-149.

[doi>](#) Dias AA, Raze D, Lima CS, Marques MA, Drobecq H, Debie AS, Ribeiro-Guimarães ML, Biet F, Pessolani MC 2012. Mycobacterial laminin-binding histone-like protein mediates collagen-dependent cytoadherence. *Mem I Oswaldo Cruz* (impresso) 107 Suppl 1: 174-182.

[doi>](#) Bobosha K, Tang ST, van der Ploeg-van Schip JJ, Bekele Y, Martins MV, Lund O, Franken KL, Khadge S, Pontes MA, Gonçalves HS, Hussien J, Thapa P, Kunwar CB, Hagge DA, Aseffa A, Pessolani MC, Pereira GM, Ottenhoff TH, Geluk A 2012. *Mycobacterium leprae* virulence-associated peptides are indicators of exposure to *M. leprae* in Brazil, Ethiopia and Nepal. *Mem I Oswaldo Cruz* (impresso) 107 Suppl 1: 112-123.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Sánchez A, Huber FD, Massari V, Barreto A, Camacho LA, Cesconi V, Saad MH, Larouze B 2012. Extensive *Mycobacterium tuberculosis* circulation in a highly endemic prison and the need for urgent environmental interventions. *Epidemiol Infect* 140: 1853-1861.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Geluk A, Bobosha K, Van der Ploeg-van Schip JJ, Spencer JS, Banu S, Martins MV, Cho SN, Franken KL, Kim HJ, Bekele Y, Uddin MK, Hadi SA, Aseffa A, Pessolani MC, Pereira GM, Dockrell HM, Ottenhoff TH 2012. New biomarkers with relevance to leprosy diagnosis applicable in areas hyperendemic for leprosy. *J Immunol* 188: 4782-4791.

[doi>](#) Martins MV, Guimarães MM, Spencer JS, Hacker MA, Costa LS, Carvalho FM, Geluk A, Van der Ploeg-van Schip JJ, Pontes MA, Gonçalves HS, de Moraes JP, Bandeira TJ, Pessolani MC, Brennan PJ, Pereira GM 2012. Pathogen-specific epitopes as epidemiological tools for defining the magnitude of *Mycobacterium leprae* transmission in areas endemic for leprosy. *Plos Neglect Trop D* 6: - .

2013

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Campos MC, Castro-Pinto DB, Ribeiro GA, Berrêdo-Pinho MM 2013. P-glycoprotein efflux pump plays an important role in *Trypanosoma cruzi* drug resistance. *Parasitol Res* 112: 2341-2351.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Guerreiro LTA, Ferreira ABR, Alves MR, Pinto TGT, Rosa-de-Brito T, Rosa PS, Sandoval FG, Rodrigues MJ, Antunes SLG, Shannon EJ, Sarno EN, Pessolani MCV, Williams DL, Moraes MO 2013. Gene Expression Profiling Specifies Chemokine, Mitochondrial and Lipid Metabolism Signatures in Leprosy. *Plos One* 8: - .

[doi>](#) Silva CA, Lia Danelishvili, McNamara M, Berrêdo-Pinho MM, Bildfell R, Biet F, Rodrigues LS, Oliveira AV, Bermudez LE, Pessolani MCV 2013. Interaction of Mycobacterium leprae with Human Airway Epithelial Cells: Adherence, entry, Survival, and Identification of Potential Adhesins by Surface Proteome Analysis. Infect Immun 81: 2645-2659.

[doi>](#) Bhujy S, Marsico AG, Vieira GBO, Sobral LF, Fonseca LS, Stehr M, Singh M, Saad MH 2013. Mycobacterium tuberculosis isolates from Rio de Janeiro reveal unusually low correlation between pyrazinamide resistance and mutations in the pncA gene. Infect Genet Evol 19: 1-6.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Amaral JJ, Antunes LCM, Macedo CS, Antunes-de-Matos K, Han J, Pan J, Candéa ALP, Henriques MGMO, Ribeiro-Alves M, Borchers CH, Sarno EN, Bozza PT, Finlay BB, Pessolani MCV 2013. Metabonomics Reveals Drastic Changes in Anti-Inflammatory/Pro-Resolving Polyunsaturated Fatty Acids-Derived Lipid Mediators in Leprosy Disease. Plos Neglect Trop D 7: - .

2014

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Araujo LS, Mello FCQ, Silva BM, Leung JAM, Machado SMA, Sardella IG, Santos M, Saad MH 2014. Evaluation of Gamma Interferon Immune Response Elicited by the Newly Constructed PstS-1(285-374):CFP10 Fusion Protein To Detect Mycobacterium tuberculosis Infection. Clin Vaccine Immunol 21: 552-560.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Huber FD, Alexandra Sánchez, Gomes HM, Vasconcelos SEG, Véronique Massari d, Angela Barreto, Vanderci Cesconi b, Silvia Maria de Almeida Mach, Michel K. Gomgnimbou g,h,i, Christophe Sola, Bernard Larouzé d,e,j , Suffys PN, Saad MH 2014. Insights into the population structure of Mycobacterium tuberculosis using spoligotyping and RDRio in a southeastern Brazilian prison unit. Infect Genet Evol 26: 194-202.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Antunes-de-Mattos K, Carneiro VG, Berrêdo-Pinho MM, Amaral JJ, Antunes LCM, Melo RCN, Acosta CCD, Moura DF, Olmo-Pinheiro R, Han J, Rosa PS, Almeida RE, Finlay BB, Borchers CH, Sarno EN, Bozza PT, Atella GC, Pessolani MCV 2014. Mycobacterium leprae intracellular survival relies on cholesterol accumulation in infected macrophages: a potential target for new drugs for leprosy treatment. Cell Microbiol 16: 797-815.

[doi>](#) Lobato LS, Rosa PS, Ferreira JS, Neumann AS, da Silva MG, do Nascimento DC, Soares CT, Pedrini CT, Oliveira DS, Monteiro CP, Pereira GMB, Alves MR, Hacker MAVB, Moraes MO, Pessolani MCV, Duarte RS, Lara FA 2014. Statins increase rifampin mycobactericidal effect. Antimicrob Agents Ch 58: 5766-5774.

2015

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) de Macedo CS, Anderson DM, Pascarelli BMO, Spraggins JM, Sarno EN, Schey KL,

Pessolani MCV 2015. MALDI imaging reveals lipid changes in the skin of leprosy patients before and after multidrug therapy (MDT). *J Mass Spectrom* 50: 1374-1385.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Lara FA, Pohl PC, Gandara AC, Ferreira JS, Nascimento Silva MC, Bechara GH, Sorgine MH, Almeida IC, Vaz Ida S, Oliveira PL 2015. ATP Binding Cassette Transporter Mediates Both Heme and Pesticide Detoxification in Tick Midgut Cells.. *Plos One* 10: - .

[doi>](#) Esquenazi DA, Alvim IMP, Olmo-Pinheiro R, Oliveira EB, Moreira LO, Sarno EN, Nery JAC 2015. Correlation between Central Memory T Cell Expression and Proinflammatory Cytokine Production with Clinical Presentation of Multibacillary Leprosy Relapse.. *Plos One* 10: - .

[doi>](#) Boiça SRS, Illarramendi X, Tempone AJ, Silva HL, Nery JAC, Monteiro AMV, Pessolani MCV, Boasquevisque E, Sarno EN, Pereira GMB, Esquenazi DA 2015. Downregulation of PHEX in multibacillary leprosy patients: observational cross-sectional study. *J Transl Med* 13: 296-304.

[doi>](#) Araujo LS, Silva BM, Silva RJ, Leung JAM, Mello FCQ, Saad MH 2015. Profile of interferon-gamma response to latency-associated and novel in vivo expressed antigens in a cohort of subjects recently exposed to *Mycobacterium tuberculosis*. *Tuberculosis* 95: 751-757.

[doi>](#) Marques MAM, Berrêdo-Pinho MM, Duque TLA, Pujari V, Lemes RM, Santos LML, Silva CA, Guimarães AC, Atella GC, Wheat WH, Brennan PJ, Crick DD, Belisle JT, Pessolani MCV 2015. The essential role of cholesterol metabolism in the intracellular survival of *Mycobacterium leprae* is not coupled to central carbon metabolism and energy production.. *J Bacteriol* 197: 3698-3707.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Tomás A, Santos LML, Regueiro V, Pérez-Gutiérrez C, Martínez V, Moranta D, Llobet E, González-Nicolau M, Insua JL, Tomas JM, Sansonetti PJ, Tournebise R, Bengoechea JA 2015. Functional Genomic Screen Identifies *Klebsiella pneumoniae* Factors Implicated in Blocking Nuclear Factor κ B (NF- κ B) Signaling. *J Biol Chem* 290: 16678-16697.

[doi>](#) Dias FA, Guerra B, Vieira LR, Perdomo HD, Gandara AC, Amaral RJ, Vollú RE, Gomes SA, Lara FA, Sorgine MH, Medei E, de Oliveira PL, Salmon D 2015. Monitoring of the Parasite Load in the Digestive Tract of *Rhodnius prolixus* by Combined qPCR Analysis and Imaging Techniques Provides New Insights into the Trypanosome Life Cycle.. *Plos Neglect Trop D* 23: - .

[doi>](#) Estela de Oliveira Lima, Cristiana Santos de Macedo, Cibele Zanardi Esteves, Diogo Noin de Oliveira, Pessolani MCV, Nery JAC, Sarno EN, Rodrigo Ramos Catharino 2015. Skin imprinting in silica plates: a potential diagnostic methodology for leprosy using high-resolution mass spectrometry. *Anal Chem* 7: 3585-3592.

2016

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Renato da Costa Teixeira, Baêta BA, Ferreira JS, Medeiros RCA, Monteiro CMM, Lara FA, Bell-Sakyi L, Francisco Antonio Helfenstein Fonseca 2016. Fluorescent membrane markers

elucidate the association of *Borrelia burgdorferi* with tick cell lines. *Braz J Med Biol Res* 49: - .

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Neumann AS, Felipe de Almeida Dias, Ferreira JS, Fontes AN, Patricia Sammarco Rosa, Rafael Enrique Macedo, José Henrique Oliveira, Teixeira RLF, Pessolani MCV, Moraes MO, Suffys PN, Pedro L Oliveira, Marcos Henrique Ferreira Sorgine, Lara FA 2016. Experimental Infection of *Rhodnius prolixus* (Hemiptera, Triatominae) with *Mycobacterium leprae* Indicates Potential for Leprosy Transmission. *Plos One* 11: - .

[doi>](#) Medeiros RCA, Cardoso FKL, Mietto BS, Pinto TGT, Gomez LS, Rodrigues LS, Gandini M, Amaral JJ, Antunes SLG, Corte-Real S, Rosa PS, Pessolani MCV, Nery JAC, Sarno EN, Silva LR, Sola-Penna M, Oliveira MF, Moraes MO, Lara FA 2016. Subversion of Schwann Cell Glucose Metabolism by *Mycobacterium leprae*. *J Biol Chem* 291: 21375-21387.

[doi>](#) Araujo LS, Vaas LA, Alves MR, Gefferes R, Mello FC, de Almeida AS, Moreira AD, Kritski AL, Lapa e Silva JL, Moraes MO, Pessler F, Saad MH 2016. Transcriptomic Biomarkers for Tuberculosis: Evaluation of DOCK9, EPHA4, and NPC2 mRNA Expression in Peripheral Blood. *Front Microbiol* 7: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Dias AA, Silva CO, Santos JPS, Silva LR, Acosta CCD, Fontes AN, Olmo-Pinheiro R, Lara FA, Machado AM, Nery JAC, Sarno EN, Pereira GMB, Pessolani MCV 2016. DNA Sensing via TLR-9 Constitutes a Major Innate Immunity Pathway Activated during Erythema Nodosum Leprosum. *J Immunol* 197: 1905-1913.

[doi>](#) Silva LR, Rodrigues LS, Aislan deCarvalho Vivarini, Antunes-de-Matos K, Costa Fda M, Maria Renata Sales Nogueira Costa, Patricia Sammarco Rosa, T. G. Toledo-Pinto, Dias AA, Moura DF, Sarno EN, Ulisses Gazos Lopes, Pessolani MCV 2016. *Mycobacterium leprae*-induced Insulin-like Growth Factor I attenuates antimicrobial mechanisms, promoting bacterial survival in macrophage. *Sci Rep* 6: - .

[doi>](#) Pereira GMB, Pessolani MCV, Sarno EN 2016. Response to Comment on DNA Sensing via TLR-9 Constitutes a Major Innate Immunity Pathway Activated during Erythema Nodosum Leprosum. *J Immunol* 197: 4184-4185.

[doi>](#) Pinto TGT, Ferreira ABR, Alves MR, Rodrigues LS, Silva LR, Silva BJA, Lemes RM, Martínez AN, Felipe Galvan Sandoval, Arnez LEA, Patricia Sammarco Rosa, Edward Joseph Shannon, Pessolani MCV, Olmo-Pinheiro R, Antunes SLG, Sarno EN, Lara FA, Diana Lynn Williams, Moraes MO 2016. STING-Dependent 2'-5' Oligoadenylate Synthetase-Like Production Is Required for Intracellular *Mycobacterium leprae* Survival. *J Infect Dis* 214(2): 311-320.

2017

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Barbosa MGM, Prata RBS, Andrade PR, Ferreira H, Paixão-de-Oliviera JA, Assis TQ, Pinto TGT, Bezerra CL, Nery JAC, Rosa PS, Bozza MT, Lara FA, Moraes MO, Sarno EN, Pereira VS, Olmo-Pinheiro R 2017. Indoleamine 2,3-dioxygenase and iron are required for *Mycobacterium leprosy* survival. *Microbes Infect* 19(11): 505-514.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Gandini M, Petitinga- Paiva F, Cintia Ferreira Marinho, Glades Correa da Silva, Oliveira Pinto LM, Luiz Jose de Souza , Rivaldo Venancio Cunha, Claire Fernandes Kubelka, Azeredo EL 2017. Dengue Virus Induces NK Cell Activation through TRAIL Expression during Infection. *Mediat Inflamm* 2017: - .

[doi>](#) Marques-de-Carvalho F, Rodrigues LS, Duppre NC, Alvim IMP, Alves MR, Olmo-Pinheiro R, Sarno EN, Pessolani MCV, Pereira GMB 2017. Interruption of persistent exposure to leprosy combined or not with recent BCG vaccination enhances the response to Mycobacterium leprae specific antigens. *Plos Neglect Trop D* 11(5): - .

2018

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Erthal LCS, Jotha-Mattos L, Lara FA, Reis SA, Pascarelli BMO, Costa CM, Souza KLA, Lima LMTR 2018. The toxic nature of murine amylin and the immune responsivity of pancreatic islet to conformational antibody in mice. *Mol Cell Biochem* 447: 1-7.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Ferreira NC, Ascari LM, Hughson AG, Cavalheiro GR, Góes CF, Fernandes PN, Hollister JR, da Conceição RA, Silva S, Souza AMT, Barbosa MLC, Lara FA, Martins RAP, Caughey B, Cordeiro Y 2018. A Promising Antiprion Trimethoxychalcone Binds to the Globular Domain of the Cellular Prion Protein and Changes Its Cellular Location. *Antimicrob Agents Ch (on line)* 62(2): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)


[doi>](#) Montalvão F, Nascimento DO, Nunes MP, Koeller CM, Morrot A, Santos LML, Bisch PM, Teixeira SMR, Vasconcellos R, Freire-de-Lima L, Lopes MF2, Heise N, DosReis GA 2018. Antibody Repertoires Identify Beta-Tubulin as a Host Protective Parasite Antigen in Mice Infected With *Trypanosoma cruzi*. *Front Immunol* 9: - .

[doi>](#) Silva DS, Teixeira LAC, Beghini DG, Teixeira-Ferreira A, Berrêdo-Pinho MM, Rosa PS, Ribeiro MR, Freire MDC, Hacker MAVB, Nery JAC, Pessolani MCV, Tovar AMF, Sarno EN, Perales J, Bozza F, Esquenazi DA, Monteiro RQ, Lara FA 2018. Blood coagulation abnormalities in multibacillary leprosy patients. *Plos Neglect Trop D* 12: - .

[doi>](#) Olmo-Pinheiro R, Pereira VS, Silva BJA, Dias AA, Junqueira-de-Souza B, Barbosa MGM, Esquenazi DA, Pessolani MCV, Sarno EN 2018. Innate Immune Responses in Leprosy. *Front Immunol* 9: - .

[doi>](#) Acosta CCD, Dias AA, Rosa TLSA, Silva LB, Rosa PS, Pinto TGT, Costa FMR, Lara FA, Silva LRB, Antunes KM, Sarno EN, Bozza PT, Guilhot C, Berrêdo-Pinho MM, Pessolani MCV 2018. PGL

I expression in live bacteria allows activation of a CD206/PPAR γ cross-talk that may contribute to successful *Mycobacterium leprae* colonization of peripheral nerves. *Plos Pathog* 14(7): - .

 Pinto TGT, Silva LR, Medeiros RCA, Lara FA, Moraes MO 2018. Type I Interferons, Autophagy and Host Metabolism in Leprosy. *Front Immunol* 9: - .