

## Laboratório de Pesquisa em Leishmaniose

2006

### Indexado (fator de impacto <0,65 e não impactadas no ISI)

Dorval ME, Oshiro ET, Cupolillo E, Castro AC, Alves TP 2006. Occurrence of American tegumentary leishmaniasis in the Mato Grosso do Sul State associated to the infection for *Leishmania (Leishmania) amazonensis*. Rev Soc Bras Med Tro 39: 43-46.

### Indexado (fator de impacto > 0,65 a 2,0)

[doi->](#) Cuervo P, Sabóia-Vahia L, Silva-Filho FC, Fernandes O, Cupolillo E, De Jesus JB 2006. A zymographic study of metalloprotease activities in extracts and extracellular secretions of *Leishmania (Viannia) braziliensis* strains. Parasitology 132: 177-185.

Porrozzi R, Pereira MS, Teva A, Volpini AC, Pinto MA, Marchevsky RS, Barbosa A A Jr, Grimaldi Jr G 2006. *Leishmania infantum*-induced primary and challenge infections in rhesus monkeys (*Macaca mulatta*): a primate model for visceral leishmaniasis. T Roy Soc Trop Med H 100: 926-937.

[doi->](#) Cortez MGR, Sequeira APSP, Cuervo P, Xavier SCC, D'Andrea PS, Fernandes O, Torrico F, Noireau F, Franken AMJ 2006. *Trypanosoma cruzi* (Kinetoplastida Trypanosomatidae): Ecology of the transmission cycle in the wild environment of the Andean valley of Cochabamba, Bolivia. Exp Parasitol 114: 305-313.

### Indexado (fator de impacto >2,0 a 4,0)

Tojal da Silva AC, Cupolillo E, Volpini AC, Almeida R, Sierra Romero GA, Sierra Romero GA 2006. Species diversity causing human cutaneous leishmaniasis in Rio Branco, state of Acre, Brazil.. Trop Med Int Health 11: 1388-1398.

2007

### Indexado (fator de impacto <0,65 e não impactadas no ISI)

Porrozzi R, Santos da Costa MV, Teva A, Falqueto A, Ferreira AL, Santos CD, Fernandes AP, Gazzinelli RT, Campos-Netto A, Grimaldi F. G 2007. Comparative evaluation of enzyme-linked immunosorbent assays based on crude and recombinant leishmanial antigens for serodiagnosis of symptomatic and asymptomatic *Leishmania infantum* visceral infections in dogs. . Clin Vaccine Immunol 14: 544-548.

### Indexado (fator de impacto > 0,65 a 2,0)

Costa JD, Meirelles MNL, Velloso CEP, Porrozzi R 2007. *Leishmania chagasi*: Cytotoxic effect of infected macrophages on parenchymal liver cells. Exp Parasitol 117: 390-398.

Pedroso A, Cupolillo E, Zingales B 2007. *Trypanosoma cruzi*: exploring the nuclear genome of zymodeme 3 stocks by chromosome size polymorphism. . Exp Parasitol 116: 71-76.

### **Indexado (fator de impacto >2,0 a 4,0)**

De Jesus JB, Cuervo P, Junqueira M, Britto CFPC, Silva-filho FCE, Saboia-vahia L, Gonzalez L, Domont GB 2007. Application of two-dimensional electrophoresis and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for proteomic analysis of sexually transmitted parasite *Trichomonas vaginalis*. *J Mass Spectrom* 42: 1463-1473.

Coutinho, RBGA, Silva FC, Schubach A, Cupolillo E, Quintella LP, Madeira MF, Pacheco RS, Rosalino CMV, Mendonça SCF 2007. First report of diffuse cutaneous leishmaniasis and *Leishmania amazonensis* infection in Rio de Janeiro State, Brazil. *T Roy Soc Trop Med H* 101: 735-737.

Rocha LS, Falqueto A, Santos CB, Grimaldi F. G, Cupolillo E 2007. Genetic structure of *Lutzomyia* (*Nyssomyia*) *intermedia* populations from two ecologic regions in Brazil where transmission of *Leishmania* (*Viannia*) *braziliensis* reflects distinct eco-epidemiologic features. *Am J Trop Med Hyg* 76: 559-565.


Cuervo P, De Jesus JB, Junqueira M, Mendonça-Lima L, Gonzalez LJ, Betancourt L, Grimaldi F. G, Domont GB, Fernandes O, Cupolillo E 2007. Proteome analysis of *Leishmania* (*Viannia*) *braziliensis* by two-dimensional gel electrophoresis and mass spectrometry. *Mol Biochem Parasit* 154: 6-21.


### **Indexado (fator de impacto >4,0)**


De Jesus JB, Cuervo P, Junqueira M, Britto CFPC, S Filho FC, Soares MJ, Cupolillo E, Fernandes O, Domont GB 2007. A further proteomic study on the effect of iron in the human pathogen *Trichomonas vaginalis*. *Proteomics* 7: 1961-1972.

## **2008**

### **Indexado ( > 0,65 a 2,0)**

 Cuervo P, Britto CFPC, Santos AL, Santos AL, Alves CR, Menezes GC, Fernandes O, Cupolillo E, De Jesus JB 2008. Cellular localization and expression of gp63 homologous metalloproteases in *Leishmania* (*Viannia*) *braziliensis* strains. *Acta Trop* 106: 143-148.

 Costa JD, Melo ACN, Vermelho AB, Meirelles MNSL, Porrozzi R 2008. In vitro evidence for metallopeptidase participation in hepatocyte damage induced by *Leishmania chagasi*-infected macrophages. *Acta Trop* 106: 175-183.

 Cuervo P, Rodrigues CM, Levy CMD, Britto CFPC, Pires FA, Gredilha R, Alves CR, de Jesus JB 2008. Serine protease activities in *Oxysarcodexia thornax* (Walker) (Diptera: Sarcophagidae) first instar larva. *Mem I Oswaldo Cruz* (impresso) 103: 504-506.

Grimaldi G Jr 2008. The utility of rhesus monkey (*Macaca mulatta*) and other non-human primate models for preclinical testing of *Leishmania* candidate vaccines - A review. *Mem I Oswaldo Cruz* (impresso) 103: 629-644.

[doi>](#) Lima A, Santos SS, Gama C, Herrera H, Cupolillo E, Jansen AM, Fernandes O 2008. Trypanosoma evansi: Molecular homogeneity as inferred by phenetical analysis of ribosomal internal transcribed spacers DNA of an eclectic parasite. Exp Parasitol 118: 402-407.

#### **Indexado (>4,0)**

[doi>](#) Souza-Lemos C, de Campos SN, Teva A, Côrte-Real S, Fonseca EC, Porrozzi R, Grimaldi G Jr 2008. Dynamics of immune granuloma formation in a Leishmania braziliensis-induced self-limiting cutaneous infection in the primate Macaca mulatta. J Pathol 216: 375-386.

#### **Indexado (<0,65 e não impactadas no ISI)**

[doi>](#) Cuervo P, Cupolillo E, Britto CFPC, González LJ, Silva-filho FCE, Lopes LC, Domont GB, De Jesus JB 2008. Differential soluble protein expression between Trichomonas vaginalis isolates exhibiting low and high virulence phenotypes. J Proteomics 71: 109-122.

[doi>](#) Santos AM, Noronha EF, Ferreira LAM, Carranza-Tamayo CO, Cupolillo E, Romero G A 2008. Efeito de uma formulação hidrofílica de paromomicina tópica na leishmaniose cutânea em pacientes com contra-indicações de tratamento com antimonial pentavalente . Rev Soc Bras Med Tro 41: 444-448.

Cruz AM, Rabello A, Elkhoury ANSM, Fernandes AP, Nunes CM, Costa CHN, Costa DL, Furtado E, Noronha E, Grimaldi F. G, Goto H, Silva JCF, Lindoso AL, Brazuna JCM, Garcez L, Teixeira LAS, Pereira LA, Hueb M, Arruda M, Souza RCC, Jeronimo SMB, Mendonça, SCF, Carvalho SFG, Amato VS, Camargo-Neves VLF, Alves WA, Profeta Z 2008. Revisão das oficinas de trabalho sobre leishmanioses 2002-2007: avaliação das recomendações, análise de implantação e efeito e propostas. Rev Soc Bras Med Tro 41: 123-125.

#### **Indexado (>2,0 a 4,0)**

[doi>](#) Lisboa CV, Pinho AP, Herrera HM, Gerhardt M, Cupolillo E, Jansen AM 2008. Trypanosoma cruzi (kinetoplastida, Trypanosomatidae) genotypes in neotropical bats in Brazil. Vet Parasitol 156: 314-318.

### **2009**

#### **Indexado (fator de impacto < 0,65 ou sem FI)**

[doi>](#) Cuervo P, De Jesus JB, Saboia-Vahia L, Mendonça-Lima L, Domont GB, Cupolillo E 2009. Proteomic characterization of the released/secreted proteins of Leishmania (Viannia) braziliensis promastigotes. J Proteomics 73: 79-92.

#### **Indexado (fator de impacto > 0,65 e < 2)**

[doi>](#) Costa JD, Soares R, Finkelstein LC, Corte-Real S, Meirelles MN, Porrozzi R 2009. Fast high yield of pure Leishmania (Leishmania) infantum axenic amastigotes and their infectivity to mouse macrophages. Parasitol Res 105: 227-236.

[doi>](#) Banic DM, Calvão-Brito RH, Marcho-Silva V, Schuertz JC, Pinheiro LR, Alves MC, Teva A, Maia-Herzog M 2009. Impact of 3 years ivermectin treatment on onchocerciasis in Yanomami communities in the Brazilian Amazon. *Acta Trop* 112: 125-130.

[doi>](#) Carranza-Tamayo CO, Machado de Assis TS, Neri AT, Cupolillo E, Rabello A, Romero GA 2009. Prevalence of Leishmania infection in adult HIV/AIDS patients treated in a tertiary-level care center in Brasilia, Federal District, Brazil. *T Roy Soc Trop Med H* 103: 743-748.

[doi>](#) Romero GA, Noronha EF, Pirmez C, Pires FE, Fernandes O, Nehme NS, Cupolillo E, Firoozmand L, da Graça GC, Volipini A, Santos SL, Romanha AJ 2009. Sensitivity and reproducibility of a PCR assay for Leishmania detection using skin biopsy imprints on filter paper. *Acta Trop* 109: 74-77.

#### **Indexado (fator de impacto > 2 e < 4)**

Falqueto A, Ferreira AL, dos Santos CB, Porrozzi R, da Costa MV, Teva A, Cupolillo E, Campos-Neto A, Grimaldi G Jr 2009. Cross-sectional and longitudinal epidemiological surveys of human and canine Leishmania infantum visceral infections in an endemic rural area of southeast Brazil (Pancas, Espírito Santo). *Am J Trop Med Hyg* 80: 559-565.

[doi>](#) Oddone R, Schweynoch C, Schönian G, de Sousa CS, Cupolillo E, Espinosa D, Arevalo J, Noyes H, Mauricio I., Kuhls K. 2009. Development of a multilocus microsatellite typing approach for discriminating strains of Leishmania (Viannia) species. *J Clin Microbiol* 47: 2818-2825.

[doi>](#) Brito ME, Andrade MS, Mendonça MG, Silva CJ, Almeida EL, Lima BS, Félix SM, Abath FG, da Graça GC, Porrozzi R, Ishikawa EA, Shaw JJ, Cupolillo E, Brandão-Filho SP 2009. Species diversity of Leishmania (Viannia) parasites circulating in an endemic area for cutaneous leishmaniasis located in the Atlantic rainforest region of northeastern Brazil. *Trop Med Int Health* 14: 1278-1286.

#### **Indexado (fator de impacto > 4)**

[doi>](#) De Jesus JB, Cuervo P, Britto C, Sabóia-Vahia L, Costa e Silva-Filho F, Borges-Veloso A, Petropolis DB, Cupolillo E, Domont GB 2009. Cysteine peptidase expression in Trichomonas vaginalis isolates displaying high- and low-virulence phenotypes. *J Proteome Res* 8: 1555-1564.

### **2010**

#### **Indexado (fator de impacto > 0,65 e < 2)**

[doi>](#) Souza Pinto I, dos Santos CB, Grimaldi G Jr, Ferreira AL, Falqueto A 2010. American visceral leishmaniasis dissociated from Lutzomyia longipalpis (Diptera, Psychodidae) in the State of Espírito Santo, Brazil. *Cad Saude Publica* 26: 365-372.

[doi>](#) Rocha LS, dos Santos CB, Falqueto A, Grimaldi G, Cupolillo E 2010. Molecular biological identification of monoxenous trypanosomatids and Leishmania from anthropophilic sand flies (Diptera: Psychodidae) in Southeast Brazil. *Parasitol Res* 107: 465-468.

[doi>](#) de-Campos SN, Souza-Lemos C, Teva A, Porrozzi R, Grimaldi G Jr 2010. Systemic and compartmentalised immune responses in a *Leishmania braziliensis*-macaque model of self-healing cutaneous leishmaniasis. *Vet Immunol Immunop* 137: 149-154.

#### **Indexado (fator de impacto > 2 e < 4)**

[doi>](#) Cuervo P, Domont GB, De Jesus JB 2010. Proteomics of trypanosomatids of human medical importance. *J Proteomics* 73: 845-867.

[doi>](#) da Silva LA, de Sousa C dos S, da Graça GC, Porrozzi R, Cupolillo E 2010. Sequence analysis and PCR-RFLP profiling of the hsp70 gene as a valuable tool for identifying *Leishmania* species associated with human leishmaniasis in Brazil. *Infect Genet Evol* 10: 77-83.

[doi>](#) Rocha LS, Falqueto A, dos Santos CB, Ferreira AL, Graça GC, Grimaldi G Jr, Cupolillo E 2010. Survey of natural infection by *Leishmania* in sand fly species collected in southeastern Brazil. *T Roy Soc Trop Med H* 104: 461-466.

[doi>](#) Torres DC, Adui V, Ribeiro-Alves M, Romero GA, Arévalo J, Cupolillo E, Dujardin JC 2010. Targeted gene expression profiling in *Leishmania braziliensis* and *Leishmania guyanensis* parasites isolated from Brazilian patients with different antimonial treatment outcomes. *Infect Genet Evol* 10: 727-733.

#### **Indexado (fator de impacto > 4)**

[doi>](#) Grimaldi G Jr, Porrozzi R, Friedrich K, Teva A, Marchevsky RS, Vieira F, Miekeley N, Paumgartten FJ 2010. Comparative efficacies of two antimony regimens to treat *Leishmania braziliensis*-induced cutaneous Leishmaniasis in rhesus macaques (*Macaca mulatta*). *Antimicrob Agents Ch* 54: 502-505.

[doi>](#) Schönian G, Mauricio I, Cupolillo E 2010. Is it time to revise the nomenclature of *Leishmania*?. *Trends Parasitol* 26: 466-469.

[doi>](#) Roque AL, Cupolillo E, Marchevsky RS, Jansen AM 2010. *Thrichomys laurentius* (Rodentia; Echimyidae) as a putative reservoir of *Leishmania infantum* and *L. braziliensis*: patterns of experimental infection. *Plos Neglect Trop D* 4: - .

### **2011**

#### **Indexado (fator de impacto > 2 e 4)**

[doi>](#) Santos-Oliveira JR, Da-Cruz AM, Pires LH, Cupolillo E, Kuhls K, Giacoia-Gripp CB, Oliveira-Neto MP 2011. Atypical lesions as a sign of cutaneous dissemination of visceral leishmaniasis in a human immunodeficiency virus-positive patient simultaneously infected by two viscerotropic *Leishmania* species. *Am J Trop Med Hyg* 85: 55-59.

[doi>](#) Carvalho OS, Gault CE, Machado MP, Pieri O, Vicente AC, Cupolillo E 2011. Foreword. *Mem I Oswaldo Cruz* (impresso) 106: 783-783.

[doi>](#) Souza-Lemos C, de-Campos SN, Teva A, Porrozzi R, Grimaldi G Jr 2011. In situ characterization of the granulomatous immune response with time in nonhealing lesional skin of *Leishmania braziliensis*-infected rhesus macaques (*Macaca mulatta*). *Vet Immunol Immunop* 142: 147-155.

[doi>](#) Buitrago R, Cupolillo E, Bastrenta B, Le Pont F, Martinez E, Barnabé C, Brenière SF 2011. PCR-RFLP of ribosomal internal transcribed spacers highlights inter and intra-species variation among *Leishmania* strains native to La Paz, Bolivia. *Infect Genet Evol* 11: 557-563.

#### **Indexado (fator de impacto > 4)**

[doi>](#) Cuervo P, Fernandes N, de Jesus JB 2011. A proteomics view of programmed cell death mechanisms during host-parasite interactions. *J Proteomics* 75: 246-256.

[doi>](#) Kuhls K, Alam MZ, Cupolillo E, Ferreira GE, Mauricio IL, Oddone R, Feliciangeli MD, Wirth T, Miles MA, Schönian G 2011. Comparative microsatellite typing of new world *Leishmania infantum* reveals low heterogeneity among populations and its recent old world origin. *Plos Neglect Trop D* 5: - .

[doi>](#) Working Group on Research for Vacca 2011. Vaccines for the leishmaniasis: proposals for a research agenda. *Plos Neglect Trop D* 5: - .

#### **Indexado (fator de impacto 0,65 e 2)**

[doi>](#) De Santis B, Santos EG, Cupolillo E, Porrozzi R, Cavalcanti AS, dos Santos BN, De Moura ST, Malhado K, Chaves SA 2011. Characterization of *Leishmania infantum* species in dogs from the urban area of Cuiabá, State of Mato Grosso, Brazil. *Rev Soc Bras Med Tro* 44: 771-773.

[doi>](#) Mesquita-Rodrigues C, Saboia-Vahia L, Cuervo P, Levy CM, Honorio NA, Domont GB, de Jesus JB 2011. Expression of trypsin-like serine peptidases in pre-imaginal stages of *Aedes aegypti* (Diptera: Culicidae). *Arch Insect Biochem* 76: 223-235.

[doi>](#) Rocha LS, Falqueto A, dos Santos CB, Grimaldi GJ, Cupolillo E 2011. Possible implication of the genetic composition of the *Lutzomyia longipalpis* (Diptera: Psychodidae) populations in the epidemiology of the visceral leishmaniasis. *J Med Entomol* 48: 1016-1022.

### **2012**

#### **Indexado (fator de impacto < 1 ou sem FI)**

[doi>](#) Peláez RG, Muskus CE, Cuervo P, Marín-Villa M 2012. Expresión diferencial de proteínas en *Leishmania (Viannia) panamensis* asociadas con mecanismos de resistencia a antimonio de meglumina. *Biomédica* 32: 418-429.

#### **Indexado (fator de impacto $\geq 1$ e < 2,71)**

[doi>](#) Cavalcanti A, Lobo R, Cupolillo E, Bustamante F, Porrozz R 2012. Canine cutaneous leishmaniasis caused by neotropical *Leishmania infantum* despite of systemic disease: A case report. *Parasitol Int* 61: 738-740.

[doi>](#) Reyes-Urbe P, Pereira-Dos-Santos T, De Jesus JB, Mesquita-Rodrigues C, Arevalo J, Cupolillo E, Cuervo P 2012. Comparative zymographic analysis of metallopeptidase of *Leishmania (Viannia) peruviana* and *Leishmania (Viannia) braziliensis* isolates from Peru. *Parasitol Int* 61: 513-519.

[doi>](#) da Graça GC, Volpini AC, Romero GA, de Oliveira Neto MP, Hueb M, Porrozz R, Boité MC, Cupolillo E 2012. Development and validation of PCR-based assays for diagnosis of American cutaneous leishmaniasis and identification of the parasite species. *Mem I Oswaldo Cruz (impresso)* 107: 664-674.

[doi>](#) Grimaldi G Jr, Teva A, Ferreira AL, dos Santos CB, Pinto IS, de-Azevedo CT, Falqueto A 2012. Evaluation of a novel chromatographic immunoassay based on Dual-Path Platform technology (DPP® CVL rapid test) for the serodiagnosis of canine visceral leishmaniasis. *T Roy Soc Trop Med H* 106: 54-59.

[doi>](#) Grimaldi Jr G, Teva A, Santos CB, Ferreira AL, Falqueto A 2012. The effect of removing potentially infectious dogs on the numbers of canine *Leishmania infantum* infections in an endemic area with high transmission rates. *Am J Trop Med Hyg* 86: 966-971.

#### **Indexado (fator de impacto $\geq 2,71$ e $< 4,35$ )**

[doi>](#) Borges-Veloso A, Saboia-Vahia L, Cuervo P, Pires RC, Britto C, Fernandes N, d Avila-Levy CM, de Jesus JB 2012. Proteolytic profiling and comparative analyses of active trypsin-like serine peptidases in preimaginal stages of *Culex quinquefasciatus*. *Parasite Vector* 5: - .

[doi>](#) Ferreira GE, Santos BN, Dorval ME, Ramos TP, Porrozz R, Peixoto AA, Cupolillo E 2012. The genetic structure of *Leishmania infantum* populations in Brazil and its possible association with the transmission cycle of visceral leishmaniasis. *Plos One* 7: - .

#### **Indexado (fator de impacto $\geq 4,35$ e $< 7,51$ )**

[doi>](#) Boité MC, Mauricio IL, Miles MA, Cupolillo E 2012. New insights on taxonomy, phylogeny and population genetics of leishmania (viannia) parasites based on multilocus sequence analysis. *Plos Neglect Trop D* 6: - .

### **2013**

#### **Indexado (fator de impacto $\geq 1$ e $< 2,71$ )**

[doi>](#) Taverna CG, Bosco-Borgeat ME, Murisengo OA, Davel G, Boité MC, Cupolillo E, Canteros CE 2013. Comparative analyses of classical phenotypic method and ribosomal RNA gene sequencing for identification of medically relevant *Candida* species.. *Mem I Oswaldo Cruz (impresso)* 108: 178-185.

[doi>](#) de Araújo VA, Boité MC, Cupolillo E, Jansen AM, Roque AL 2013. Mixed infection in the anteater *Tamandua tetradactyla* (Mammalia: Pilosa) from Pará State, Brazil: *Trypanosoma cruzi*, *T. rangeli* and *Leishmania infantum*. *Parasitology* 140: 455-460.

[doi>](#) Ramos LO, Maretti-Mira AC, Rodrigues KM, Lima RB, Paes de Oliveira Neto M, Cupolillo E, Pirmez C, Oliveira MP 2013. Severity of tegumentary leishmaniasis is not exclusively associated with *Leishmania RNA virus 1* infection in Brazil.. *Mem I Oswaldo Cruz* (impresso) 108: 665-667.

#### **Indexado (fator de impacto $\geq 2,71$ e $< 4,35$ )**

[doi>](#) Torres DC, Ribeiro-Alves M, Romero GA, Dávila AM, Cupolillo E 2013. Assessment of drug resistance related genes as candidate markers for treatment outcome prediction of cutaneous leishmaniasis in Brazil. *Acta Trop* 126: 132-141.

[doi>](#) Motoie G, Ferreira GEM, Cupolillo E, Canavez F, Pereira-Chioccola V 2013. Spatial distribution and population genetics of *Leishmania infantum* genotypes in São Paulo State, Brazil, employing multilocus microsatellite typing directly in dog infected tissues.. *Infect Genet Evol* 18: 48-59.

[doi>](#) Natalia González-Caballero, Jesus Valenzuela , Jose Marcos Ribeiro, Cuervo P, Brazil RP 2013. Transcriptome exploration of the sex pheromone gland of *Lutzomyia longipalpis* (Diptera: Psychodidae: Phlebotominae). *Parasite Vector* 6: - .

[doi>](#) Matilde, Veloso AB, Rodrigues CM, Cuervo P, Lopes GD, Britto CFPC, Ana Paula Silva, De Jesus JB 2013. Trypsin-like serine peptidase profiles in the egg, larval, and pupal stages of *Aedes albopictus*. *Parasite Vector* 6: - .

#### **Indexado (fator de impacto $\geq 4,35$ e $< 7,51$ )**

[doi>](#) Rodrigues CM, Menna-Barreto RFS, Matilde, Da-Silva S, Souza EM, Waghbi MC, Cuervo P, De Jesus JB 2013. Cellular growth and mitochondrial ultrastructure of leishmania (*Viannia*) *braziliensis* promastigotes are affected by the iron chelator 2,2-dipyridyl. *Plos Neglect Trop D* 7: - .

[doi>](#) Ferreira GEM, Araki AS, Camila J. Mazzone, Souza NA, Machado RC, BRUNO, R. V., Peixoto AA 2013. Multilocus analysis of divergence and introgression in sympatric and allopatric sibling species of the *Lutzomyia longipalpis* complex in Brazil. *Plos Neglect Trop D* 7(10): - .

[doi>](#) Katrin Kuhls, Cupolillo E, Silva SO, Schweynoch C, Boité MC, Mello MN, Mauricio I, Miles M, Wirth T, Schonian G 2013. Population Structure and Evidence for Both Clonality and Recombination among Brazilian Strains of the Subgenus *Leishmania* (*Viannia*).. *Plos Neglect Trop D* 7: - .

**2014**



### **Indexado (fator de impacto < 1 ou sem FI)**

[doi>](#) José Geraldo CASTRO-JÚNIOR, Mariana Lourenço FREIRE, Samantha Priscila Silva CAMPOS, Kezia K.G. SCOPEL, Porrozzi R, Edimilson Domingos DA SILVA, Fabio A. COLOMBO, Rita de Cássia Viveiros da SILVEIRA, Marcos José MARQUES, Elaine Soares COIMBRA 2014. Evidence of Leishmania (Leishmania) infantum infection in dogs from Juiz de Fora, Minas Gerais State, Brazil, based on immunochromatographic dual-path platform (DPP®) and PCR assays. Rev Inst Med Trop SP 56: 225-229.

### **Indexado (fator de impacto >=2,71 e < 4,35)**

[doi>](#) Gonzalez-Caballero N, Rodriguez-Vega A, Dias-Lopes G, Jesus Valenzuela, Jose Marcos Ribeiro, Paulo Costa Carvalho, Valente RH, Brazil RP, Cuervo P 2014. Expression of the mevalonate pathway enzymes in the Lutzomyia longipalpis (Diptera: Psychodidae) sex pheromone gland demonstrated by an integrated proteomic approach.. J Proteomics 96: 117-132.

[doi>](#) Boité MC, Salgado-de-Oliveira T, Ferreira GEM, Trainin MA, Santos BN, Porrozzi R, Cupolillo E 2014. Polymorphisms and ambiguous sites present in DNA sequences of Leishmania clones: Looking closer. Infect Genet Evol 25: 110-116.

[doi>](#) Mkada-Driss I, Lahmadi R, Talbi C, Guerbouj S, Driss M, Elamine EM, Cupolillo E, Mukhtar MM, Guizani I 2014. Screening and characterization of RAPD markers in viscerotropic Leishmania parasites.. Plos One 9: - .

[doi>](#) Sergio Cuervo-Escobar, Barragan ML, Adriana Umaña-Perez, Porrozzi R, Matilde, Luisa H Miranda, Morgado FN, Rodrigo Caldas, Myriam Sanchez-Gomez, Cuervo P 2014. T-cell populations and cytokine expression are impaired in thymus and spleen of protein malnourished BALB/c mice infected with Leishmania infantum. Plos One 9: - .

[doi>](#) Matilde, Cuervo P, Veloso AB, Pinho-de-Souza N, Britto CFPC, Lopes GD, De Jesus JB 2014. The midgut of Aedes albopictus females expresses active trypsin like serine peptidases. Parasite Vector 7(1): - .

### **Indexado (fator de impacto >=4,35 e < 7,51)**

[doi>](#) Gabriel Grimaldi Jr, Antonio Teva, Porrozzi R, Pinto MA, Renato S. Marchevsky, Maria Gabrielle L. Rocha, Miriam S. Dutra, Oscar Brun~ a-Romero, Ana-Paula Fernandes, Ricardo T. Gazzinelli 2014. Clinical and parasitological protection in a Leishmania infantum-macaque model vaccinated with adenovirus and the recombinant A2 antigen. Plos Neglect Trop D 8: - .

[doi>](#) Pires RC, Boité MC, D'Andrea PS, Herrera HM, Cupolillo E, Jansen AM, Roque AL 2014. Distinct Leishmania species infecting wild caviomorph rodents (rodentia: hystricognathi) from Brazil. Plos Neglect Trop D 8: - .

[doi>](#) Marlow MA, Boité MC, Ferreira GEM, Steindel M, Cupolillo E 2014. Multilocus sequence

analysis for Leishmania braziliensis outbreak investigation.. Plos Neglect Trop D 8: - .

## 2015

### Indexado (fator de impacto $\geq 1$ e $< 2,71$ )

[doi>](#) Silva GAF, Romero GAS, Cupolillo E, Yamashita EPG, Gomes-Silva A, Guerra JA, Cruz AM 2015. Leishmania (Viannia) naiffi: rare enough to be neglected?. Mem I Oswaldo Cruz (impresso) 110: 797-800.

### Indexado (fator de impacto $\geq 2,71$ e $< 4,35$ )

[doi>](#) Lopes GD, Veloso AB, Gilberto B Domont, Britto CFPC, Cuervo P, De Jesus JB 2015. Expression of active trypsin-like serine peptidases in the midgut of sugar-feeding female Anopheles aquasalis. Parasite Vector 8: - .

[doi>](#) Veloso AB, Saboia-Vahia L, Lopes GD, Gilberto B Domont, Britto CFPC, Cuervo P, De Jesus JB 2015. In-depth characterization of trypsin-like serine peptidases in the midgut of the sugar fed Culex quinquefasciatus. Parasite Vector 8: - .

[doi>](#) Cavalcanti A, Ribeiro-Alves M, Pereira LOR, Mestre GL, Ferreira ABR, Morgado FN, Boité MC, Cupolillo E, Moraes MO, Porrozz R 2015. Parasite Load Induces Progressive Spleen Architecture Breakage and Impairs Cytokine mRNA Expression in Leishmania infantum-Naturally Infected Dogs. Plos One 10: - .

[doi>](#) Viviane Medeiros-Silva, Rodrigo Gurgel-Gonçalves, Nadjar Nitz, Lucia Emilia D Anduraim Morales, Laurício Monteiro Cruz, Cupolillo E, Gabriel Eduardo Melim Ferreira, Isabele Gonçalves Sobral, Gustavo Adolfo Sierra Romero 2015. Successful isolation of Leishmania infantum from Rhipicephalus sanguineus sensu lato (Acari: Ixodidae) collected from naturally infected dogs. Vet Res 11: - .

### Indexado (fator de impacto $\geq 4,35$ e $< 7,51$ )

[doi>](#) Cantanhede LM, Silva Junior CF, Ito MM, Felipin KP, Nicolete R, Salcedo JMV, Porrozz R, Cupolillo E, Ferreira RGM 2015. Further Evidence of an Association between the Presence of Leishmania RNA Virus 1 and the Mucosal Manifestations in Tegumentary Leishmaniasis Patients. Plos Neglect Trop D 9: - .

## 2016

### Indexado (fator de impacto $< 1$ ou sem FI)

[doi>](#) Tatiana Forti, Aline da S.S. Souto, Carlos Roberto S. do Nascimento, Mariiii M. Nishikawa, Marise T.W. Hubner, Fernanda P. Sabagh, Temporal RM, Janaína M. Rodrigues, Manuela da Silva 2016. Evaluation of a fungal collection as certified reference material producer and as a biological resource center. Braz J Microbiol 47: 403-409.

[doi>](#) Silva HA, Lima GS, Boité MC, Porrozz R, Hueb M, Damazo AS 2016. Expression of annexin

A1 in Leishmania-infected skin and its correlation with histopathological features. Rev Soc Bras Med Tro 48: 560-567.

[doi>](#) Morgado FN, Cavalcanti AS, Miranda LH, Silva MR, Menezes RC, Andrade da Silva AV, Boité MC, Cupolillo E, Porrozzi R 2016. Hepatozoon canis and Leishmania spp. coinfection in dogs diagnosed with visceral leishmaniasis. Rev Bras Parasitol Vet 25: 450-458.

#### **Indexado (fator de impacto $\geq 1$ e $< 2,71$ )**

[doi>](#) Barragan ML, Cavalcanti AS, Adriana Umaña-Perez, Porrozzi R, Sergio Cuervo-Escobar, Andres Vallejo, Myriam Sanchez, Cuervo P 2016. Detection and quantification of Leishmania infantum in naturally and experimentally infected animal samples. Vet Parasitol 226: 57-64.

[doi>](#) Lopes GD, Veloso AB, Matilde, Palomares GRP, Guimaraes ACR, Britto CFPC, Cuervo P, De Jesus JB 2016. Proteomics reveals major components of oogenesis in the reproductive tract of sugar-fed Anopheles aquasalis. Parasitol Res 115: 1977-1989.

#### **Indexado (fator de impacto $\geq 2,71$ e $< 4,35$ )**

[doi>](#) Saldarriaga OA, Castellanos-Gonzalez A, Porrozzi R, Baldeviano GC, Lescano AG, de Los Santos MB, Fernandez OL, Saravia NG, Costa E, Melby PC, Travi BL 2016. An Innovative Field-Applicable Molecular Test to Diagnose Cutaneous Leishmania Viannia spp. Infections. Plos Neglect Trop D 10: - .

[doi>](#) Cassia Castro, Menna-Barreto RFS, Matilde, Lopes GD, Britto CFPC, Cuervo P, De Jesus JB 2016. Iron-modulated pseudocyst formation in Tritrichomonas foetus. Parasitology 143(8): 1034-1042.

[doi>](#) Morgado FN, Schubach AO, Pimentel MI, Lyra MR, Vasconcelos ÉC, Valete-Rosalino CM, Conceição-Silva F 2016. Is There Any Difference between the In Situ and Systemic IL-10 and IFN- $\gamma$  Production when Clinical Forms of Cutaneous Sporotrichosis Are Compared?. Plos One 11: - .

#### **2017**

#### **Indexado (fator de impacto $\geq 1$ e $< 2,71$ )**

[doi>](#) Brandão AA, Cupolillo E, Pirmez C 2017. Brazilian scientific journals: challenges, (dis)incentives and one fundamental question. Mem I Oswaldo Cruz (impresso) 112: 653-653.

[doi>](#) Tassia Vasconcelos, Marina Furtado, Vinicius Belo, Morgado FN, Fabiano Figueiredo 2017. Canine susceptibility to visceral leishmaniasis: A systematic review upon genetic aspects, considering breed factors and immunological concepts. Infect Genet Evol S1567-1348: 30342-30348.

[doi>](#) Pereira LOR, Moreira BM, Oliveira MP, Soraya de Oliveira Reis, Manoel Paes de Oliveira Neto, Pirmez C 2017. Is Leishmania (Viannia) braziliensis parasite load associated with disease pathogenesis?. Int J Infect Dis 57: 132-137.

[doi>](#) Moreira OC, Yadon ZE, Cupolillo E 2017. The applicability of real-time PCR in the diagnostic of cutaneous leishmaniasis and parasite quantification for clinical management: Current status and perspectives. *Acta Trop* 184: 29-37.

**Indexado (fator de impacto  $\geq 2,71$  e  $< 4,35$ )**

[doi>](#) Peterson AT, Campbell LP, Moo-Llanes DA, Travi B, Gonzales C, Ferro MC, Ferreira GEM, Brandão-Filho SP, Cupolillo E, Ramsey J, Leffer AMC, Pech-May A, Shaw JJ 2017. Influences of climate change on the potential distribution of *Lutzomyia longipalpis* sensu lato (Psychodidae: Phlebotominae). *Int J Parasitol* 47(10-11): 667-674.

[doi>](#) Ana Beatriz Ferreira Barletta, Maria Clara L. Nascimento-Silva, Octávio A. C. Talyuli, José Henrique M. Oliveira, Pereira LOR, Pedro L. Oliveira, Marcos Henrique F. Sorgine 2017. Microbiota activates IMD pathway and limits Sindbis infection in *Aedes aegypti*. *Parasite Vector* 10: - .

**Indexado (fator de impacto  $\geq 4,35$  e  $< 7,51$ )**

[doi>](#) Losada-Barragan M, Umaña-Pérez A, Cuervo-Escobar S, Berbert LB, Porrozzi R, Morgado FN, Mendes-da-Cruz DA, Savino W, Sánchez-Gómez M, Cuervo P 2017. Protein malnutrition promotes dysregulation of molecules involved in T cell migration in the thymus of mice infected with *Leishmania infantum*. *Sci Rep* 7: - .

**2018**

**Indexado (fator de impacto  $< 1$  ou sem FI)**

[doi>](#) Conceição-Silva F, Morgado FN 2018. Immunopathogenesis of Human Sporotrichosis: What We Already Know. *J Fungi* 4(3): - .

**Indexado (fator de impacto  $\geq 1$  e  $< 2,71$ )**

[doi>](#) Moreira OC, Yadon ZE, Cupolillo E 2018. The applicability of real-time PCR in the diagnostic of cutaneous leishmaniasis and parasite quantification for clinical management: Current status and perspectives. *Acta Trop* 184: 29-37.

**Indexado (fator de impacto  $\geq 2,71$  e  $< 4,35$ )**

[doi>](#) Lopes GD, Wisniewski JR, Pinho-de-Souza N, Vidal VE, Palomares GRP, Britto C, Cuervo P, De Jesus JB 2018. In-Depth Quantitative Proteomic Analysis of Trophozoites and Pseudocysts of *Trichomonas vaginalis*. *J Proteome Res* 17(11): 3704-3718.

[doi>](#) Cantanhede LM, Fernandes FG, Ferreira GEM, Porrozzi R, Ferreira RGM, Cupolillo E 2018. New insights into the genetic diversity of *Leishmania* RNA Virus 1 and its species-specific relationship with *Leishmania* parasites. *Plos One* 13: - .

[doi>](#) Conceição-Silva F, Leite-Silva J, Morgado FN 2018. The Binomial Parasite-Host Immunity in the Healing Process and in Reactivation of Human Tegumentary Leishmaniasis. *Front Microbiol* 9: - .

[doi>](#) Morgado FN, Carvalho LMV, Leite-Silva J, Seba AJ, Pimentel MIF, Fagundes A, Madeira MF, Lyra MR, Oliveira MM, Schubach AO, Conceição-Silva F 2018. Unbalanced inflammatory reaction could increase tissue destruction and worsen skin infectious diseases - a comparative study of leishmaniasis and sporotrichosis. *Sci Rep* 8: - .

### **Indexado (fator de impacto $\geq 4,35$ e $< 7,51$ )**

[doi>](#) Bussotti G, Gouzelou E, Côrtes Boité M, Kherachi I, Harrat Z, Eddaikra N, Mottram JC, Antoniou M, Christodoulou V, Bali A, Guerfali FZ, Laouini D, Mukhtar M, Dumetz F, Dujardin JC, Smirlis D, Lechat P, Pescher P, El Hamouchi A, Lemrani M, Chicharro C, Llanes-Acevedo IP, Botana L, Cruz I, Moreno J, Jeddi F, Aoun K, Bouratbine A, Cupolillo E, Späth GF 2018. Leishmania Genome Dynamics during Environmental Adaptation Reveal Strain-Specific Differences in Gene Copy Number Variation, Karyotype Instability, and Telomeric Amplification. *mBio* 9: - .

[doi>](#) Campos, MP, Figueiredo FB, Morgado FN, Renzetti ARDS, de Souza SMM, Pereira, SA, Rodrigues-da-Silva RN, Lima-Junior JC, De Luca PM 2018. Leishmania infantum Virulence Factor A2 Protein: Linear B-Cell Epitope Mapping and Identification of Three Main Linear B-Cell Epitopes in Vaccinated and Naturally Infected Dogs. *Front Immunol* 9: - .

[doi>](#) Silva AVA, Figueiredo FB, Menezes RC, Mendes-Junior AA, de Miranda LHM, Cupolillo E, Porrozi R 2018. Morphophysiological changes in the splenic extracellular matrix of Leishmania infantum-naturally infected dogs is associated with alterations in lymphoid niches and the CD4+ T cell frequency in spleens. *Plos Neglect Trop D* 12: - .