

Laboratório de Toxoplasmose e outras Protozooses

2007

Indexado (fator de impacto <0,65 e não impactadas no ISI)

Millar PR, Daguer H, Vicente RT, Costa T, L-de-Carli A, Sobreiro LG, Amendoeira MRR 2007. Soroprevalência de anticorpos anti-Toxoplasma gondii em trabalhadores de um matadouro de suínos e em indivíduos com outras atividades na cidade de Palmas, Paraná, Brasil.. Cienc Rural 37: 292-295.


Andrade MCR, Coelho JMCO, Amendoeira MRR, Vicente RT, Cardoso CVP, Ferreira PCB, Marchevsky RS 2007. Toxoplasmose em macacos-de-cheiro: análise histológica e imunoistoquímica. Cienc Rural 37: 1724-1727.

Indexado (fator de impacto > 0,65 a 2,0)

Fagundes A, Marzochi MCA, Fernandes O, Perez MA, Schubach AO, Schubach TM, Amendoeira MRR, Mouta-confort E, Marzochi KB 2007. First encounter of subclinical human Leishmania (Viannia) infection in Rio Grande do Sul State, Brazil. Mem I Oswaldo Cruz (impresso) 102 (8): 1003-1005.


2008


Indexado (> 0,65 a 2,0)


 Silva, AVM, Cândido CDS, Pereira P, Brazil RP, Carreira JCA 2008. The first record of American visceral leishmaniasis in domestic cats from Rio de Janeiro, Brazil. Acta Trop 105: 92-94.


2009

Indexado (fator de impacto > 0,65 e < 2)

 Neves ES, Bicudo LN, Curi AL, Carregal E, Bueno WF, Ferreira RG, Amendoeira MR, Benchimol E, Fernandes O 2009. Acute acquired toxoplasmosis: clinical-laboratorial aspects and ophthalmologic evaluation in a cohort of immunocompetent patients. Mem I Oswaldo Cruz (impresso) 104: 393-396.

 Figueiredo FB, Bonna IC, Nascimento LD, da Costa T, Baptista C, Pacheco TMV, Amendoeira MR, Madeira MF 2009. Avaliação sorológica para detecção de anticorpos anti-Leishmania em cães e gatos no bairro de Santa Rita de Cássia, município de Barra Mansa, Estado do Rio de Janeiro. Rev Soc Bras Med Tro 42: 141-145.

 Aleixo AL, Benchimol EI, Neves ES, Silva CS, Coura LC, Amendoeira MR 2009. Frequência de lesões sugestivas de toxoplasmose ocular em uma população rural do Estado do Rio de Janeiro. Rev Soc Bras Med Tro 42: 165-169.

 Moura MA, Amendoeira MR, Barbosa HS 2009. Primary culture of intestinal epithelial cells as a potential model for Toxoplasma gondii enteric cycle studies. Mem I Oswaldo Cruz

(impresso) 104: 862-864.

[doi>](#) Albuquerque MC, Aleixo AL, Benchimol EI, Leandro AC, Neves LB, Vicente RT, Bonecini-Almeida MG, Amendoeira MR 2009. The IFN- γ +874T/A gene polymorphism is associated with retinochoroiditis toxoplasmosis susceptibility. Mem I Oswaldo Cruz (impresso) 104: 451-455.

[doi>](#) Bahia-Oliveira LM, Dardé ML, Amendoeira MR 2009. Toxoplasma gondii centennial anniversary: 100 years of research to celebrate all over the world. Mem I Oswaldo Cruz (impresso) 104: 129-131.

2010

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Dahroug MA, Almeida AB, Sousa VR, Dutra V, Turbino NC, Nakazato L, de Souza RL 2010. Leishmania (Leishmania) chagasi in captive wild felids in Brazil. T Roy Soc Trop Med H 104: 73-74.

2011

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Neves ES, Kropf A, Bueno WF, Bonna IC, Curi AL, Amendoeira MR, Fernandes Filho O 2011. Disseminated toxoplasmosis: an atypical presentation in an immunocompetent patient. Trop Doct 41: 59-60.

[doi>](#) da Silva LB, de Oliveira RV, da Silva MP, Bueno WF, Amendoeira MR, de Souza Neves E 2011. Knowledge of toxoplasmosis among doctors and nurses who provide prenatal care in an endemic region. Infect Dis Obstet Gynecol 2011: - .

[doi>](#) Luciano DM, Menezes RC, Ferreira LC, Nicolau JL, Neves LB, Luciano RM, Dahroug MA, Amendoeira MR 2011. Soroepidemiologia da toxoplasmose em caprinos e ovinos de três municípios do estado do Rio de Janeiro. Pesqui Vet Brasil 31: 569-574.

[doi>](#) Albuquerque MC, Almeida MG, Amendoeira MR 2011. Susceptibilidade a retinocoroidite toxoplásmica e polimorfismo genético. Arq Bras Oftalmol 74: 227-227.

2012

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Neves ES, Curi AL, Albuquerque MC, Palhano-Silva CS, da Silva LB, Bueno WF, Amendoeira MR, Bonecine-Almeida MG, Fernandes O 2012. Genetic polymorphism for IFN γ +874T/A in patients with acute toxoplasmosis. Rev Soc Bras Med Tro 45: 757-760.

[doi>](#) Millar PR, Alves FM, Teixeira VQ, Vicente RT, Menezes EM, Sobreiro LG, Pereira VL, Amendoeira MR 2012. Occurrence of infection with Toxoplasma gondii and factors associated with transmission in broiler chickens and laying hens in different raising systems. Pesqui Vet Brasil 32: 231-236.

[doi>](#) Casartelli-Alves L, Ferreira LC, Vicente RT, Millar PR, Oliveira RV, Amendoeira MR, Schubach TM, Menezes RC 2012. Prevalência da infecção por *Toxoplasma gondii* em galinhas criadas extensivamente em Rio Bonito, Rio de Janeiro. *Arq Bras Med Vet Zoo* 64: 1398-1401.

2013

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Loureiro-de-Moura F, Amendoeira MRR, Bastos, OMP, Mattos, DPBG, Fonseca, ABM, Nicolau JL, Neves LB, Millar, PR 2013. Prevalence and risk factors for *Toxoplasma gondii* infection among pregnant and postpartum women attended at public healthcare facilities in the City of Niterói, State of Rio de Janeiro, Brazil. *Rev Soc Bras Med Tro* 46: 200-207.

Indexado (fator de impacto >=2,71 e < 4,35)

[doi>](#) Fajardo, H, Sthefane D'ávila, Bastos, R, Cyrino, C, De Lima Detoni, M, Garcia, J, Neves LB, Nicolau JL, Amendoeira MRR 2013. Seroprevalence and risk factors of toxoplasmosis in cattle from extensive and semi-intensive rearing systems at Zona da Mata, Minas Gerais state, Southern Br. *Parasite Vector* 6: - .

2014

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Barbosa AS, Pissinatti A, Dib LV, Siqueira M PS, Cardozo M L, Fonseca AB M, Oliveira AB, Silva F A, Uchôa C M A, Bastos O M P, Amendoeira MRR 2014. *Balantidium coli* and other gastrointestinal parasites in captives non-human primates of the Rio de Janeiro, Brazil. *J Med Primatol* 15: 1-8.

[doi>](#) Millar PR, Loureiro-de-Moura F, Bastos OMP, Mattos DPBG, Fonseca ABM, Sudré AP, Leles D, Amendoeira MRR 2014. Toxoplasmosis-related knowledge among pregnant and postpartum women attended in public health units in Niterói, Rio De Janeiro, Brazil. *Rev Inst Med Trop SP* 56: 433-438.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Alves, L C, Boechat, V, R. Macedo-Couto, L.C. Ferreira, Nicolau JL, Neves LB, MILLAR, PR, VICENTE, R T, Oliveira, R VC, AG Muniz, I.C.F. Bonnaa, Amendoeira MRR, Silva, R C, H. Langonif, T.M.P. Schubacha, R.C. Menezes 2014. Sensitivity and specificity of serological tests, histopathology and immunohistochemistry for detection of *Toxoplasma gondii* infection in domestic chickens.. *Vet Parasitol* 204: 346-351.

2015

Indexado (fator de impacto < 1 ou sem FI)

Barros RS, Rodrigo Caldas Menezes, Sandro Antonio Pereira, Fabiano Borges Figueiredo, Raquel Vasconcellos Carvalhaes de Oliveira, José Leonardo Nicolau, Leandro Batista das Neves, Millar PR, Amendoeira MRR 2015. Feline Sporotrichosis: Coinfection with *Toxoplasma gondii*, Feline Immunodeficiency Virus and Feline Leukemia Virus in Cats From an Endemic Area in Brazil. *Acta Sci Vet* 43:1316: 1-6.

[doi>](#) Eveline da Cruz Boa Sorte, Arleana do Bom Parto Ferreira de Almeida, Felipe Augusto Constantino Seabra da Cruz, Naiani Domingos Gasparetto, Isabela de Godoy, Valéria Dutra, Amendoeira MRR, Valéria Regia Franco Sousa 2015. Serological and molecular detection of *Toxoplasma gondii* in dog of urban and rural areas of Cuiaba, Matos Grosso. *Semin-Cienc Agrar* 36: 3705-3712.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Barbosa AS, BASTOS O M P, UCHÔA C M A, PISSINATTI A, RICARDO FILHO PF, DIB LV, AZEVEDO EP, SIQUEIRA MP, CARDOZO ML, Amendoeira MRR 2015. Isolation and maintenance of *Balantidium coli* (Malmsteim, 1857) cultured from fecal samples of pigs and non-human primates. *Vet Parasitol* 210: 240-245.

[doi>](#) ALVES, L.C., Amendoeira MRR, BOECHAT,V.C, FERREIRA,L.C., Carreira JCA, Nicolau, J.L, TRINDADE, E.P.F., PEIXOTO, J.N.B., MAGALHAES, M.A.F.M., OLIVEIRA, R.V.C., SCHUBACH, T.M.P., MENEZES, R.C. 2015. Mapping of the environmental contamination of *Toxoplasma gondii* by georeferencing isolates from chickens in an endemic area in Southeast Rio de Janeiro State, Brazil.. *Geospatial Health* 10: - .

2016

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Barbosa AS, Bastos OM, Uchôa CM, Pissinatti A, Bastos AC, Souza IV, Dib LV, Azevedo EP, Siqueira MP, Cardozo ML, Amendoeira MRR 2016. Comparison office parasitological techniques for laboratory diagnosis of *Balantidium coli* cysts. *Rev Bras Parasitol Vet* 25: 286-292.

[doi>](#) Loureiro-de-Moura F, Millar PR, Moura AP, Silva-de-Souza T, FONSECA, A. B. M., Amendoeira MRR 2016. Fatores associados ao conhecimento sobre a toxoplasmose entre gestantes atendidas na rede pública de saúde do município de Niterói, Rio de Janeiro, 2013-2015. *Epidemiologia e Serviços de Saúde* 25: 655-661.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Pacheco PA, Ferreira LB, Mendonça L, Ferreira DN, Salles JP, Faria RX, Teixeira PC, Alves LA 2016. P2X7 receptor as a novel drug delivery system to increase the entrance of hydrophilic drugs into cells during photodynamic therapy. *J Bioenerg Biomembr* 48: 397-411.

[doi>](#) Faria RX, Reis RA, Ferreira LG, Cezar-de-Mello PF, Moraes MO 2016. P2X7R large pore is partially blocked by pore forming proteins antagonists in astrocytes. *J Bioenerg Biomembr* 48: 309-324.

[doi>](#) Leles D, Lobo A, Rhodes T, Millar PR, Amendoeira MRR, Araújo A 2016. Recovery of *Toxoplasma gondii* DNA in experimentally mummified skin and bones: prospects for paleoparasitological studies to unveil the origin of toxoplasmosis. *Exp Parasitol* 168: 51-55.

[doi>](#) Ferreira LGB, Faria RX 2016. TRPing on the pore phenomenon: what do we know about transient receptor potential ion channel-related pore dilation up to now?. J Bioenerg Biomembr 48: 1-12.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Freitas HR, Ferraz G, Ferreira GC, Ribeiro-Resende VT, Chiarini LB, do Nascimento JL, Matos Oliveira KR, Pereira Tde L, Ferreira LG, Kubrusly RC, Faria RX, Herculano AM, Reis RA 2016. Glutathione-induced calcium shifts in chick retinal glial cells. Plos One 11 (4): - .

[doi>](#) Alberto AV, Faria RX, de Menezes JR, Surrage A, da Rocha NC, Ferreira LG, Frutuoso Vda S, Martins MA, Alves LA 2016. Role of P2 receptors as modulators of rat eosinophil recruitment in allergic inflammation. Plos One 11 (1): - .

[doi>](#) LOUVIS, ALINE DA ROCHA, E SILVA, NAYANE ABREU DO AMARAL, SEMAAN, FELIPE, DA SILVA, FERNANDO C., SARAMAGO, GABRIELA, DE SOUZA, LAÍS C. S. VELASCO, FERREIRA, BRUNO L. A., CASTRO RANGEL, HELENA CARLA, Salles JP, ALMEIDA, ANDRÉ, Faria RX, FERREIRA, VITOR F., MARTINS, DANIELA DE LUNA 2016. Synthesis, characterization and biological activities of 3-aryl-1,4-naphthoquinones - Green palladium-catalysed Suzuki cross couplings.. New J Chem 40: 7643-7656.

[doi>](#) Souza ALM, Faria RX, Calabrese KS, Haridoim DJ, Taniwaki N, Alves LA, De-Simone SG 2016. Temporizin and Temporizin-1 Peptides as Novel Candidates for Eliminating Trypanosoma cruzi. Plos One 11: - .

[doi>](#) Ana Luisa Quintella do Couto Aleixo, ANDRÉ LUIZ LAND CURI, Eliezer Israel Benchimol, Amendoeira MRR 2016. Toxoplasmic Retinochoroiditis: Clinical Characteristics and Visual Outcome in a Prospective Study. Plos Neglect Trop D 10(5): - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Faria RX, Serra MF, Neves JS, Couto GC, Cotias AC, Pão CR, Olsen PC, de Carvalho KL, Anjos-Valotta EA 2016. JM25-1, a Lidocaine Analog Combining Airway Relaxant and Antiinflammatory Properties: Implications for New Bronchospasm Therapy. Anesthesiology 124 (1): 109-120.

2017

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Pereira PF, Barbosa AS, Pereira-de-Moura AP, Vasconcellos ML, Claudia Maria Antunes Uchôa, Otílio Machado Pereira Bastos, Amendoeira MRR 2017. Gastrointestinal parasites in stray and shelter cats in the municipality of Rio de Janeiro, Brazil. Rev Bras Parasitol Vet 26(3): 383-388.

[doi>](#) Santos FM, Amendoeira MRR, Carrijo KF, Santos JPAF, Arruda IF, Sudré AP, Brener B, Millar PR 2017. Occurrence of Toxoplasma gondii and risk factors for infection in pigs raised

and slaughtered in the Triângulo Mineiro region, Minas Gerais, Brazil. *Pesqui Vet Brasil* 37: 570-576.

[doi>](#) Fonseca TS, Santos BN, Silva T, Moreno AMH, Bastos OMP, Sousa MA 2017. Trypanosoma cruzi I genotype among isolates from patients with chronic Chagas disease followed at the Evandro Chagas National Institute of Infectious Diseases (FIOCRUZ, Brazil). *Rev Soc Bras Med Tro* 50(1): 35-43.

[doi>](#) Barbosa AS, Dib LV, Uchôa CMA, Bastos OMP, Pissinatti A 2017. Trypanoxyuris (Trypanoxyuris) minutus (Schneider, 1866) among Alouatta guariba clamitans (Cabrera, 1940) in the state of Rio de Janeiro, Brazil. *J Med Primatol* 46: 101-105.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) SantosJAA, Viviane P Cavalcante, Leonardo S Rangel, João CVA Leite, Faria RX 2017. A New Technique Using Low Volumes: A New Technique to Assess the Molluscicidal Activity Using Low Volumes. *Evid-Based Compl Alt* 2017: - .

[doi>](#) Barbosa AS, Francisco Ponce-Gordo, Dib LV, Claudia M. Antunes Uchôab, Otilio Machado Pereira Bastos, Alcides Pissinatti, Amendoeira MRR 2017. First molecular characterization of Balantioides coli (Malmsten, 1857) isolates maintained in vitro culture and from feces of captive animals, Rio de Janeiro, Brazil. *Vet Parasitol* 10: 102-113.

[doi>](#) Faria RX, Freitas HR, Reis RAM 2017. P2X7 receptor large pore signaling in avian Müller glial cells. *J Bioenerg Biomembr* 49(3): 215-229.

[doi>](#) Sousa MA, Barbara N. Santos, Cristina Carvalhal, Mario Steindel 2017. Peculiarities of Trypanosoma rangeli KP1(-) Strains Isolated from the Wild Rodent Phyllomys dasythrix (Santa Catarina, Brazil): Comparisons with T. rangeli KP1(+) strains and Trypanosoma lewisi (Kinetoplastea, Trypanosomatidae). *Acta Protozool* 56: 119-127.

[doi>](#) Faria RX, Souza ALM, Lima B, Tietbohl LAC, Fernandes CP, Amaral RR, Ruppelt BM, Santos MG, Rocha L 2017. Plants of Brazilian restingas with tripanocide activity against Trypanosoma cruzi strains. *J Bioenerg Biomembr* 49: 473-483.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Gonzaga DTG, Ferreira LGB, Moreira Maramaldo Costa TE, von Ranke NL, Paulo Anastácio Furtado Pacheco, Sposito Simões AP, Arruda JC, Dantas LP, de Freitas HR, de Melo Reis RA, Penido C, Bello ML, Castro HC, Rodrigues CR, Ferreira VF, Faria RX, da Silva FC 2017. 1-Aryl-1H- and 2-aryl-2H-1,2,3-triazole derivatives blockade P2X7 receptor in vitro and inflammatory response in vivo.. *Eur J Med Chem* 139: 698-717.

[doi>](#) Vannier-Santos MA 2017. Editorial: Parasite Polyamines. *Curr Pharm Design* 23: 3323-3324.

[doi>](#) Oliveira VDC, Boechat VC, Mendes Junior AAV, Madeira MF, Ferreira LC, Figueiredo FB, Campos MP, Carvalho Rodrigues FDC, Carvalhaes de Oliveira RV, Amendoeira MRR, Menezes RC 2017. Occurrence of *Leishmania infantum* in the central nervous system of naturally infected dogs: Parasite load, viability, co-infections and histological alterations. *Plos One* 12: - .

[doi>](#) Vannier-Santos MA, Santos AMSFV 2017. Role of polyamines in parasite cell architecture and function. *Curr Pharm Design* 23: 3342-3358.

[doi>](#) Bolais PF, Vignoles P, Pereira PF, Keim R, Aroussi A, Ismail K, Dardé ML, Amendoeira MRR, Mercier A 2017. *Toxoplasma gondii* survey in cats from two environments of the city of Rio de Janeiro, Brazil by Modified Agglutination Test on sera and filter-paper. *Parasite Vector* 10(1): - .

2018

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Vasco-dos-Santos DR, Santos JV, Andrade WM, Santos-Lima TM, Lima LN, Dias-Lima AG, Andrade MJG, Vannier-Santos MA, Moura GJB, Nunes ES 2018. ANTIPARASITIC PLANTS USED BY THE KANTARURÉ-BATIDA INDIGENOUS COMMUNITY (NE-BRAZIL): ETHNOBOTANY AND LOCAL KNOWLEDGE-EROSION RISKS. *Ambiente & Sociedade* 21: - .

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Barbosa AS, Barbosa HS, Souza SMO, Dib LV, Uchôa CMA, Bastos OMP, Amendoeira MRR 2018. *Balantioides coli*: morphological and ultrastructural characteristics of pig and non-human primate isolates. *Acta Parasitol* 63: 287-298.

[doi>](#) Barbosa AS, Cardozo ML, Dib LV, Fonseca ABM, Uchôa CMA, Bastos OMP, Amendoeira MRR 2018. Comparative study of three xenic media culture for cultivation of *Balantidium coli* strains. *Rev Bras Parasitol Vet* 27: 19-25.

[doi>](#) Dib LV, Cronemberger C, Pereira FA, Bolais PF, Uchôa CMA, Bastos OMP, Amendoeira MRR, Barbosa AS 2018. Gastrointestinal parasites among felids inhabiting the Serra dos Órgãos National Park, Rio de Janeiro, Brazil. *Rev Bras Parasitol Vet* 27: 131-140.

[doi>](#) Leles D, Cascardo P, Pucu E, Brener B, Sudré A, Alves E, Uchoa F, Fajardo P, Millar PR, Mattos D, Chame M, Cartelle C 2018. Methodological innovations for the study of irreplaceable samples reveal giardiasis in extinct animals (*Nothrotherium maquinense* and *Palaeolama maior*). *Parasitol Int* 67: 776-780.

[doi>](#) Faria RX, Leandro Machado Rocha LM, Souza EPBSS, FB Almeida, Fernandes CP, Santos JAA 2018. Molluscicidal activity of *Manilkara subsericea* (Mart.) dubard on *Biomphalaria glabrata* (Say, 1818). *Acta Trop* 178: 163-168.

[doi>](#) Pereira PF, Barbosa AS, Santos ALC, Bolais PF, Dardé Marie-Laure, Amendoeira MRR 2018. *Toxoplasma gondii*: infection among shelter and stray cats in Rio de Janeiro, Brazil. *Rev Bras Parasitol Vet* 27: 401-408.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Pacheco PAF, Dantas LP, Ferreira LGB, Faria RX 2018. Purinergic receptors and neglected tropical diseases: why ignore purinergic signaling in the search for new molecular targets?. J Bioenerg Biomembr 50: 307-313.

[doi>](#) Faria RX, Gonzaga DTG, Pacheco PAF, Souza ALM, Ferreira VF, Silva FC 2018. Searching for new drugs for Chagas diseases: triazole analogs display high in vitro activity against Trypanosoma cruzi and low toxicity toward mammalian cells. J Bioenerg Biomembr 50: 81-91.

[doi>](#) Hiller NJ, Silva NAAE, Faria RX, Souza ALM, Resende JALC, Borges Farias A, Romeiro NC, Martins DL 2018. Synthesis and Evaluation of the Anticancer and Trypanocidal Activities of Boronic Tyrphostins. ChemMedChem 13(14): 1395-1404.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Faria RX, Oliveira FH, Salles JP, Oliveira AS, Von Ranke NL, Bello ML, Rodrigues CR, Castro HC, A R Louvis, Martins DL, Ferreira VF 2018. 1,4-Naphthoquinones potently inhibiting P2X7 receptor activity. Eur J Med Chem 143: 1361-1372.

[doi>](#) Evangelista AF, Vannier-Santos MA, Silva GSA, Silva DN, Juiz PJL, Nonaka CKV, Santos RR, Soares MBP, Villarreal CF 2018. Bone marrow-derived mesenchymal stem/ stromal cells reverse the sensorial diabetic neuropathy via modulation of spinal neuroinflammatory cascades. J Neuroinflamm 15: - .

[doi>](#) Alves LA, Ferreira LGB, Pacheco PAF, Mendivelso EAC, Teixeira PCN, Faria RX 2018. Pore forming channels as a drug delivery system for photodynamic therapy in cancer associated with nanoscintillators. Oncotarget 9(38): 25342-25354.