

Laboratório de Ultra-Estrutura Celular

2006

Indexado (fator de impacto > 0,65 a 2,0)

Oliveira TGM, Almeida DS, Meirelles MNL, Silva MCP 2006. Disarray of sarcomeric alpha-actinin in cardiomyocytes infected by Trypanosoma cruzi.. Parasitology 133: 171-178.

Indexado (fator de impacto >2,0 a 4,0)

Silva D, Meirelles MNL, Almeida DS, Urbina JA, Pereira MCS 2006. Cytoskeleton reassembly in cardiomyocytes infected by Trypanosoma cruzi is triggered by treatment with ergosterol biosynthesis inhibitors. Int J Antimicrob Ag 27: 530-537.

Telino E, De Luca PM, Matos DCS, Meirelles MNL, Silva FC, Schubach A, Mendonça, SCF 2006. In vitro responses of human peripheral blood mononuclear cells to whole-cell particulate and soluble extracts of Leishmania promastigotes. Clin Exp Immunol 143: 338-344.

Vieira MN, Figueroa-Villar JD, Meirelles MNL, Ferreira ST, De-Felice FG 2006. Small molecule inhibitors of lysozyme amyloid aggregation.. Cell Biochem Biophys 44: 549-553.

Batista, DG, Silva CF, Mota RA, Costa LC, Meirelles MN, Soeiro MN 2006. Trypanosoma cruzi Modulates the Expression of Rabs and Alters the Endocytosis in Mouse Cardiomyocytes in vitro. J Histochem Cytochem 54: 605-614.

2007

Indexado (fator de impacto > 0,65 a 2,0)

Azevedo-Pereira, RL, Pereira MCS, Oliveira Junior FOR, Brazil RP, Cortes LMC, Madeira MF, Santos ALS, Toma L, Alves CR 2007. Heparin binding proteins from Leishmania (Viannia) braziliensis promastigotes. Vet Parasitol 145: 234-239.

Corrêa JR, Brazil RP, Soares MJ 2007. Leishmania (Viannia) lainsoni (Silveira et al. 1987): ultrastructural aspects of the parasite and skin lesion in experimentally infected hamster (*Mesocricetus auratus*).. Parasitol Res 100: 1227-1232.

Costa JD, Meirelles MNL, Velloso CEP, Porrozzi R 2007. Leishmania chagasi: Cytotoxic Effect of Infected Macrophages on Parenchymal Liver Cells. Exp Parasitol 117: 390-398.

Menna-Barreto RFS, Corrêa JR, Pinto AV, Soares MJ, Castro SL 2007. Mitochondrial Disruption and DNA Fragmentation in Trypanosoma cruzi Induced by Naphthoimidazoles Synthesized from Beta-Lapachone. Parasitol Res 101: 895-905.

Corrêa JR, Atella GC, Vargas C, Soares MJ 2007. Transferrin uptake may occur through detergent-resistant membrane domain at the cytopharynx of Trypanosoma cruzi epimastigote forms. Mem I Oswaldo Cruz (impresso) 102: 871-876.

Indexado (fator de impacto >2,0 a 4,0)

Corrêa JR, Atella GC, Menna-Barreto RFS, Soares MJ 2007. Clathrin in Trypanosoma cruzi: In Silico Gene Identification, Isolation, and Localization of Protein Expression Sites. *J Eukaryot Microbiol* 54: 297-302.

Indexado (fator de impacto >4,0)

Silva CF, Batista MM, Souza EM, Meirelles MNL, Stephens CE, Som P, Boykin DW, Soeiro MNC 2007. Cellular Effects of Reversed Amidines on Trypanosoma cruzi. *Antimicrob Agents Ch* 51: 3803-3809.

Waghabi MC, Keramidas M, Calvet CM, Batista MM, Soeiro MNC, Mendonça-Lima L, Araujo-Jorge TC, Feige JJ, Bailly S 2007. SB-431542, a transforming growth factor beta inhibitor, impairs Trypanosoma cruzi infection in cardiomyocytes and parasite. *Antimicrob Agents Ch* 51: 2905-2910.

2008

Indexado (> 0,65 a 2,0)

 Costa JD, Melo AC, Vermelho AB, Meirelles MNL, Porrozzi R 2008. In vitro evidence for metallopeptidase participation in hepatocyte damage induced by Leishmania chagasi-infected macrophages. *Acta Trop* 106: 175-183.

 Corrêa JR, Atella GC, Batista MM, Soares MJ 2008. Transferrin uptake in Trypanosoma cruzi is impaired by interference on cytostome-associated cytoskeleton elements and stability of membrane cholesterol, but not by obstruction of clathrin-dependent endocytosis. *Exp Parasitol* 119: 58-66.

Indexado (>4,0)

 Garzoni LR, Adesse D, Soares MJ, Rossi M, Borojevic R, Meirelles MNL 2008. Fibrosis and hypertrophy induced by Trypanosoma cruzi in a three-dimensional cardiomyocyte-culture system. *J Infect Dis* 197: 906-915.

Indexado (>2,0 a 4,0)

Sabino B, Lessa M, Nascimento AR, Rodrigues CA, Henriques MG, Garzoni LR, Levy B, Tibiriçá EV 2008. Effects of antihypertensive drugs on capillary rarefaction in spontaneously hypertensive rats: intravital microscopy and histologic analysis. *J Cardiovasc Pharm* 51: 402-409.

 Oliveira TGM, Meirelles MNL, Pereira MCS 2008. Trypanosoma cruzi alters adherens junctions in cardiomyocytes. *Microbes Infect* 10: 1405-1410.

 Oliveira Junior FOR, Alves CR, Calvet CM, Toma L, Bouças RI, Nader HB, Cortes LMC, Krieger MA, Meirelles MNL, Pereira MCS 2008. Trypanosoma cruzi heparin-binding proteins and the nature of the host cell heparan sulfate-binding domain. *Microb Pathogenesis* 44: 329-

- doi:** Adesse D, Garzoni LR, Huang H, Tanowitz HB, Meirelles MNL, Spray DC 2008. Trypanosoma cruzi induces changes in cardiac connexin43 expression. *Microbes Infect* 10: 21-28.

2009

Indexado (fator de impacto > 0,65 e < 2)

- doi:** Guedes PM, Veloso VM, Afonso LC, Caliari MV, Carneiro CM, Diniz LF, Marques-da-Silva EA, Caldas IS, do Valle Matta MA, Souza SM, Lana M, Chiari E, Galvão LM, Bahia MT 2009. Development of chronic cardiomyopathy in canine Chagas disease correlates with high IFN-gamma, TNF-alpha, and low IL-10 production during the acute infection phase. *Vet Immunol Immunop* 130: 43-52.

- doi:** Costa JD, Soares R, Finkelstein LC, Corte-Real S, Meirelles MN, Porrozzi R 2009. Fast high yield of pure Leishmania (Leishmania) infantum axenic amastigotes and their infectivity to mouse macrophages. *Parasitol Res* 105: 227-236.

Indexado (fator de impacto > 2 e < 4)

- doi:** Garzoni LR, Rossi MI, de Barros AP, Guarani V, Keramidas M, Balottin LB, Adesse D, Takiya CM, Manso PP, Otazú IB, Meirelles MN, Borojevic R 2009. Dissecting coronary angiogenesis: 3D co-culture of cardiomyocytes with endothelial or mesenchymal cells. *Exp Cell Res* 315: 3406-3418.

- doi:** Calvet CM, Oliveira Jr FO, Araujo-Jorge TC, Pereira MC 2009. Regulation of extracellular matrix expression and distribution in Trypanosoma cruzi-infected cardiomyocytes. *Int J Med Microbiol* 299: 301-312.

2010

Indexado (fator de impacto > 0,65 e < 2)

- doi:** Nogueira de Melo AC, de Souza EP, Elias CG, dos Santos AL, Branquinha MH, d'Avila Levy CM, dos Reis FC, Costa TF, Lima AP, de Souza Pereira MC, Meirelles MN, Vermelho AB 2010. Detection of matrix metallopeptidase-9-like proteins in Trypanosoma cruzi. *Exp Parasitol* 125: 256-263.

- doi:** Paiva MM, Soeiro MN, Barbosa HS, Meirelles MN, Delain E, Araujo-Jorge TC 2010. Glycosylation patterns of human alpha2-macroglobulin: analysis of lectin binding by electron microscopy. *Micron* 41: 666-673.

- doi:** Guedes PM, Veloso VM, Talvani A, Diniz LF, Caldas IS, Do-Valle-Matta MA, Santiago-Silva J, Chiari E, Galvão LM, Silva JS, Bahia MT 2010. Increased type 1 chemokine expression in experimental Chagas disease correlates with cardiac pathology in Beagle dogs. *Vet Immunol Immunop* 138: 106-113.

Indexado (fator de impacto > 2 e < 4)

doi: Olivieri B, Molina JT, de Castro SL, Pereira MC, Calvet CM, Urbina JA, Araujo-Jorge TC 2010. A comparative study of posaconazole and benznidazole in the prevention of heart damage and promotion of trypanocidal immune response in a murine model of Chagas disease. *Int J Antimicrob Ag* 36: 79-83.

doi: Andrade LO, Galvão LM, Meirelles MN, Chiari E, Pena SD, Macedo AM 2010. Differential tissue tropism of *Trypanosoma cruzi* strains: an in vitro study. *Mem I Oswaldo Cruz (impresso)* 105: 834-837.

doi: Adesse D, Iacobas DA, Iacobas S, Garzoni LR, Meirelles MdeN, Tanowitz HB, Spray DC 2010. Transcriptomic signatures of alterations in a myoblast cell line infected with four distinct strains of *Trypanosoma cruzi*. *Am J Trop Med Hyg* 82: 846-854.

Indexado (fator de impacto > 4)

doi: Guedes PM, Oliveira FS, Gutierrez FR, da Silva GK, Rodrigues GJ, Bendhack LM, Franco DW, do Valle Matta MA, Zamboni DS, da Silva RS, Silva JS 2010. Nitric oxide donor trans-[RuCl([15]aneN₄)NO]²⁺ as a possible therapeutic approach for Chagas' disease. *Brit J Pharmacol* 160: 270-282.

doi: de Barros AP, Takiya CM, Garzoni LR, Leal-Ferreira ML, Dutra HS, Chiarini LB, Meirelles MN, Borojevic R, Rossi MI 2010. Osteoblasts and bone marrow mesenchymal stromal cells control hematopoietic stem cell migration and proliferation in 3D in vitro model. *Plos One* 5: - .

Adesse D, Lisanti MP, Spray DC, Machado FS, Meirelles MN, Tanowitz HB, Garzoni LR 2010. *Trypanosoma cruzi* infection results in the reduced expression of caveolin-3 in the heart. *Cell Cycle* 9: 1639-1646.

2011

Indexado (fator de impacto > 2 e 4)

doi: Nogueira RT, Nogueira AR, Pereira MC, Rodrigues MM, Galler R, Bonaldo MC 2011. Biological and immunological characterization of recombinant yellow fever 17D viruses expressing a *Trypanosoma cruzi* amastigote surface protein-2 CD8+ T cell epitope at two distinct regions of the genome. *Virol J* 8: - .

doi: Bambino-Medeiros R, Oliveira FO, Calvet CM, Vicente D, Toma L, Krieger MA, Meirelles MN, Pereira MC 2011. Involvement of host cell heparan sulfate proteoglycan in *Trypanosoma cruzi* amastigote attachment and invasion. *Parasitology* 138: 593-601.

Indexado (fator de impacto > 4)

doi: Adesse D, Azzam EM, Meirelles MN, Urbina JA, Garzoni LR 2011. Amiodarone inhibits Trypanosoma cruzi infection and promotes cardiac cell recovery with gap junction and cytoskeleton reassembly in vitro. *Antimicrob Agents Ch* 55: 203-210.

doi: Manque PA, Probst C, Pereira MC, Rampazzo RC, Ozaki LS, Pavoni DP, Silva Neto DT, Carvalho MR, Xu P, Serrano MG, Alves JM, Meirelles MN, Goldenberg S, Krieger MA, Buck GA 2011. Trypanosoma cruzi infection induces a global host cell response in cardiomyocytes. *Infect Immun* 79: 1855-1862.

Indexado (fator de impacto 0,65 e 2)

doi: Adesse D, Goldenberg R, Fortes FS, Jasmin, Iacobas DA, Iacobas S, Campos de Carvalho AC, de Narareth Meirelles M, Huang H, Soares MB, Tanowitz HB, Garzoni LR, Spray DC 2011. Gap junctions and Chagas disease. *Adv Parasit* 76: 63-81.

2012

Indexado (fator de impacto < 1 ou sem FI)

doi: Calvet CM, Melo TG, Garzoni LR, Oliveira FO Jr, Silva Neto DT, Meirelles MN, Pereira MC 2012. Current understanding of the Trypanosoma cruzi-cardiomyocyte interaction. *Front Immunol* 3: - .

Indexado (fator de impacto >=1 e < 2,71)

doi: da Silva Junior HC, da Silva e Mouta Junior S, de Mendonça MC, de Souza Pereira MC, da Rocha Nogueira A, de Azevedo ML, Leite JP, de Moraes MT 2012. Comparison of two eukaryotic systems for the expression of VP6 protein of rotavirus specie A: transient gene expression in HEK293-T cells and insect cell-baculovirus system. *Biotechnol Lett* 34: 1623-1627.

doi: Machado FS, Rodriguez NE, Adesse D, Garzoni LR, Esper L, Lisanti MP, Burk RD, Albanese C, Van Doorslaer K, Weiss LM, Nagajyothi F, Nosanchuk JD, Wilson ME, Tanowitz HB 2012. Recent developments in the interactions between caveolin and pathogens. *Adv Exp Med Biol* 729: 65-82.

doi: Freitas C, Assis MC, Saliba AM, Morandi VM, Figueiredo CC, Pereira M, Plotkowski MC 2012. The infection of microvascular endothelial cells with ExoU-producing *Pseudomonas aeruginosa* triggers the release of von Willebrand factor and platelet adhesion. *Mem I Oswaldo Cruz (impresso)* 107: 728-734.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Matta Guedes PM, Gutierrez FR, Nascimento MS, Do-Valle-Matta MA, Silva JS 2012. Antiparasitical chemotherapy in Chagas' disease cardiomyopathy: current evidence. *Trop Med Int Health* 17: 1057-1065.

doi: de Castro Côrtes LM, de Souza Pereira MC, de Oliveira FO Jr, Corte-Real S, da Silva FS, Pereira BA, de Fátima Madeira M, de Moraes MT, Brazil RP, Alves CR 2012. *Leishmania*

(Viannia) braziliensis: insights on subcellular distribution and biochemical properties of heparin-binding proteins. *Parasitology* 139: 200-207.

doi: de Castro Côrtes LM, de Souza Pereira MC, da Silva FS, Pereira BA, de Oliveira FO Jr , de Araújo Soares RO, Brazil RO, Toma L, Vicente CM, Nader HB, de Fátima Madeira M, Bello FJ, Alves CR 2012. Participation of heparin binding proteins from the surface of *Leishmania (Viannia) braziliensis* promastigotes in the adhesion of parasites to *Lutzomyia longipalpis* cells (Lulo) in vitro. *Parasite Vector* 5: - .

doi: Oliveira FO, Alves CR, Souza-Silva F, Calvet CM, Côrtes LM, Gonzales MS, Toma L, Bouças RI, Nader HB, Pereira MC 2012. Trypanosoma cruzi heparin-binding proteins mediate the adherence of epimastigotes to the midgut epithelial cells of *Rhodnius prolixus*. *Parasitology* 139: 735-743.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Gunatilleke SS, Calvet CM, Johnston JB, Chen C-K, Erenburg G, Gut J, Engel JC, Ang KK, Mulvaney J, Chen S, Arkin MR, McKerrow JH, Podust LM 2012. Diverse inhibitor chemotypes targeting *Trypanosoma cruzi* CYP51. *Plos Neglect Trop D* 6: - .

2013

Indexado (fator de impacto >=1 e < 2,71)

doi: Nascimento MS, Albuquerque TD, Do-Valle-Matta MA, Caldas IS, Diniz LF, Talvani A, Bahia MT, Andrade CM, Galvão LM, Câmara AC, Guedes PM 2013. Naturally *Leishmania infantum*-infected dogs display an overall impairment of chemokine and chemokine receptor expression during visceral leishmaniasis. *Vet Immunol Immunop* 153: 202-208.

doi: Oliveira Jr FO, Alves CR, Silva FS, Côrtes LM, Toma L, Bouças RI, Aguilar T, Nader HB, Pereira MC 2013. Trypanosoma cruzi heparin-binding proteins present a flagellar membrane localization and serine proteinase activity. *Parasitology* 140: 171-180.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Choy JW, Bryant C, Calvet CM, Doyle PS, Gunatilleke SS, Leung SS, Ang KK, Chen S, Gut J, Oses-Prieto JA, Johnston JB, Arkin MR, Burlingame AL, Taunton J, Jacobson MP, McKerrow JM, Podust LM, Renslo AR 2013. Chemical-biological characterization of a cruzain inhibitor reveals a second target and a mammalian off-target. *Beilstein J Org Chem* 9: 15-25.

doi: Rafaelle Christine Gomes Fares, Juliana de Assis Silva Gomes, Garzoni LR, Waghabi MC, Roberto Magalhães Saraiva, Nayara Ingrid Medeiros, Roberta Oliveira-Prado, Luiz Henrique Conde Sangenis, Mayara da Costa Chambela, Fernanda Fortes de Araújo, Andréa Teixeira-Carvalho, Marcos Paulo Damásio, Vanessa Azevedo Valente, Karine Silvestre Ferreira, Giovane Rodrigo Sousa, Manoel Otávio da Costa Rocha, Rodrigo Correa-Oliveira 2013. Matrix Metalloproteinases 2 and 9 Are Differentially Expressed in Patients with Indeterminate and Cardiac Clinical Forms of Chagas Disease. *Infect Immun* 81: 3600-3608.

doi: Nogueira RT, Nogueira AR, Pereira MC, Rodrigues MM, da Costa Neves PC, Galler R,

Bonaldo MC 2013. Recombinant yellow fever viruses elicit CD8+ T cell responses and protective immunity against *Trypanosoma cruzi*. Plos One 8: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Jun Yong Choi, Calvet CM, Shamila S Gunatilleke, Claudia Ruiz, Michael D Cameron, James H Mckerrow, Larissa M Podust, William R Roush 2013. Rational Development of 4-Aminopyridyl-Based Inhibitors Targeting *Trypanosoma cruzi* CYP51 as Anti-Chagas Agents. J Med Chem 56: 7651-7668.

2014

Indexado (fator de impacto < 1 ou sem FI)

Dany Kramer, Brismark Rocha, Pereira MCS, Souza RSD, Alves CR, Geraldo Júnior, José Heriberto, Margarida Quina, Licínio Ferreira, Rasiah Ladchumanananadasivam 2014. Determination of the biosorption of Cd(II) by coconut fiber. J Agr Sci Tech-Iran 2014: 291-298.

Indexado (fator de impacto >=1 e < 2,71)

doi: Oliveira TGM, Tucci AR, Nogueira AR, Maria de Nazareth SL de Meirelles, Pereira MCS 2014. The involvement of FAK and Src in the invasion of cardiomyocytes by *Trypanosoma cruzi*. Exp Parasitol 139: 49-57.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Jun Yong Choi, Calvet CM, Debora F Vieira, Shamila S Gunatilleke, Michael D Cameron, James H Mckerrow, Larissa M Produst, William R Roush 2014. R-configuration of 4-aminopyridyl-based inhibitors of CYP51 confers superior efficacy against *Trypanosoma cruzi*. ACS Med Chem Lett 5: 434-439.

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Calvet CM, Vieira, D. F, Choi, J. Y, Kellar, D, Cameron, M. D, Siqueira-Neto, J. L., Gut, J., Jonathan B. Johnston , Lin, L, Khan, S., Mckerrow J., Roush, W.R., Podust, L. M 2014. 4-aminopyridyl-based CYP51 inhibitors as anti-*Trypanosoma cruzi* drug leads with improved pharmacokinetic profile and in vivo potency.. J Med Chem 57(16): 6989-7005.

doi: Nisimura LM, Estato V, Souza EM, Patrícia A Reis, Lessa MA, Castro-Faria-Neto HC, Pereira MCS, Tibiriçá EV, Garzoni LR 2014. Acute Chagas disease induces cerebral microvasculopathy in mice. Plos Neglect Trop D 8: - .

doi: Vieira DF, Choi JY, Calvet CM, De Siqueira-Neto JL, Johnston JB, Kellar D, Gut J, Cameron MD, McKerrow JH, Roush WR, Podust LM 2014. Binding mode and potency of N-indolyl-oxopyridinyl-4-amino-propanyl-based inhibitors targeting *Trypanosoma cruzi* CYP51.. J Med Chem 57: 10162-10175.

2015

Indexado (fator de impacto >=1 e < 2,71)

doi: M. S. L. Nascimento, T. D. R. Albuquerque, A. F. S. Nascimento, I. S. Caldas, do Valle Matta MA, J. T. Souto, A. Talvani, M. T. Bahia, L. M. C. Galvão, A. C. J. Câmara, P. M. M. Guedes 2015. Impairment of IL-17A expression in canine visceral leishmaniasis is correlated with reduced IFN- γ and iNOS expression. *J Comp Pathol* 153: 197-205.

2016**Indexado (fator de impacto >=2,71 e < 4,35)**

doi: Nogueira AR, Fernanda leve, José Morgado-Diaz, Roberto Carlos tedesco, Pereira MCS 2016. Effect of Toxoplasma gondii infection on the junctional complex of retinal pigment epithelial cells. *Parasitology* 143: 568-575.

doi: de Menezes DR, Calvet CM, Rodrigues GC, Pereira MCS, Almeida IR, de Aguiar AP, Supuran CT, Alane Beatriz Vermelho 2016. Hydroxamic acid derivatives: a promising scaffold for rational compound optimization in Chagas disease. *J Enzym Inhib Med Ch* 31(6): 964-973.

doi: Paulo Marcos Matta Guedes, Cléber M Andrade, Daniela F Nunes, Nathalie S Pereira, Tamires Bernadete Dantas Queiroga, George Luiz Lins Machado-Coelho, Manuela SL Nascimento, do Valle Matta MA, Antônia CJ Câmara, Egler Chiari, Lúcia MC Glavão 2016. Inflammation enhances the risk of stroke and death in chronic Chagas disease patients. *Plos Neglect Trop D* 10(4): - .

doi: Lechuga GC, Borges JC, Calvet CM, Araújo HP, Zuma AA, Nascimento SB, Motta MCM, Bernardino AMR, Pereira MCS, Bourguignon SC 2016. Interactions between 4-aminoquinoline and heme: promising mechanism against Trypanosoma cruzi. *Int J Parasitol-Drug* 6(3): 154-164.

doi: Calvet CM, Silva TA, Oliveira TGM, Araujo-Jorge TC, Pereira MCS 2016. TGF- β receptor type II costameric localization in cardiomyocytes and host cell TGF- β response is disrupted by Trypanosoma cruzi infection. *Parasitology* 143: 704-715.

2017**Indexado (fator de impacto >= 7,51)**

doi: Ottlie S, Goldgof GM, Calvet CM, Jennings GK, LaMonte G, Schenken J, Vigil E, Kumar P, McCall LI, Lopes ESC, Gunawan F, Yang J, Suzuki Y, Siqueira-Neto JL, Mckerrow JH, Amaro RE, Produst LM, Winzeler EA 2017. Rapid Chagas disease drug target discovery using direct evolution in drug-sensitive yeast. *ACS Chem Biol* 12: 422-434.

Indexado (fator de impacto >=1 e < 2,71)

doi: Lopes GD, Matilde, Margotti ET, Fernandes NS, Castro CLF, Oliveira Junior FOR, Peixoto JF, Britto CFPC, Silva FC, Cuervo P, De Jesus JB 2017. Morphologic study of the effect of iron on pseudocyst formation in *Trichomonas vaginalis* and interaction with human epithelial cells.

Mem I Oswaldo Cruz (impresso) 112: 664-673.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Calvet CM, Jun Yong Choi, Diane Thomas, Brian Suzuki, Ken Hirata, Sharon Johnson, Batista-de-Mesquita L, Nogueira AR, Marcelo Meuser, Silva TA, Jair Lage Siqueira-Neto, William R Roush, Pereira MCS, James H McKerrow, Larissa M Produst 2017. 4-aminopyridyl-based lead compounds targeting CYP51 prevent spontaneous parasite relapse in a chronic model and improve cardiac pathology in a acute model of *Trypanosoma cruzi* infection. Plos Neglect Trop D 11: - .

doi: Debnath A, Calvet CM, Jennings G, Zhou W, Aksakov A, Luth MR, Abagyan R, Nes WD, McKerrow JH, Podust LM 2017. CYP51 is an essential drug target for the treatment of primary amoebic meningoencephalitis (PAM). Plos Neglect Trop D 11(12): - .

doi: Gomes CB, Silva FSS, Charret KS, Pereira BAS, Finkelstein LC, Santos-de-Souza R, Cortes LMC, Pereira MCS, Oliveira Junior FOR, Alves CR 2017. Increasing in cysteine proteinase B expression and enzymatic activity during in vitro differentiation of *Leishmania* (Vianna) braziliensis: first evidence of modulation during morphological transition. Biochimie 133: 28-36.

2018

Indexado (fator de impacto >=1 e < 2,71)

doi: Finkelstein LC, Silva-de-Almeida M, Pereira BAS, Charret KS, Santos ALB, Bastos LS, Oliveira Pinto LM, Oliveira Junior FOR, Pereira MCS, Alves CR 2018. Evidence of Subpopulations with Distinct Biological Features Within a *Leishmania* (Viannia) braziliensis Strain. Protist 169: 107-121.

Indexado (fator de impacto >=2,71 e < 4,35)

doi: Gonçalves-de-Oliveira LF, Silva FSS, Cortes LMC, Finkelstein LC, Pereira MCS, Oliveira Junior FOR, Pinho RT, Corte-Real S, Saulo Bourguignon, Vitor Ferreira, Alves CR 2018. Antileishmanial Activity of 2-Methoxy-4H-spiro-[naphthalene 1,2'-oxiran]-4-one (Epoxymethoxy-lawsone): A Promising New Drug Candidate for Leishmaniasis Treatment. Molecules 23: - .

doi: Ferrão PM, Nisimura LM, Moreira CO, Land GM, Pereira MCS, Mendonça-Lima L, Araujo-Jorge TC, Waghabi MC, Garzoni LR 2018. Inhibition of TGF-β pathway reverts extracellular matrix remodeling in *T. cruzi*-infected cardiac spheroids. Exp Cell Res 362: 260-267.

Alessandro Bonardi, Alane Beatriz Vermelho, Veronica da Silva Cardoso, Pereira MCS, Lara LS, Paola Gratteri, Claudiu T. Supuran, Alessio Nocentini 2018. Silver salts of N-nitrosulfonamides efficiently inhibit carbonic anhydrases from protozoans *Trypanosoma cruzi* and *Leishmania donovani* and show in vivo anti-parasitic efficacy. ACS Med Chem Lett 0: 1-10.

doi: Coelho LL, Pereira IR, Pereira MCS, Batista-de-Mesquita L, Lannes-Vieira J, Adesse D, Garzoni LR 2018. *Trypanosoma cruzi* activates mouse cardiac fibroblasts in vitro leading to fibroblast-myofibroblast transition and increase in expression of extracellular matrix proteins.

Parasite Vector 11: - .

doi: Lara LS, Lima LA, Calvet CM, Juliana Borsoi, Duque TLA, Henriques-Pons A, Pereira MCS, Lygia Pereira 2018. Trypanosoma cruzi infection of human induced pluripotent stem cell-derived cardiomyocytes: an in vitro model for drug screening for Chagas disease. *Microbes Infect* 5: 312-316.

doi: Lopes CMT, Menna-Barreto RFS, Pavan MG, Pereira MCS, Roque AL 2018. Trypanosoma janseni n. sp. (Trypanosomatida: Trypanosomatidae) isolated from *Didelphis aurita* (Mammalia: Didelphidae) in the Atlantic Rainforest of Rio de Janeiro, Brazil: integrative taxonomy and phylogeography within the Trypanosoma cruzi clade. *Mem I Oswaldo Cruz (on line)* 113: - .

Indexado (fator de impacto >=4,35 e < 7,51)

doi: Saccoliti F, Madia VN, Tudino V, De Leo A, Pescatori L, Messore A, De Vita D, Scipione L, Brun R, Kauser M, Maser P, Calvet CM, Jennings GK, Podust LM, Costi R, Di Santo R 2018. Biological evaluation and structure-activity relationships of imidazole-based compounds as antiprotozoal agents. *Eur J Med Chem* 156: 53-60.

doi: Lara LS, Moreira CS, Calvet CM, Lechuga G, Souza RSD, Bourguignon S, Ferreira V, Rocha D, Pereira MCS 2018. Efficacy of 2-hydroxy-3-phenylsulfanyl methyl-[1,4]-naphthoquinone derivatives against different Trypanosoma cruzi discrete type units: Identification of a promising hit compound. *Eur J Med Chem* 144: 572-581.

doi: Ferreira CM, Stiebler R, Saraiva FM, Lechuga GC, Walter-Nuno AB, Bourguignon SC, Gonzalez MS, Azambuja P, Gandara ACP, Menna-Barreto RFS, Paiva-Silva GO, Paes MC, Oliveira MF 2018. Heme crystallization in a Chagas disease vector acts as a redox-protective mechanism to allow insect reproduction and parasite infection. *Plos Neglect Trop D* 12: - .

doi: Sena N, Queiroga T, Nunes DF, Mesquita C, Nascimento MSL, do Valle Matta MA, Câmara ACJ, Galvão LMC, Guedes P, Chiari E 2018. Innate Immune receptors over expression correlate with chronic chagasic cardiomyopathy and digestive damage in patients. *Plos Neglect Trop D* 12: - .