

Laboratório Nacional e Internacional de Referência em Taxonomia de Triatomíneos

2008

Indexado (> 0,65 a 2,0)

[doi>](#) Zeledó R, Rojas JC, Urbina A, Cordero M, Gamboa SH, Lorosa ES, Alfaro S 2008. Ecological control of *Triatoma dimidiata* (Latreille, 1811): five years after a Costa Rican pilot project. Mem I Oswaldo Cruz (impresso) 103: 619-621.

Alencar JAF, Marcondes CB, Serra-Freire NM, Lorosa ES, Pacheco JB, Guimaraes EAG 2008. Feeding patterns of *Haemagogus capricornii* and *Haemagogus leucocelaenus* (Diptera: Culicidae) in two Brazilian states (Rio de Janeiro and Goiás). J Med Entomol 45: 873-876.

Indexado (<0,65 e não impactadas no ISI)

[doi>](#) Jurberg J, Galvão C, Santos CM, Rangel MB 2008. Descrição de ovos e estádios ninfais de *Triatoma carcavalloii* (Hemiptera, Reduviidae) por meio de microscopia óptica. Iheringia Ser Zool 98: 441-446.

[doi>](#) Lorosa ES, Santos CM, Jurberg J 2008. Foco de doença de Chagas em São Fidélis, no estado do Rio de Janeiro. Rev Soc Bras Med Tro 41: 419-420.

Missawa NA, Lorosa ES, Dias ES 2008. Preferência alimentar de *Lutzomyia longipalpis* (Lutz & Neiva, 1912) em área de transmissão de leishmaniose visceral em Mato Grosso. Rev Soc Bras Med Tro 41: 365-368.

2009

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Santos CM, Jurberg J, Galvão C, Martinez M 2009. Morfometria comparada de *Triatoma infestans*, *T. rubrovaria* e *T. platensis* (Hemiptera, Reduviidae, Triatominae) do Uruguai. Iheringia Ser Zool 99: 56-60.

[doi>](#) Jurberg J, Rocha DS, Galvão C 2009. *Rhodnius zeledoni* sp. nov. afim de *Rhodnius paraensis* Sherlock, Guitton & Miles, 1977 (Hemiptera, Reduviidae, Triatominae). Biota Neotrop 9: 123-128.

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Schofield C, Galvão C 2009. Classification, evolution, and species groups within the Triatominae. Acta Trop 110: 88-100.

[doi>](#) dosSantos CM, Jurberg J, Galvão C, da Rosa JA, Junior WC, Barata JM, Obara MT 2009. Comparative descriptions of eggs from three species of *Rhodnius* (Hemiptera: Reduviidae: Triatominae). Mem I Oswaldo Cruz (impresso) 104: 1012-1018.

Rocha DS, Juberg J, Rosa JA, Schaefer CW, Galvão C 2009. Description of eggs and nymphal instars of *Triatoma baratai* Carcavallo & Jurberg, 2000 based on optical and scanning electron microscopy (Hemiptera: Reduviidae: Triatominae). *Zootaxa* 2064: 1-20.

[doi>](#) Mello F, Juberg J, Grazia J 2009. Morphological study of the eggs and nymphs of *Triatoma dimidiata* (Latreille, 1811) observed by light and scanning electron microscopy (Hemiptera, Reduviidae, Triatominae). *Mem I Oswaldo Cruz (impresso)* 104: 1072-1082.

[doi>](#) Fonteles RS, Costa e Vasconcelos G, Azevêdo PC, Lopes GN, Moraes JL, Lorosa ES, Kuppinger O, Rebêlo JM 2009. Preferência alimentar sanguínea de *Lutzomyia whitmani* (Diptera, Psychodidae) em área de transmissão de leishmaniose cutânea americana, no Estado do Maranhão, Brasil. *Rev Soc Bras Med Tro* 42: 647-650.

Indexado (fator de impacto > 2 e < 4)

Monteiro FA, Juberg J, Lazoski C 2009. Very low levels of genetic variation in natural peridomestic populations of the Chagas disease vector *Triatoma sordida* (Hemiptera: Reduviidae) in southeastern Brazil. *Am J Trop Med Hyg* 81: 223-227.

2010

Indexado (fator de impacto < 0,65 ou sem FI)

[doi>](#) Jurberg J, Barbosa HS, Galvão C, Rocha DS, Silva MB 2010. Descrição de ovos e ninfas de *Triatoma klugi* (Hemiptera, Reduviidae, Triatominae). *Iheringia Ser Zool* 100: 43-54.

Indexado (fator de impacto > 0,65 e < 2)

[doi>](#) Lorosa ES, Faria MS, Motta-de-Oliveira LC, Alencar J, Marcondes CB 2010. Blood meal identification of selected mosquitoes in Rio de Janeiro, Brazil. *J Am Mosquito Contr* 26: 18-23.

[doi>](#) Carbajal de la Fuente AL, Cunha V, Rocha N, Lopes CM, Noireau F 2010. Comparative biology of the two sister species of Triatominae (Hemiptera: Reduviidae). *Rev Soc Bras Med Tro* 43: 15-18.

Indexado (fator de impacto > 2 e < 4)

[doi>](#) Sandoval CM, Ortiz N, Jaimes D, Lorosa E, Galvão C, Rodriguez O, Scorza JV, Gutiérrez R 2010. Feeding behaviour of *Belminus ferroae* (Hemiptera: Reduviidae), a predaceous Triatominae colonizing rural houses in Norte de Santander, Colombia. *Med Vet Entomol* 24: 124-131.

[doi>](#) Zeledon R, Cordero M, Marroquin R, Lorosa ES 2010. Life cycle of *Triatoma ryckmani* (Hemiptera: Reduviidae) in the laboratory, feeding patterns in nature and experimental infection with *Trypanosoma cruzi*. *Mem I Oswaldo Cruz (impresso)* 105: 99-102.

2011

Indexado (fator de impacto > 2 e 4)

[doi->](#) de Souza RC, Soares AC, Alves CL, Lorosa ES, Pereira MH, Diotaiuti L 2011. Feeding behavior of *Triatoma vitticeps* (Reduviidae: Triatominae) in the state of Minas Gerais, Brazil. Mem I Oswaldo Cruz (impresso) 106: 16-22.

Indexado (fator de impacto 0,65 e 2)

Raigorodski RS, Rocha DS, Jurberg J, Galvão C 2011. Description and ontogenetic morphometrics of eggs and instars of *Triatoma costalimai* Verano & Galvão, 1959 (Hemiptera: Reduviidae: Triatominae). Zootaxa 3062: 13-24.

[doi->](#) Gurgel-Gonçalves R, Ferreira JB, Rosa AF, Bar ME, Galvão C 2011. Geometric morphometrics and ecological niche modelling for delimitation of near-sibling triatomine species. Med Vet Entomol 25: 84-93.

Gil-Santana HR 2011. Three new species of *Tagalis* Stål (Hemiptera: Heteroptera: Reduviidae: Saicinae) from Brazil. Zootaxa 2996: 33-48.

2012

Indexado (fator de impacto < 1 ou sem FI)

[doi->](#) dos Santos Silva J, Alencar J, Costa JM, Seixas-Lorosa E, Guimarães AE 2012. Feeding patterns of mosquitoes (Diptera: Culicidae) in six Brazilian environmental preservation areas. J Vector Ecol 37: 342-350.

[doi->](#) Gurgel-Gonçalves R, Galvão C, Costa J, Peterson AT 2012. Geographic distribution of Chagas disease vectors in Brazil based on ecological niche modeling. J Trop Med 2012: - .

[doi->](#) Dias TK, Wilcken CF, Soliman EP, Gil-Santana HR, Zaché B 2012. Occurrence of *Atopozelus opsimus* preying on nymphs and adults of *Glycaspis brimblecombei*. Phytoparasitica 40: 137-141.

Gil-Santana HR 2012. *Rhyparoclopius aokiae* sp. nov., a remarkable Stenopodainae (Hemiptera: Heteroptera: Reduviidae) from Mato Grosso do Sul, Brazil, with taxonomical notes on other species of *Rhyparoclopius* Stål. Zootaxa 3478: 93-104.

[doi->](#) Silva MB, Barreto AV, da Silva HA, Galvão C, Rocha D, Juberg J, Gurgel-Gonçalves R 2012. Synanthropic triatomines (Hemiptera, Reduviidae) in the state of Pernambuco, Brazil: geographical distribution and natural *Trypanosoma* infection rates between 2006 and 2007.. Rev Soc Bras Med Tro 45: 60-65.

Indexado (fator de impacto >=1 e < 2,71)

Alencar J, Silva JS, de Oliveira LC, Marcondes CB, Morone F, Lorosa ES 2012. Feeding patterns of *Culex quinquefasciatus* (Diptera: Culicidae) from eastern Santa Catarina state, Brazil. J Med

Entomol 49: 952-954.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Almeida CE, Oliveira HL, Correia N, Dornak LL, Gumiel M, Neiva VL, Harry M, Mendonça VJ, Costa J, Galvão C 2012. Dispersion capacity of *Triatoma sherlocki*, *Triatoma juazeirensis* and laboratory-bred hybrids. *Acta Trop* 122: 71-79.

2013

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Moreira FF, Barbosa JF 2013. A new *Hydrometra* (Hemiptera: Heteroptera: Hydrometridae) from Northeastern Brazil, with a key to the species recorded from the country. *Zootaxa* 3619: 70-74.

[doi>](#) Vasconcelos ACO, Giupponi APL, Rodrigo Lopes Ferreira 2013. A new species of *Charinus* Simon, 1892 from northeastern Brazil with comments on the potential distribution of the genus in Central and South Americas (Arachnida: Amblypygi: Charinidae). *Zootaxa* 3737: 488-500.

[doi>](#) Gil-Santana HR, Davranoglou L-R, Neves JA 2013. A new synonymy of *Graptocleptes bicolor* (Burmeister), with taxonomical notes (Hemiptera: Heteroptera: Reduviidae: Harpactorinae: Harpactorini). *Zootaxa* 3700: 348-360.

[doi>](#) Gil-Santana HR, Baena M, Grillo H 2013. *Berengeria* Gil-Santana & Coletto-Silva, a junior synonym of *Ectrichodiella* Fr & Br, with new records and tax. notes on *Ectrichodiinae* from BR, and with keys to *Ectrichodiinae* and *Reduviinae* genera of the New World (Hemiptera: Reduviidae). *Zootaxa* 3652: 60-74.

[doi>](#) Padilla-Gil DN, Moreira FF 2013. Checklist, taxonomy and distribution of the *Rhagovelia* Mayr, 1865 (Hemiptera: Heteroptera: Veliidae) of the Americas. *Zootaxa* 3640: 409-424.

[doi>](#) Gil-Santana HR, Ferreira CG 2013. Description of the male genitalia of *Belminus rugulosus* Stål and *Belminus corredori* Galvão & Angulo, and comments on the holotype of *Parabelminus yurupucu* Lent & Wygodzinsky (Hemiptera: Heteroptera: Reduviidae: Triatominae: Bolboderini). *Zootaxa* 3746: 587-596.

Lourenço WR, Giupponi APL, Leguin E-A 2013. Description of three more new species of the genus *Ananteris* Thorell, 1891 (Scorpiones, Buthidae) from Brazil. *An Acad Bras Cienc* 85: 709-725.

[doi>](#) Baum M, Costa Ribeiro MCV, Lorosa ES, Damasio GAC, Castro EA 2013. Eclectic feeding behavior of *Lutzomyia* (*Nyssomyia*) *intermedia* (Diptera, Psychodidae, Phlebotominae) in the transmission area of American cutaneous leishmaniasis, State of Paraná, Brazil. *Rev Soc Bras Med Tro* 46: 560-565.

[doi>](#) SANTOS Jr JE, VIOLA MG, Lorosa ES, MACHADO EMM, RUAS NETO AL, CORSEUIL E 2013. Evaluation of natural foci of *Panstrongylus megistus* in a forest fragment in Porto Alegre, State of Rio Grande do Sul, Brazil. *Rev Soc Bras Med Tro* 46: 575-583.

Moreira LMC, Cardoso KM, Aboud-Dutra AE, Camile M Ferrão, *Gazeta GS* 2013. Frequency of equine monocytic Ehrlichiosis (EME) in Brazil. *Pesqui Vet Brasil* 33: 697-699.

[doi>](#) DIAS-SILVA K, Moreira FFF, GIEHL NFS, NÓBREGA CC, CABETTE HSR 2013. Gerromorpha (Hemiptera: Heteroptera) of eastern Mato Grosso State, Brazil: checklist, new records, and species distribution modeling. *Zootaxa* 3736: 201-235.

[doi>](#) de Paula AM, Castrillon MI, Maciel GB, Galvão C 2013. Registro de ocorrência de *Panstrongylus lignarius* (Walker, 1837) (Hemiptera: Reduviidae: Triatominae) no Estado de Mato Grosso, Brasil. *Acta Amaz* 43: 117-119.

[doi>](#) GARCIA MHM, PINTO CT, Lorosa ES, SOUZA RCM, DIOTAIUTI L 2013. Spraying food sources with pyrethroid to control peridomestic triatomines. *Rev Soc Bras Med Tro* 46: 633-636.

[doi>](#) Dale C, Justi SA, Ferreira CG 2013. Tropical insect collections and DNA extraction, using *Rhodnius Stål* 1859 (Hemiptera: Heteroptera: Reduviidae: Triatominae). *Zootaxa* 3694: 398-399.

[doi>](#) Giupponi APL, Kury AB 2013. Two new species of *Heterophrynus* Pocock, 1894 from Colombia with distribution notes and a new synonymy (Arachnida: Amblypygy: Phrynidiae). *Zootaxa* 3647: 329-342.

[doi>](#) PADILLA-GIL DN, Moreira FFF 2013. Two new species of *Microvelia* Westwood, 1834 (Hemiptera: Heteroptera: Veliidae) from Colombia, with a key to Colombian species. *Zootaxa* 3745: 587-595.

Gil-Santana HR 2013. Two new species of *Oncerothelus Stål* (Hemiptera: Heteroptera: Reduviidae: Saicinae), from Amazonas, Brazil, with taxonomical notes. *Zootaxa* 3626: 268-278.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

Pita, S., Panzera, F., Ferrandis, I., Galvão C, Gomez Palacio, AM, Crespo YP 2013. Chromosomal divergence and evolutionary inferences of *Rhodnius* based on Chromosome location of ribosomal genes. *Mem I Oswaldo Cruz* (impresso) 108: 376-382.

[doi>](#) Abad-Franch F, Pavan MG, Jaramillo NO, Palomeque FS, Dale C, Chaverra D, Monteiro FA 2013. *Rhodnius barretti*, a new species of Triatominae (Hemiptera: Reduviidae) from western Amazonia. *Mem I Oswaldo Cruz* (impresso) 108: 92-99.

Qualis A2

[doi>](#) Alencar JAF, Marone F, Ferreira-de-Mello C, Dégallier Nicolas, Lucio PS, Serra-Freire NM,

Guimarães AE 2013. Flight height preference for ovoposition of mosquito (Diptera: Culicidae) vectors of Sylvatic Yellow fever virus near the Hydroelectric reservoir of simplício, Minas Gerais, Brazil. Entomological Society of America 50: 791-795.

Qualis B2

Serra-Freire NM, Pereira-de-Souza RC 2013. Ácaros parasitos de abelhas melíferas na região de Itaboraí, Estado do Rio de Janeiro. Revista UniAbeu 6: 13-27.

Serra-Freire NM, Norberg AN, Madeira-de-Oliveira JT, Lôbo RSF, Sanches FG 2013. Carrapatos, saúde pública e bioterrorismo. Revista UniAbeu 6: 242-257.

Amorim M, Serra-Freire NM, Pedro MJV, Teixeira RHF, Gazeta GS 2013. Caso de índice de Amblyomma crassum Robinson, 1926 (Acari: ixodidae) em Sucuri (Reptilia: Ophidia) no Brasil. Revista UniAbeu 6: 355-362.


Serra-Freire NM, Borsoi ABP, Santana-de-Melo N 2013. Leporacarus gibbus (Acari, Linstrophoridae) em coelhos (Oryctolagus cuniculus) criados em Programa de agropecuária familiar no Estado do Rio de Janeiro. Revista UniAbeu 6: 234-241.

Serra-Freire NM, Quadros RM, Benedet RC 2013. Relação trópica entre Ornithocona erythrocephala (Leach, 1817), Falculier caraibensis Gaud & Barré, 1992 e Patagioenas picazuro (Temminck, 1813). Revista UniAbeu 6: 348-354.


2014


Indexado (fator de impacto < 1 ou sem FI)

Vasconcelos ACO, Giupponi APL, Rodrigo FL 2014. A new species of Charinus from Minas Gerais State, Brazil, with comments on its sexual dimorphism (Arachnida: Amblypygi: Charinidae). J Arachnol 42: 155-162.

 Oliveira HH, Gomes V, Amorim M, Gazeta GS, Serra-Freire NM, Quinelato IPF, Morelli-Amaral VF, Almeida AB, Carvalho RW, Carvalho AG 2014. Diversidade de Ixodida em roedores e marsupiais capturados no Parque Estadual da Pedra Branca, Rio de Janeiro, Brasil. Arq Bras Med Vet Zoo 66: 1197-1204.

Indexado (fator de impacto >=1 e < 2,71)

 Alencar JAF, GLEISER RM, Rodrigues FCM, Cecília Ferreira de Mello, Silva JS, Serra-Freire NM, Guimarães AE 2014. A comparative study of the effect of multiple immersions on Aedini (Diptera: Culicidae) mosquito eggs with emphasis on sylvan vectors of yellow fever virus. Mem I Oswaldo Cruz (impresso) 109: 114-117.

 Cordeiro IRS, Moreira FFF, Silva FAC 2014. A new Ochterus (Hemiptera: Heteroptera: Ochteridae) from northeastern Brazil, with a key to the species recorded from the country. Zootaxa 3860: 493-497.

[doi>](#) Moreira FFF, Barbosa JF 2014. A new Rhagovelia (Hemiptera: Heteroptera: Veliidae) from the Brazilian Amazon, with a key to species of the robusta group known from the country. Zootaxa 3790: 595-600.

[doi>](#) T Gonçalves-Souza, Giupponi APL, Fabio A. Hernandez 2014. A rare finding of mites (Arachnida: Acari: Leeuwenhoekiiidae) parasitising a whip spider (Arachnida: Amblypygi: Charinidae). Folia Parasit 61: 182-184.

Silva JS, Couri M, Giupponi APL, Alencar JAF 2014. Mosquito fauna of the Guapiaçu Ecological Reserve, Cachoeiras de Macacu, Rio de Janeiro, Brazil, collected under the influence of different color CDC light traps. J Vector Ecol 39: 384-394.

[doi>](#) Gil-Santana HR 2014. Pothea berengeri sp. nov. from Brazil, with taxonomic notes on Pothea furtadoi Gil-Santana & Costa and Pothea jaguaris (Carpintero) and reinstatement of Parapothea Carpintero as junior synonym of Pothea Amyot & Serville. Zootaxa 3826: 497-516.

[doi>](#) Rodrigues HDD, Moreira FFF, Nieser N, Chen PP, Melo AL, Dias-Silva K, Ghiesbreght NFS 2014. The genus Paravelia Breddin, 1898 (Hemiptera: Heteroptera: Veliidae) in Brazil, with descriptions of eight new species. Zootaxa 3784: 1-47.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Justi SA, Dale C, Galvão C 2014. DNA Barcoding does not separate South American Triatoma (Hemiptera: Reduviidae), Chagas Disease vectors. Parasite Vector 7: - .

[doi>](#) Justi S, Russo C, Santos-Mallet JR, Obara, M, Galvão C 2014. Molecular phylogeny of Triatomini (Hemiptera: Reduviidae: Triatominae). Parasite Vector 7: - .

[doi>](#) ROSA JA, MENDONÇA VJ, GARDIM S, CARVALHO DB, OLIVEIRA J, NASCIMENTO JD, PINOTTI H, PINTO MC, CILENSE M, Galvão C, BARATA JMS 2014. Study of the external female genitalia of 14 Rhodnius species (Hemiptera, Reduviidae, Triatominae) using scanning electron microscopy. Parasite Vector 7: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Moura-Martinião NO, Machado-Ferreira E, Cardoso KM, Gehrke FS, Amorim M, Fogaça AC, Soares CAG, Gazeta GS, Schumaker TTS 2014. Rickettsia and Vector Biodiversity of Spotted Fever Focus, Atlantic Rain Forest Biome, Brazil. Emerg Infect Dis 20: 498-500.

Qualis B2

Oliveira IJAS, Lessa JS, Moraes MIDM, Medeiros SM, Maliska C, Serra-Freire NM 2014. Ácaros nos sistemas de refrigeração em veículos automotores particulares em Belford Roxo, RJ. Revista UniAbeu 7: 36-49.

Serra-Freire NM 2014. Caso índice de babesiose humana no Rio de Janeiro, Brasil. Revista UniAbeu 7: 76-85.

2015

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Almeida JC, Serra-Freire NM, Peracchi A 2015. Anatomical location of *Periglischrus iheringi* (Acari: Spinturnicidae) associated with the great fruit-eating bat (Chiroptera: Phyllostomidae). *Rev Bras Parasitol Vet* 24: 361-364.

[doi>](#) Costa J, Catarina Andréa Chaves de Araújo, Freitas CAV, Borges-Pereira J 2015. Are Members of the *Triatoma brasiliensis* (Hemiptera, Reduviidae) Species Complex Able to Alter the Biology and Virulence of a *Trypanosoma cruzi* Strain?. *Neotrop Entomol* 44: 186-193.

[doi>](#) Cordeiro IRS, Moreira FFF 2015. New distributional data on aquatic and semiaquatic bugs (Hemiptera: Heteroptera: Gerromorpha and Nepomorpha) from South America. *Biodivers Data J* 3: - .

[doi>](#) Barbosa RR, Carriço C, Raimundo N.P. Souto, Sergio R. Andena, Rodrigues AU, Queiroz MMC 2015. Record of postmortem injuries caused by the Neotropical social wasp *Agelaia fulvofasciata* (Degeer) (Hymenoptera, Vespidae) on pig carcasses in the Eastern Amazon region: implications in forensic taphonomy. *Rev Bras Entomol* 59: 257-259.

[doi>](#) Pereira LLV, Alevi KCC, Moreira FFF, Barbosa JF, Silistino-Souza ER, Silva Júnior FC, Souza-Firmino TS, Banho CA, Itoyama MM 2015. Study of nucleolar behavior during spermatogenesis in *Martarega brasiliensis* (Heteroptera, Notonectidae). *Genet Mol Res* 14(3): 8988-8994.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Floriano CFB, Moreira FFF 2015. A new species of *Rhagovelia* Mayr, 1865 (Hemiptera: Heteroptera: Veliidae) from Brazil. *Zootaxa* 4018: 437-443.

[doi>](#) Justi, S., Calvão C 2015. An overview on the ecology of Triatominae (Hemiptera:Reduviidae). *Acta Trop* 151: 116-125.

[doi>](#) Pereira LLV, Alevi KCC, Castanhole MMU, Moreira FFF, Barbosa JF, Itoyama MM 2015. Cytogenetics analysis and testis morphology of aquatic species of the families belostomatidae, gelastocoridae, gerridae, notonectidae, and veliidae (heteroptera). *J Insect Sci* 15: - .

[doi>](#) Motta FS, Moreira FFF 2015. Description of the nymphs of *Triatoma pintodiasi* Jurberg, Cunha & Rocha, 2013 (ipHemtera: Reduviidae: Triatominae). *Zootaxa* 3947: 139-145.

[doi>](#) Alencar JAF, Mello CF, Hélcio R. Gil-Santana, Giupponi APL, Araújo AN, Lorosa ES, Guimarães AE, Silva JS 2015. Feeding Patterns of Mosquitoes (Diptera: Culicidae) in the Atlantic Forest, Rio de Janeiro, Brazil. *J Med Entomol* 52(5): 783-788.

[doi>](#) Araújo, CAC, Lima, ACB, Jansen AM, Ferreira CG, Juberg J, Costa J, Azambuja P, Wenek PJ 2015. Genes encoding defensins of important Chagas disease vectors used for phylogenetic

studies. Parasitol Res 114: 4503-4511.

[doi>](#) Alevi KCC, Borsatto KC, Moreira FFF, Juberg J, de Azeredo-Oliveira MTV 2015. Karyosystematics of *Triatoma rubrofasciata* (De Geer, 1773) (Hemiptera: Reduviidae: Triatominae). Zootaxa 3994: 433-438.

[doi>](#) Rodrigues JMS, Moreira FFF, Cordeiro IRS, Almeida MD, Juberg J 2015. List of the type-specimens of Reduviidae (Hemiptera: Heteroptera) in the Triatomines Collection of the Oswaldo Cruz Institute, Brazil. Zootaxa 3936: 181-206.

[doi>](#) Aristizábal H, Floriano CFB, Moreira FFF, Bispo PC 2015. New species and notes on Microveliinae from northern South America (Hemiptera: Heteroptera: Veliidae). Zootaxa 3980: 591-596.

[doi>](#) Pauvolid-Corrêa A, Owen Solberg, Couto-Lima D, Kenney J, Serra-Freire NM, Brault A, Nogueira RMR, Stanley Langevin, Nicholas Komar 2015. Nhumirim vírus, a novel flavivirus isolated from mosquitoes from the Pantanal, Brazil. Arch Virol 160: 21-27.

[doi>](#) Nunes EC, Vizzoni VF, Navarro DL, Lani FCM, Durães LS, Daemon E, Soares CAG, Gazeta GS 2015. *Rickettsia amblyommii* infecting *Amblyomma sculptum* in endemic spotted fever area from southeastern Brasil. Mem I Oswaldo Cruz (impresso) 110: 1058-1061.

[doi>](#) Moreira FFF, Pacheco-Chaves B, Springer M, Cordeiro IRS 2015. Two new species of Rhagovelia (Hemiptera: Heteroptera: Veliidae) from Costa Rica, with a key and new records from the country. Zootaxa 3980: 477-500.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Alevi KCC, de Oliveira J, Moreira FFF, Juberg J, da Rosa JA, de Azeredo-Oliveira MTV 2015. Chromosomal characteristics and distribution of constitutive heterochromatin in the Matogrossensis and Rubrovaria subcomplexes. Infect Genet Evol 33: 158-162.

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Barreto-de-Albuquerque J, Santos DS, Pérez RA, Berbert LR, Santana EC, Oliveira DAF, Moreira OC, Roggero E, Carvalho-Pinto CE, Juberg J, Cotta-de-Almeida V, Bottasso O, Savino W, Meis J 2015. Trypanosoma cruzi Infection through the Oral Route Promotes a Severe Infection in Mice: New Disease Form from an Old Infection?. Plos Neglect Trop D 9:

2016

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Oliveira SV, Caldas EP, Colombo S, Gazeta GS, Labruna MB, Santos FCP, Angerami RN 2016. A fatal case of Brazilian spotted fever in a non-endemic area in Brazil: the importance of having health professionals who understand the disease and its areas of transmission. Rev Soc Bras Med Tro 49: 653-655.

- [doi>](#) Rodrigues HDD, Moreira FFF 2016. A new species and new records of *Oiovelia* (Heteroptera: Gerromorpha: Veliidae) from Brazil. *Zootaxa* 4078: 153-160.
- [doi>](#) Miranda GS, Milleri-Pinto M, Souza TG, Giupponi APL, Scharf N 2016. A new species of *Charinus* Simon 1892 from Brazil, with notes on behavior (Amblypygi, Charinidae). *ZooKeys* 621: 15-36.
- [doi>](#) Miranda GS, Aharon S, Regev EG, Giupponi APL, Wizen G 2016. A new species of *Charinus* Simon, 1892 (Arachnida: Amblypygi: Charinidae) from Israel and new records of *C. ioanniticus* (Kritscher, 1959). *Eur J Taxon* 234: 1-17.
- [doi>](#) Magalhães OM, Moreira FFF, Ferreira CG 2016. A new species of *Rhagovelia* Mayr, 1865 (Hemiptera: Heteroptera: Veliidae) from Pará State, with an updated key to Brazilian species of the robusta group. *Zootaxa* 4171: 586-594.
- [doi>](#) Alevi, KCC, Nascimento, JGO, Moreira FFF, Jurberg J, Azeredo-Oliveira, MTV 2016. Analysis of metabolic activity in cystic cells of *Triatoma rubrofasciata* (Hemiptera: Triatominae) and its capacity to occupy different environments. *Afr Entomol* 24: 261-264.
- [doi>](#) Alevi, KCC, Nascimento, JGO, Moreira FFF, Juberg J, Azeredo-Oliveira, MTV 2016. Cytogenetic characterisation of *Triatoma rubrofasciata* (De Geer) (Hemiptera, Triatominae) spermatocytes and its cytotaxonomic application. *Afr Entomol* 24: 257-260.
- [doi>](#) Ana Caroline Oliveira Vasconcelos, Giupponi APL, Rodrigo Lopes Ferreira 2016. Description of a new troglomorphic species of *Charinus* Simon, 1892 from Brazil (Arachnida, Amblypygi, Charinidae). *ZooKeys* 600: 35-52.
- [doi>](#) Alevi KC, Moreira FFF, Juberg J, Azeredo-Oliveira MT 2016. Description of the diploid chromosome set of *Triatoma pintodiasi* (Hemiptera, Triatominae). *Genet Mol Res* 15: 1-10.
- [doi>](#) Almeida JC, Martins MA, Guedes PG, Peracchi AL, Serra-Freire NM 2016. Novos registros de ácaros (Acari: Spinturnicidae) associados com morcegos (Mammalia, Chiroptera) em dois biomas brasileiros: Pantanal e Caatinga. *Rev Bras Parasitol Vet* 25: 18-23.
- [doi>](#) Giupponi APL, Miranda GS, Villarreal OM 2016. *Rowlandius dumitrescoae* species group: new diagnosis, key and description of new cave-dwelling species from Brazil (Schizomida, Hubbardiidae). *ZooKeys* 632: 13-34.
- [doi>](#) Miranda GS, Giupponi APL, Wizen G 2016. Two new species of whip spider (Amblypygi): an epigeal and a cave dwelling *Charinus* Simon, 1892 from Belize. *Zootaxa* 4098: 545-559.
- [doi>](#) Oliveira SV, Pereira SVC, Pinna FV, Fonseca LX, Serra-Freire NM, Cardoso KM, Borsoi ABP, Amorim M, Caldas EP, Gazeta GS 2016. Vigilância de ambientes da febre maculosa: explorando as áreas silenciosas do Brasil. *Revista Pan-Amazônica de Saúde* 7: 65-72.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Oliveira SV, Guimarães JN, Reckziegel GC, Neves BMC, Araujo-Vilges KM, Fonseca LX, Pinna FV, Pereira SVC, Caldas EP, Gazeta GS, Gurgel-Gonçalves R 2016. An update on the epidemiological situation of spotted fever in Brazil. *J Venom Anim Toxins* 22: - .

[doi>](#) Bitencourth KG, Voloch CM, Serra-Freire NM, Machado-Ferreira E, Amorim M, Gazeta GS 2016. Analysis of *Amblyomma sculptum* haplotypes in an area endemic for Brazilian spotted fever. *Med Vet Entomol* 30(3): 342-350.

[doi>](#) Silva, A.B., Duarte MM, Vizzoni VF, Duré AÍL, Lopéz DCM, Nogueira RMS, Soares CAG, Machado-Ferreira E, Gazeta GS 2016. Comparative growth of spotted fever group *Rickettsia* spp. strains in vero cells. *Mem I Oswaldo Cruz (impresso)* 111(8): 528-531.

[doi>](#) Vizzoni VF, Silva AB, Cardoso KM, Santos FB, Stenzel B, Amorim M, Oliveira SV, Gazeta GS 2016. Genetic identification of *Rickettsia* sp. strain Atlantic rainforest in an endemic area of a mild spotted fever in Rio Grande do Sul state, Southern Brazil. *Acta Trop* 162: 142-145.

[doi>](#) Bardella VB, Pita SL, Vanzela ALL, Ferreira CG, Panzera F 2016. Heterochromatin base pair composition and diversification in holocentric chromosomes of kissing bugs (Hemiptera, Reduviidae). *Mem I Oswaldo Cruz (impresso)* 111(10): 614-624.

[doi>](#) Pita S, Lorite P, Nattero J, Ferreira CG, Alevi KC, Teves S, Azeredo-Oliveira MT, Panzera F 2016. New arrangements on several species subcomplexes of *Triatoma* genus based on the chromosomal position of ribosomal genes (Hemiptera - Triatominae). *Infect Genet Evol* 43: 225-231.

[doi>](#) Moerbeck L, Vizzoni VF, Machado-Ferreira E, Cavalcante RC, Oliveira SV, Soares CAG, Amorim M, Gazeta GS 2016. *Rickettsia* (*Rickettsiales*: *Rickettsiaceae*) vector Biodiversity in High Altitude Atlantic Forest Fragments Withing a Semiarid Climate: A New Endemic Area of Spotted-Fever in Brazil. *J Med Entomol* 53(6): 1458-1466.

[doi>](#) Kluyber D, Martins TF, Desbiez AJL, Amorim M, Massocato G, Labruna MB 2016. Ticks (Acari: Ixodidae) infesting armadillos (Cingulata: Dasypodidae) in the Pantanal wetland, Mato Grosso do Sul, Brazil. *Syst Appl Acarol-UK* 28: 1087-1091.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Alencar JAF, Ferreira-de-Mello C, Serra-Freire NM, Guimarães AE, Gil-Santana HR, Gleiser RM 2016. Biodiversity and Temporal Distribution of Immature Culicidae in the Atlantic Forest, Rio de Janeiro State, Brazil. *Plos One* 11: - .

[doi>](#) Giupponi APL, Miranda GS 2016. Eight New Species of *Charinus* Simon, 1892 (Arachnida: Amblypygi: Charinidae) Endemic for the Brazilian Amazon, with Notes on Their Conservational Status. *Plos One* 11: - .

[doi>](#) Justi, SA, Ferreira CG, Schrago, Carlos G. 2016. Geological Changes of the Americas and their Influence on the Diversification of the Neotropical Kissing Bugs (Hemiptera: Reduviidae: Triatominae). Plos Neglect Trop D 1: - .

[doi>](#) Manzanilla OV, Miranda GS, Giupponi APL 2016. New Proposal of Setal Homology in Schizomida and Revision of Surazomus (Hubbardiidae) from Ecuador. Plos One 10: - .

2017

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Lopéz DCM, Mello FL , Dias CMG, Almeida P, Araújo M, Magalhães MA, Gazeta GS, Brazil RP 2017. Evaluating the Surveillance System for Spotted Fever in Brazil Using Machine-Learning Techniques. Front Public Health 5: - .

Oliveira SV, Oliveira KHC, Santos JP , Gazeta GS 2017. Geographical distribution of Lyme-like borreliosis in Brazil: Hot spots for research and surveillance. J Parasit Dis 2(1): 1-2.

Nogueira RMS, Silva AB, Sato TP, Sá JC, Santos ACG, Amorim Filho EF, Vale TL, Gazeta GS 2017. Molecular and serological detection of Theileria equi, Babesia caballi and Anaplasma phagocytophilum in horses and ticks in Maranhão, Brazil. Pesqui Vet Brasil 37(12): 1416-1422.

Indexado (fator de impacto >=1 e < 2,71)

[doi>](#) Bitencourth KG, Amorim M, Oliveira SV, Caetano RL, Voloch CM , Gazeta GS 2017. Amblyomma sculptum: genetic diversity and rickettsias in Brazilian Cerrado biome. Med Vet Entomol 31: 427-437.

[doi>](#) Oliveira SV, Romero-Alvarez D, Martins TF, Santos JP, Labruna MB, Gazeta GS, Escobar LE, Gurgel-Gonçalves R 2017. Amblyomma ticks and future climate: Range contraction due to climate warming. Acta Trop 176: 340-348.

[doi>](#) Silva AB, Vizzoni VF, Costa AP , Costa FB, Moraes-Filho J, Labruna MB , Gazeta GS, Nogueira RMS 2017. First report of a Rickettsia asebonensis related infecting fleas in Brazil. Acta Trop 172: 44-49.

[doi>](#) Oliveira SV, Willermann MCA, Gazeta GS, Angerami RN , Gurgel-Gonçalves R 2017. Predictive factors for fatal Tick-borne Spotted Fever in Brazil. Zoonoses Public Hlth 64(7): e44-e50.

[doi>](#) Moura-Martiniano NO, Machado-Ferreira E, Gazeta GS, Soares CAG 2017. Relative transcription of autophagy-related genes in Amblyomma sculptum and Rhipicephalus microplus ticks. Exp Appl Acarol 73: 401-428.

[doi>](#) Barbosa AS, Duarte MM, Cavalcante RC , Oliveira SV , Vizzoni VF , Duré AiL, Iane FCM , Machado-Ferreira E, Gazeta GS 2017. Rickettsia rickettsii infecting Rhipicephalus sanguineus sensu lato (Latreille 1806), in high altitude atlantic forest fragments, Ceara State, Brazil. Acta

Trop 170: 30-33.

[doi>](#) oliveira J, Ravazi A, Souza ES, Moreira FFF, Ferreira CG, Rosa JA, Alevi KC 2017. Study of the Salivary Glands in Triatominae (Hemiptera, Reduviidae, Triatominae): Their Color and Application to the Chagas Disease Vector Evolution. *Am J Trop Med Hyg* 97(3): 771-773.

[doi>](#) Caetano RL, Vizzoni VF, Bitencourth KG, Carriço C, Sato TP, Pinto ZT, Oliveira SV, Amorim M, Voloch CM, Gazeta GS 2017. Ultrastructural morphology and molecular analyses of tropical and temperate Species of *Rhipicephalus sanguineus sensu lato* (Acari: Ixodidae) in Brazil. *J Med Entomol* 54(5): 1201-1212.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Lopéz DCM, Bitencourth KG, Oliveira SV, Borsoi ABP, Cardoso KM, Souza SB, Giordano-Dias C, Amorim M, Serra-Freire NM, Gazeta GS, Brazil RP 2017. Spotted fever: Epidemiology and Vector-Rickettsia-host relationship in Rio de Janeiro State. *Front Microbiol* 8: - .

Indexado (fator de impacto $\geq 4,35$ e $< 7,51$)

[doi>](#) Justi S, Ferreira CG 2017. The Evolutionary Origin of Diversity in Chagas Disease Vectors. *Trends Parasitol* 33(1): 42-52.

2018

Indexado (fator de impacto < 1 ou sem FI)

[doi>](#) Lamas Junior VD, Peixoto SR, Barbosa HS, Guimaraes HJL, Juberg J 2018. Análise morfológica de ovos de *Triatoma pintodiasi* Jurberg, Cunha & Rocha, 2013 (Hemiptera, Reduviidae, Triatominae) por microscopia eletrônica de varredura. *Revista Pan-Amazônica de Saúde* 9: 51-56.

[doi>](#) Pinto ABT, Paludo GR, Gazeta GS, Jardim MPB, Marcela C Scalon, Scalon MC, Silva AB, Albernaz AP 2018. Anaplasmatocae em gatos (*Felis catus*) no município de Campos dos Goytacazes, Rio de Janeiro. *Pesqui Vet Brasil* 38: 1137-1150.

[doi>](#) Alencar JAF, Ferreira-de-Mello C, Morone F, Albuquerque HG, Serra-Freire NM, Gleiser RM, Silva SOF, Guimarães AE 2018. Distribution of *Haemagogus* and *Sabethes* Species in Relation to Forest Cover and Climatic Factors in the Chapada Dos Guimarães National Park, State of Mato Grosso, Brazil. *J Am Mosquito Contr* 34: 85-92.

[doi>](#) Sato TP, Caetano RL, Carriço C, Silva AF, Gazeta GS, Pinto ZT 2018. First record of phoretic and parasitic mites (Arachnida: Acari) associated with necrophagous flies in Brazil. *Rev Colomb Entomol* 44: 48-52.

[doi>](#) Kury AB, Giupponi APL, Mendes AC 2018. Immolation of Museu Nacional, Rio de Janeiro- Unforgettable fire and irreplaceable loss. *J Arachnol* 46: 556-558.

Indexado (fator de impacto ≥ 1 e $< 2,71$)

[doi>](#) Dale C, CE Almeida, VJ Mendonça, J Oliveira, JA Rosa, Galvão C, Costa J 2018. An updated dichotomous key for the Chagas disease vectors of *Triatoma brasiliensis* (Hemiptera, Reduviidae, Triatominae) species complex and their epidemiological importance. *ZooKeys* 805: 33-43.

[doi>](#) Pedroso DR, Giupponi APL, Baptista RLC 2018. Comments on the genus *Diplura* C. L. Koch, 1850, with description of two new species (Araneae, Mygalomorphae, Dipluridae). *ZooKeys* 771: 57-71.

[doi>](#) Oliveira J, Ayala J, Justi S, Rosa JA, Galvão C 2018. Description of a new species of *Nesotriatoma* Usinger, 1944 from Cuba and revalidation of synonymy between *Nesotriatoma bruneri* (Usinger, 1944) and *N. flavida* (Usinger, 1944) (Hemiptera, Reduviidae, Triatominae). *J Vector Ecol* 43: 148-157.

[doi>](#) Silva MBA, Menezes KR, Farias MCG, Andrade MS, Victor CCA, Lorosa ES, Juberg J 2018. Description of the feeding preferences of triatominae in the Chagas disease surveillance study for the State of Pernambuco, Brazil (Hemiptera: Reduviidae). *Rev Soc Bras Med Trop* 50: 543-546.

[doi>](#) Dorn PL, Justi SA, Dale C, Stevens L, Galvão C, Lima-Cordón R, Monroy C 2018. Description of *Triatoma mopan* sp. n. from a cave in Belize (Hemiptera, Reduviidae, Triatominae). *ZooKeys* 775: 69-95.

[doi>](#) Machado IB, Bitencourth KG, Cardoso KM, Oliveira SV, SantaLucia M, Marques SFF, Amorim M, Gazeta GS 2018. Diversity of rickettsiae and potential vectors of spotted fever in an area of epidemiological interest in the Cerrado biome, midwestern Brazil. *Med Vet Entomol* 32(4): 481-489.

[doi>](#) Oliveira SV, Costa RMF, Ferreira G, Pereira SVC, Amorim M, Monteiro MFM, Alves LC, Gazeta GS 2018. Fatal case of spotted fever in a patient from Northeastern Brazil. *Rev Inst Med Trop SP* 60: - .

[doi>](#) Oliveira SV, Bitencourth KG, Borsoi AB, Freitas FSS, Coelho GCB, Amorim M, Gazeta GS 2018. Human parasitism and Toxicosis by *Ornithodoros rietcorrei* (Acari: Argasidae) in an urban area of Northeastern Brazil. *Ticks Tick-Borne Dis* 9: 1494-1498.

[doi>](#) Rodrigues JMS, Rosa JA, Moreira FFF, Galvão C 2018. Morphology of the terminal abdominal segments in females of Triatominae (Insecta: Hemiptera: Reduviidae). *Acta Trop* 185: 86-97.

[doi>](#) Miranda GS, Kury AB, Giupponi APL 2018. Review of *Trichodamon* Mello-Leitão 1935 and phylogenetic placement of the genus in Phrynichidae (Arachnida, Amblypygi). *Zoologischer Anzeiger* 273: 33-55.

[doi>](#) Arannadia Barbosa da Silva, Cardoso KM, Oliveira SV , Costa RMF, Oliveira G, Amorim M, Alves LC , Monteiro MFM , Gazeta GS 2018. Rickettsia amblyommatis infecting Amblyomma pseudoconcolor in area of new focus of spotted fever in northeast Brazil. Acta Trop 182: 305-308.

[doi>](#) Moerbeck L, Vizzoni VF, Oliveira SV, Cavalcante R , Coelho GCB , Duarte NFH, Amorim M, Gazeta GS 2018. Rickettsia sp. strain Nod infecting Ticks (Amblyomma nodosum) in an Endemic Area of Spotted Fever in Brazil. J Wildlife Dis 54(2): 406-409.

[doi>](#) Lima M S, Carneiro A B, Juberg J, Silva-Neto A C, Atella G C 2018. Triatoma infestans relies on salivary lysophosphatidylcholine to enhance Trypanosoma cruzi transmission. Acta Trop 178: 68-72.

[doi>](#) Miranda GS, Giupponi APL, Prendini L , Scharff N 2018. Weygoldtia, a new genus of Charinidae (Arachnida, Amblypygi) with a reappraisal of the genera in the family. Zoologischer Anzeiger 273: 23-32.

Indexado (fator de impacto $\geq 2,71$ e $< 4,35$)

[doi>](#) Oliveira SV, Rodrigo Nogueira Angerami 2018. Timeliness in the notification of spotted fever in Brazil: Evaluating compulsory reporting strategies and digital disease detection. Int J Infect Dis 72: 16-18.

Qualis B2

[doi>](#) Jacinavicius FC, Bassini-Silva R, Amorim M, Gazeta GS, Welbourn WC, Barros-Battesti DM 2018. Description of Parasecia fernandae sp.n. (Trombidiformes: Trombiculidae) and new records of chiggers from rodents in Rio de Janeiro state, Brazil. Acarina 26: 205-211.